

***DIO* — The International Journal of Scientific History.**

Deeply funded. Mail costs fully covered. No page charges. Offprints free.

- Since 1991 inception, has gone without fee to leading scholars & libraries.
- Contributors include world authorities in their respective fields, experts at, e.g., Johns Hopkins University, Cal Tech, Cambridge University, University of London.
- Publisher & journal cited (1996 May 9) in *New York Times* p.1 analysis of his discovery of data exploding Richard Byrd's 1926 North Pole fraud. [*DIO* vol.4.] Full report co-published by University of Cambridge (2000) and *DIO* [vol.10], triggering *History Channel* 2000&2001 recognition of Amundsen's double pole-priority. New photographic proof ending Mt.McKinley fake [*DIO* vol.7]: cited basis of 1998/11/26 *New York Times* p.1 announcement. *Nature* 2000/11/16 cover article pyramid-orientation theory: *DIO*-corrected-recomputed, *Nature* 2001/8/16. Vindicating DR longtime Neptune-affair charges of planet-theft & file-theft: *Scientific American* 2004 December credits *DIO* [vols.2-9].
- Journal is published primarily for universities' and scientific institutions' collections; among subscribers by request are libraries at: US Naval Observatory, Cal Tech, Cornell, Johns Hopkins, Oxford & Cambridge, Royal Astronomical Society, British Museum, Royal Observatory (Scotland), the Russian State Library, the International Centre for Theoretical Physics (Trieste), and the universities of Chicago, Toronto, London, Munich, Göttingen, Copenhagen, Stockholm, Tartu, Amsterdam, Liège, Ljubljana, Bologna, Canterbury (NZ).
- New findings on ancient heliocentrists, pre-Hipparchos precession, Mayan eclipse math, Columbus' landfall, Comet Halley apparitions, Peary's fictional Crocker Land.
- Entire *DIO* vol.3 devoted to 1st critical edition of Tycho's legendary 1004-star catalog.
- Investigations of science hoaxes of the -1st, +2nd, 16th, 19th, and 20th centuries.

Paul Forman (History of Physics, Smithsonian Institution): "*DIO* is delightful!"

E. Myles Standish (prime creator of the solar, lunar, & planetary ephemerides for the pre-eminent annual *Astronomical Almanac* of the US Naval Observatory & Royal Greenwich Observatory; recent Chair of American Astronomical Society's Division on Dynamical Astronomy): "a truly intriguing forum, dealing with a variety of subjects, presented often with [its] unique brand of humor, but always with strict adherence to a rigid code of scientific ethics. . . . [and] without pre-conceived biases [an] ambitious and valuable journal."

B. L. van der Waerden (world-renowned University of Zürich mathematician), on *DIO*'s demonstration that Babylonian tablet BM 55555 (100 BC) used Greek data: "*marvellous.*" (Explicitly due to this theory, BM 55555 has gone on permanent British Museum display.)

Rob't Headland (Scott Polar Research Institute, Cambridge University): Byrd's 1926 latitude-exaggeration has long been suspected, but *DIO*'s 1996 find "has clinched it."

Hugh Thurston (MA, PhD mathematics, Cambridge University; author of highly acclaimed *Early Astronomy*, Springer-Verlag 1994): "*DIO* is fascinating. With . . . mathematical competence, . . . judicious historical perspective, [&] inductive ingenuity, . . . [*DIO*] has solved . . . problems in early astronomy that have resisted attack for centuries"

Annals of Science (1996 July), reviewing *DIO* vol.3 (Tycho star catalog): "a thorough work . . . extensive [least-squares] error analysis . . . demonstrates [Tycho star-position] accuracy . . . much better than is generally assumed . . . excellent investigation".

British Society for the History of Mathematics (*Newsletter* 1993 Spring): "fearless [on] the operation of structures of [academic] power & influence . . . much recommended to [readers] bored with . . . the more prominent public journals, or open to the possibility of scholars being motivated by other considerations than the pursuit of objective truth."

DIO

Almajest Planet-Motion
Tables' Descent from
MultiCentury-Cycles

Alex Jones' Two Hits
Complete the Picture

Ten — Ahh, Eight Grand
DIO Match-Challenges

Table of Contents

Page:

‡4 Ancient Planet Tables' Long-Cycle Ancestries

by Dennis Rawlins 34

Alex Jones' Swift Coup Score One for Gingerich

In 2003 mid-September, Alex Jones (spurred on by Dennis Duke)¹ fortunately investigated the origin of the *Almajest* mean motions of Mars&Jupiter — and right away definitively solved (see within: ‡4 eqs.31&45) these two problems, the secret of which had for decades eluded Neugebauer, DR, Gingerich, Toomer, S.Goldstein, Moesgaard, etc.

In fairness to DR-libeler Owen Gingerich, DR must (*DIO* 1.2 fn 179) note upfront: OG's 1983 disbelief (to which DR made [now semi-ironically] strong objection) in DR's false Mars solution (‡4 eq.35) has recently been redeemed² by Jones' find of the true solution. (For DR's own nest of redemptions in this connexion see ‡4 fn 21 items [i]-[iv].)

Is this a Gingerich vindication? Or: is it (p.32 fn 5) that when one keeps blanket-discounting (*DIO* 11.3 ‡6 §B1) or attacking (p.33 fn 7) *all* of a hate-object's discoveries (hundreds at www.dioi.org/cot.htm), one is stopped-clock-certain to be right on occasion? We'll know when OG begins to treat *DIO* theories with 1-by-1 equitable discrimination. [Note added 2008. DR's 2003 try at crediting OG here forgetfully neglected an item which unambiguously tests for whether OG's Mars objection was math or politics. See *DIO* 1.1 ‡1 fn 9 online.]

Some positive omens in this direction: [a] Not long ago, OG favorably reviewed a D.Duke paper which redeems DR's longtime position (contra OG's decades of serial apologia) on the Ancient Star Catalog question. [b] OG was (as we note in *DIO* 13.1 p.3 fn 3) the very 1st party to own up to the validity of DR&Pickering's spherical trig correction to the K.Spence-OG *Nature* 2000/11/16 papers on the Giza pyramids. [c] As noted in *DIO* 9.1 (‡1 pp.3&4), OG was 1st to tell us of *DIO*'s vindication as sole journal that publicly pre-identified the party (Astron Royal's longtime Chief Ass't) who stole the RGO Neptune file. (Likewise, DR was 1st to tell OG [2003/9/18 & 10/6] he'd been right on ‡4 eq.37's non-uniqueness.) [d] On 2003/10/6, OG & DR agreed to try for better relations.³

And it was nice to hear very recently through the vine that OG has been privately owning that much of DR's work is indeed of high quality. We continue to wait patiently for such Gingerich-ethical-rebirth intellectual generosity to debut substantially in print at last.

¹ After Jones emailed Duke the Jupiter solution, Duke successfully applied the same method to Mars and emailed that planet's correct solution to Jones — finding that Jones was simultaneously emailing him the same result. Duke generously refuses to take credit for anything beyond (the crucial act of) inspiring Jones' find; but I think these details (of a delightful chapter in our field's continually-surprising history) are of sufficient interest that the full story should be recorded. Note that Jones is the 3rd major *classicist* (following J.Fotheringham & A.Diller) who's made admirable *math*-based contributions to the history of ancient astronomy and mathematics. *DIO* revels in such seeming incongruities.

²OG thought (1983) an alternate solution possible (while himself proposing an impossible alternate ratio). Jones proved Gingerich right (and DR quite wrong) in this instance. (OG's automatic Alternate-Theory mantra led him into blindalleyville elsewhere; e.g., compare *DIO* 4.3 ‡15 §H5 to item [a] on this page; & see p.31 fn 1.) DR has long noted that alternate explanations are possible for all theories (valid or no); but this is (*DIO* 4.3 ‡15 §I3) "an argument for *skeptical discussion*, not for *suppression*."

³ DR again-insisted [again-vainly: p.33 fn 7] that a start towards *rapprochement* must include correction of *Sky&Telescope's* (2002 Feb p.40) faithful echo of OG's false libel (see HASTRO [OG 2000/4/22] vs. [DR 2000/5/9]) that DR had started "abusive" correspondence with *J.Hist.Astr's* M.Hoskin (details: *DIO* 11.1 p.2 & more fully at www.dioi.org), a charge that none of the smearmongers has been able to document, in response to *DIO*'s repeated challenges to do so. Not Gingerich; nor *S&T*; nor author B.Schaefer (who was elevated onto *JHA*'s Board *immediately* after his 2002/2 attack, & is still writing for *S&T*: 2003/3); nor *JHA*-funktionary Hoskin, the true incendiary, who enragedly responded (1983/3/3) to patently well-meant DR advice & criticism of *JHA* refereeing, by libelsuit-threat & the soon-amusingly-backfired (*DIO* 11.1 p.2 !) charge that DR had told a "damned lie". Question: how much time, opportunity, & incoming contradiction must come to pass before non-withdrawal of a nationally-circulated smear (*S&T* has boasted of ordmag 100000 readers) — for years known to be unsupportable — becomes elevated to the status of now-deliberate sham by all the cringing perps?

DIO: The International Journal of Scientific History [www.dioi.org] is published by

DIO, Box 19935, Baltimore, MD 21211-0935, USA.

Telephone (answering machine always on): 410-889-1414.

[Email: dioid@mail.com.]

Research & university libraries may request permanent free subscription to *DIO*.

Each issue of *DIO* will be printed on paper which is certified acid-free. The ink isn't.

Editor: Keith Pickering, address below. Publisher: Dennis Rawlins (DR), address above.

DIO is primarily a journal of scientific history & principle. However, high scholarship and-or original analytical writing (not necessarily scientific or historical), from any quarter or faction, will be gladly received and considered for publication. Each author has final editorial say over his own article. If refereeing occurs, the usual handsome-journal anonymity will not, unless in reverse. No page charges. Each author receives 50 free offprints.

The circumstance that most *DIO* articles are written by scholars of international repute need not discourage other potential authors, since one of *DIO*'s purposes is the discovery & launching of fresh scholarly talent. Except for equity&charity reply-space material, submissions will be evaluated without regard to the writer's status or identity. We welcome papers too original, intelligent, and-or blunt for certain handsome journals. (Dissent & controversy are *per se* obviously no bar to consideration for *DIO* publication; but, please: spare us the creationist-level junk. I.e., non-establishment cranks need not apply.)

Other journals may reprint excerpts (edited or no) from any issue of *DIO* to date, whether for enlightenment or criticism or both. Indeed, excepting *DIO* vols.3&5, other journals may entirely republish *DIO* articles (preferably after open, nonanonymous refereeing), so long as *DIO*'s name, address, & phone # are printed adjacent to the published material — and to all comments thereon (then *or later*), noting that said commentary may well be first replied to (if reply occurs at all) in *DIO*'s pages, not the quoting journal's.

DIO invites communication of readers' comments, analyses, attacks, and-or advice.

Written contributions are especially encouraged for the columns: Unpublished Letters, Referees Refereed, and regular Correspondence (incl. free erftime for opponents). Contributor-anonymity granted on request. Deftly or daftly crafted reports, on apt candidates for recognition in our occasional satirical *J. for Hysterical Astronomy* will of course also be considered for publication.

Free spirits will presumably be pleased (and certain archons will not be surprised) to learn that: at *DIO*, there is not the slightest fixed standard for writing style.

Contributors should send (expendable photocopies of) papers to one of the following *DIO* referees — and then inquire of him by phone in 40 days:

Dennis Duke [ancient astronomy, data analysis], Physics Dep't, Florida State University Tallahassee, FL 32306-4052; tel 850-644-0175.

Robert Headland [polar research & exploration], Scott Polar Research Institute, University of Cambridge, Lensfield Road, Cambridge CB2 1ER, UK; tel (44) 1223-336540.

Charles Kowal [celestial discovery, asteroids], Johns Hopkins University Applied Physics Laboratory, Johns Hopkins Road, Laurel, MD 20707; tel 410-792-6000.

Keith Pickering [navigation, exploration, computers, photography, science ethics],

10085 County Road 24, Watertown, MN 55388; tel 952-955-3179; fax 952-955-2398.

E. Myles Standish [positional & dynamical astronomy], Jet Propulsion Laboratory 301-150, Cal Tech, 4800 Oak Grove Drive, Pasadena, CA 91109-8099; tel 818-354-3959.

F. Richard Stephenson [ancient eclipses, ΔT secular behavior], Department of Physics, University of Durham, Durham DH1 3LE, UK; tel (44) 191-374-2153.

Hugh Thurston [early astronomy, WW2 cryptography] (Univ. Brit. Columbia, Prof. Emer. Math), Unit 3 12951, 17th Ave. S.Surrey, B.C., Canada V4A 8T7; tel 604-531-8716.

Christopher B. F. Walker [Mesopotamian astronomy], Dep't of Western Asiatic Antiquities, British Museum, Great Russell Street, London WC1B 3DG, UK; tel (44) 171-323-8382.

Ptolemy's parameters. (See Neugebauer 1975 p.907.) If so, then most *Almajest* mean planet motions are indicated to have originated over 3 centuries before those of the *PlanHyp*, i.e., c.200 BC. We will next explore some more detailed and thus more tentative speculations.

L5 Take the specific case of Mars: assuming the same rare 9th century BC Mars stationary point data were used to found both *PlanHyp* (fn 38) & *Almajest* (eqs.24-25) cycles: subtracting their 363^y difference ($1010^y - 647^y$) from 160-170 AD (*PlanHyp* date) yields c.200 BC. For Jupiter (where both cycles are shorter),³⁹ the similarly-computed date (for creation of *Almajest* 9.3) would be: $165 \text{ AD} - (771^y - 427^y) = \text{c.180 BC}$.

L6 Another provocative set of coincidences: the *Y* for Mars' eq.25, Saturn's eq.49, and triple Mercury's eq.9 are all virtually equal: all three *Y* values fall within a 1/2 percent of 650^y . This suggests a hypothesis. Suppose Mercury's 217^y *Almajest* period was based upon 651^y -separated pairs of stations; then comparison (as in §L5) with the *PlanHyp* period (993^y) leads us to c.180 BC for the origin of the *Almajest* 9.3 material. If the *Almajest* Saturn base was eq.49's 648^y (double eq.48) vs *PlanHyp* 972^y (triple eq.48), then c.160 BC is indicated⁴⁰ as the rough date of its establishment. So we have speculatively induced c.180 BC $\pm 20^y$ as an approximate date for the originator of the ancestor relations behind the *Almajest* planet mean motions.

L7 Planet-theorist Apollonios⁴¹ was late 3rd century BC. So: was he (or a rough contemporary) the true source of some or all of the planet mean motions of the *Almajest*? Another possibility, curiously unexplored [especially inexplicable, considering that he first went to Alexandria out of admiration for Aristarchos of Samos]: was Apollonios a heliocentrist?

L8 For anyone who senses the reality behind ancient astrologers' geocentrist façade (Rawlins 1991P), it should not be at all unthinkable that such a knowledgeable mathematician & astronomer as Apollonios knew (perhaps just privately: §G3) the true pattern of the Solar System — presumably including precession, the $1^\circ/\text{cy}$ estimate of which is used throughout the foregoing reconstruction of geocentrist Ptolemy's planet mean motions, since $1^\circ/\text{cy}$ was adopted by the ancient geocentrist tradition. This heliocentrist value (going back at least to Aristarchos, 280 BC: Rawlins 1999) was poor [cause: Rawlins 1985H]; but the very idea of precession was revolutionary, and (Rawlins 2002A fnn 14&16) it was only natural that realization of the Earth's gyroscopic precession should come from those who understood that our planet was not terra-firma but terra-turner. See Rawlins 1999 for the rather simple evidence for Aristarchos' priority: he alone is cited for *two* disparate yearlengths on the ancient Greek lists (*ibid* Table 1), and their difference *is* precession.

³⁹This could indicate that the early-remote stationary-point observations for Jupiter were about 2-plus centuries later than those for Mars and (according to the theory of §L6) Mercury & Saturn. Thus, its data are not indicated to be 6 1/2 centuries before the *Almajest* 9.3 period-relations (perhaps from c.200 BC or a little later: §§L5&L7), as are perhaps the cycles for those three planets, though Jupiter's cycles do fit the 3 1/2-century differential pattern broached at §L4 and discussed here.

⁴⁰Venus *PlanHyp* $Y = 964^y$ fits §L4's idea that most *PlanHyp* planet cycles use 9th century BC data; but long Venus cycles are blocked from having the same *Almajest*-vs-*PlanHyp* 3 1/2-century interval which can work for the other 4 planets. Eq.16's huge 31 (fn 12) (reflecting 8-5 resonance exactness), locks large Venus-returns into 1/4 millennium steps. [Venus-transits gaps: 1/2 that.] So it's irrelevant (& see Rawlins 2002V §C5) that Venus doesn't fit our 3 1/2 century gap proposal.

⁴¹Apollonios [who even bore a lunar nickname] probably published mean motion tables for the Moon (Rawlins 1991W fn 242), and he was famous in antiquity for his knowledgeability regarding planetary motion: *Almajest* 12.1. (Hipparchos is a less likely source; *Almajest* 9.2 speaks of the very limited nature of Hipparchos' then-extant planet investigations and mentions contemporaries' work, which he checked. And see Toomer 1984 p.421 n.10 on Hipparchos.)

The 1st van der Waerden Induction Awards DIO's Ten Thousand-Dollar Match-Prizes [On these & other DIO Prizes: www.dioi.org]

Alex Jones' dazzling 2003 success (p.30), in eliminating two of the ten match-challenges (p.33) distributed by DR at the 2003/6/19-22 University of Notre Dame history-of-astronomy conference, has inspired *DIO* to up the stakes in the ongoing enterprise of discovery throughout the wonderful inductive garden of ancient-astronomy research.

DR now hereby not only reiterates his challenges but subjects his list of reconstructive fits to judgement by an independent quartet of highly qualified experts, whose members have volunteered to evaluate challengers' submissions:

Dennis Duke (Physics, Florida State University),
Alex Jones (Classics, University of Toronto),
Hugh Thurston (Mathematics, Prof. Emeritus, University of British Columbia),
Curtis Wilson (History of Astronomy, Prof. Emeritus, St.John's College, Annapolis).

All four have already (see fn 2 & *DIO* 7.1 †2) participated in efforts to overturn DR theories, and most of the members have been involved in at least 1 successful challenge.

Our proposal and promise is as follows: any scholar who can find solutions that are deemed by three of the panel's foursome to be superior to (more plausible in toto than) any of the eight¹ so-far-still-unmatched items in the following challenge-list (p.33) will be memorialized via *DIO* publication of his discoveries, and as winner of the B. L. van der Waerden Award for Induction, which is one of *DIO*'s several \$1000 prizes.

[Other \$1000 winners announced during 2004 (citations at www.dioi.org/pri.htm):

Charles Kowal (R. R. Newton Award for Scientific History),
Myles Standish (E. Myles Standish Award for Scientific Principle).]

If the challenger is himself a member of the committee (a distinct possibility, given its members' fertility), then he will need to convince the other three judges. To certify our seriousness in this grand-new octo-challenge, we have already sent the appropriate \$2000 prize to Alex Jones: a grand each for his two brilliant successes.

Personally, DR doubts that alot (if any) more of the \$10000 we've put on the line will ever be paid out, much less all of it (which is why *DIO* is willing [*idem*] to grant the van der Waerden Award to other worthy inductions, during those years when the List-of-Eight doesn't shrink); however, such decisions are now entirely out of DR's hands. In any case, he hopes that the unquestioned circumstance that he very occasionally² misjudges such situations will inspire a plenitude of swipes at our challenge's eight jutting chins. . . . And, even if every jaw proves glassless, and all survive as The 8 Immortal Mandibles, nonetheless: challengers' hunts are likely at the very least to trigger serendipitous by-product discoveries.

Tally-ho!

¹ One could (see †4 fn 21) formally up the following list from eight to eleven items, by adding in DR's *DIO* 2.1 †3 §C3 solutions for the *Almajest* Mercury, Venus, & Saturn mean-motions [sent by letter to a then-unappreciative Gingerich on 1980/4/13]; all 3 are provided here in †4: Mercury (eq.14) [1-part-in-a-trillion-plus], Venus (eq.22), & Saturn (eq.54). However, these 3 solutions' validity is undoubted by anyone, since their components are as attested as those of Jones' two parallel solutions for Mars & Jupiter. So we will leave the total of *DIO* challenges at eight, at least for now.

² See p.30 fn 1, *DIO* 2.1 †3 fnn 10&26, *DIO* 3 fn 54, *DIO* 4.3 †14, *DIO* 10 fnn 3&82, & *DIO* 13.1 †2 §D&E4.

UltraMaxing Cemental-Case Ungenerosity CounterHexing DIOMagic

In the 1967 film, *Guide for the Married Man*: Joey Bishop's wife surprises him simultaneously in bed&flagrante. Unruffled, the culprits just calmly dress; the exiting vamp says not a word. The wife shrieks: who's that *woman*? But Joey just tidies-up the bed, deadpan-affecting bored puzzlement, as if there were no contretemps at all. Quickly the woman is gone, the bed neat; Joey calmly reads&asks: Woman? What woman . . . ?

Even while Joeyesquely deny-deny-dodging DR, Ptolemy's worshippers (the Muffia) privately call DR's work "admirably ingenious", "clever", "brilliant" — but of course "never convincing"¹ (almost or totally, depending on Muffioso) and thus not worth publicly crediting for any scholarly contribution.² (Such nose-in-air-ishness is best rhinoplastied by putting the snipers' ultimate place [in scientific history] up against those of *DIO*'s backers, some already assuredly immortal: van der Waerden, R.Newton, Kowal, Standish, etc.) Question: What theory fits such inconsistent Muffia fits over DR's reconstructive fits?

Hypothesis: the Muffia circle hopes-fantasizes that virtually the entire broad spectrum of DR's 1/4 century of highly precise reconstructive matches (to ancient Greek astronomical data) is just alot of *illusions*, like parlor magic tricks. OK, OK, so the math is correct, but we *know* that no one outside our cult could possibly be adding much to a field where We are The-Experts.³ Such greeneyed outrage can be seen as weirdly-flattering, but it also suggests a test-challenge: let the incomparable Muffia produce *its own* competing mere-magic, to show how easy it is to delude non-experts, just as *horribilis*-DR has allegedly been doing. After all, Houdini used to expose psychic fraud by just matching the effects.

Hugh Thurston has recently presented in the History of Science Society's *Isis* 93.1:58-69 (2002 March) an extensive flock of DR's superficially-convincing-but-surely-*worthless* reconstructive fits. All Muffiosi were offered a chance to attack them. All passed.⁴

Well, if it's just dumb magician-illusionism that *DIO* can again&again&again come up with spare, simple, super-precise reconstructive fits to ancient data, then, let's see the institutionally-certified geni come out of hiding & simply: *match the DIO matches*.⁵

relations right in the tables' preface (*Almajest* 9.3) — a preface which appears to have been as thoroughly plagiarized as the tables themselves.

[b] Further, we have found that for 2 planets, the tabular mean motion cannot (§F3) be calculated even from the synodic period-relation numbers he cites at *Almajest* 9.3 — so Ptolemy cannot have known where the Mars & Jupiter tables came from.

K3 Plagiarizing all the planet mean-motion tables is perfectly consistent with Ptolemy's thoroughly-established ethics.³³ Indeed, we've already for some time possessed independent proof of embarrassingly clumsy theft for, e.g., Mercury's³⁴ mean motion and the Ancient Star Catalog.³⁵

L Appendix 2. Implications of Greek-Exploited Records' Antiquity

L1 I had previously doubted that Ptolemy's mean planetary motions could be stolen from Hipparchos (c.140 BC) or Apollonios (c.200 BC) because, e.g., the Mars mean motion (based upon a 647^y cycle) would have required Apollonios to have used data from the 9th century BC, much earlier than the up-to-now-accepted date for the oldest Babylonian records available to classical-era astronomers. But the block to such extended investigation has now (fn 37) been lifted.

L2 Once we come to realize that there is previously³⁶ unperceived evidence³⁷ for Greek use of pre-747 BC astronomical observations, our vision is broadened and led into new paths from which the flamekeepers of orthodoxy are sadly self-barred (*DIO* 10 ⊙ 20).

L3 In pondering this point, the context is best kept in mind. Every other precise *Almajest* mean motion was effectively finalized in the period between Aristarchos (c.280 BC) and Hipparchos (c.140 BC): the Sun (Aristarchos-Hipparchos [Rawlins 2002A fn 17]), the Moon (Aristarchos [Rawlins 2002A] & Hipparchos [Rawlins 2002H]), and the stars' precession (Aristarchos-Hipparchos [Rawlins 1999]). So, we are naturally inspired to ask whether the planet mean motions (if not some detailed model-features as well, e.g., equant) are also from astronomers of the period 280-140 BC. We will now discuss indications that happen to lend independent support to this idea.

L4 As detailed in the foregoing paper, the ancients determined and tabulated (sometimes remarkably accurate) tropical planetary mean motions by transforming integral sidereal cycles obtained by comparing stationary point data centuries apart. (See fn 6, Rawlins 2002B fn 4, Rawlins 1987 n.28.) So each planet-cycle's length (subtracted from the cycle-discoverer's date) has the potential to lead us to the date of that planet's earlier stationary-point observation(s). The cycles behind the *Almajest* planet mean motions (*Almajest* 9.3-4) have been given earlier here: eqs.9, 17, 25, 40, & 48. (See also *DIO* 2.1 ‡3 fn 17.) The longest is 647^y. But a later Ptolemy work, *PlanHyp*, gives cycles (Neugebauer 1975 p.906 Table 15) which are mostly about 3 1/2 centuries longer³⁸ than that, e.g., Mars 1010^y, Mercury 993^y, Venus 964^y. Many Ptolemy loyalists believe (and Ptolemy claims) that this late Ptolemy work's alterations reflect contemporary-data-based improvements of

³³Ptolemy's ethics? At the 1997 History of Science convention (Liège), the bright & lovable authoress of the recent book on this oxymoronic theme gave a talk on the subject. DR naturally offered from the floor that the only question he has about Ptolemy's ethics is: who'd he steal them from?

³⁴ See Rawlins 1987 pp.236-237 item (5) and van der Waerden's appreciative reaction (Rawlins 1991H fn 37). [Note added 2003. Alex Jones has recently made the original observation that the same type of argument applies somewhat to Saturn as well.]

³⁵See *DIO* 12 ‡1 Fig.1 (K.Pickering) & *ibid* ‡2 pp.33-34 (D.Duke). For other key new evidence, see *DIO* 10 fn 177.

³⁶See Rawlins 2002B fn 7.

³⁷ Rawlins 1996C §§D-E, Rawlins 2002B §§A5&G2, Rawlins 2002H §C.

³⁸ The *PlanHyp* cycles (tabulated at Neugebauer 1975 p.906) are: Mercury 3130^s = 993^y, Venus 603^s = 964^y, Mars 473^s = 1010^y, Jupiter 706^s = 771^y, Saturn 313^s = 324^y.

¹See *DIO* 6.1 ‡1 p.4. [For pp.32-33's sources, see ‡4's References.]

² The non-lockstep scholars are A.Jones (not Muffia, anyway) & J.Britton, who've conceded p.33 #1 (now universally acknowledged anyway outside inner Muffia-JHA cliques). Those who've (publicly) admitted precisely *zero* DR valid discoveries include: A.Aaboe, J.Evans, O.Gingerich, B.Goldstein, N.Swerdlow, G.Toomer. Whose status are such attempted-hurts really hurting? Answer: p.33 fn 7 & *DIO* 11.1 p.3 fn 2. [Chimera motivating such systematic ungenerosity: *DIO* 2.3 ‡6 §F4.]

³ The Muffia still in 2002 privately defends a top Muffia guru's 1976/3/9 charge (excerpted at *DIO* 1.1 ‡1 §C7) that Johns Hopkins physicist R.Newton's work was "incompetent work in [our] realm". (At this remove, it's hard to believe that [at his career's start] V.Horowitz was similarly snarled-at [by his relatively slomo pianistic competition] as a mere technician-without-subtlety.)

⁴ Muffies delayed reply for fear of apologia-exposure in open arena. For pure Joeying, see *JHA* 34:70 and Rawlins 1996C §J (2003 reprint) [& DR's *Isis* 94.3:500-502 letter thereon]. (Muffiosi've dodged debate with DR for decades.) But cultists nonetheless continue panic-circulating hysterically insulting emails in reaction to every *DIO* proposal (that's contra perfect Muffiathink), hoping to quarantine-cage each new potential heretical bacillus ere it infects the larger scholarly population: *DIO* 4.3 ‡15 §E3.

⁵ This would *at last* vindicate O.Gingerich's two-decades-old mantra (*DIO* 4.3 ‡15 §H5) that *all* DR discoveries *must* have alternate explanations. [But it's only fair to acknowledge here that OG has been right once: see p.30.] Note: no scientist will score (as a valid match) the sort of classic-Muffia fill found in, e.g., Goldstein 2002 (completely-arbitrary, unanient, & pure-arithmetic-fantasy juggling) or Toomer 1984 p.672. (Both Muffiosi very creditably don't rate their speculations as more than such.) Let's instead see contextually consistent alternate solutions (founded on anciently attested methods and data [as Jones has in fact accomplished for #5-#6] or accurate empirical bases) that produce the [remaining eight] results here, with something even approaching equal plausibility. Since Gingerich 1980 p.264 adduces an (alleged) (verbal) Einstein remark to defend astrologer Ptolemy's crude cheating, I'd rather recall Einstein's joy that *a valid equation is immortal*.

References

- Almajest*. Compiled Ptolemy c.160 AD. Eds: Manitius 1912-3; Toomer 1984.
 J.L.Berggren & B.Goldstein 1987, Eds. *From Ancient Omens to Stat Mech*, Copenhagen.
Canobic Inscription. Compiled Ptolemy 146-147 AD. Ed: Heiberg 1907.
 J.Evans 1987. *JHA* 18:155 & 233.
 O.Gingerich 1980. *QJRAS* 21:253.
 O.Gingerich 1988. *JHA* 19:142. Review of Berggren & Goldstein 1987.
 O.Gingerich 2002. *Isis* 93.1:70.
 B.Goldstein 1967. *Arabic Version of Ptolemy's PlanHyp*, *AmPhilosSocTrans* 57.4.
 B.Goldstein 2002. *JHA* 33:1.
 J.Heiberg 1907, Ed. *Claudii Ptolemaei Opera Astronomica Minora*, Leipzig.
 M.Houlden & F.R.Stephenson 1986. *Suppl* [Tuckerman 1962&64], *APS Mem* 170.
 Karl Manitius 1912-3, Ed. *Handbuch der Astronomie [Almajest]*, Leipzig.
 O.Neugebauer 1955. *Astronomical Cuneiform Texts*, London.
Planetary Hypotheses. Comp. Ptolemy c.170 AD. Eds: Heiberg 1907; Goldstein 1967.
 D.Rawlins 1968. *Sky&Tel* 35:160.
 D.Rawlins 1984A. *Queen's Quarterly* 91:969.
 D.Rawlins 1985H. *BullAmerAstronSoc* 17:583.
 D.Rawlins 1985K. *BullAmerAstronSoc* 17:852.
 D.Rawlins 1987. *American Journal of Physics* 55:235. [Note §G & fn 26.]
 D.Rawlins 1991H. *DIO 1.1* †6.
 D.Rawlins 1991P. *DIO 1.1* †7.
 D.Rawlins 1991W. *DIO-J.HA 1.2-3* †9.
 D.Rawlins 1996C. *DIO-J.HA 6* †1.
 D.Rawlins 1999. *DIO 9.1* †3. (Accepted *JHA* 1981, but suppressed by livid M.Hoskin.)
 D.Rawlins 2002A. *DIO 11.1* †1.
 D.Rawlins 2002B. *DIO 11.1* †2.
 D.Rawlins 2002H. *DIO 11.1* †3.
 D.Rawlins 2002V. *DIO 11.3* †6.
 B. Schaefer 2001. *JHA* 32:1.
 Hugh Thurston 2002. *Isis* 93.1:58.
 Gerald Toomer 1977. *ArchivesIntHistSci* 27:137. Review of Pedersen 1974.
 Gerald Toomer 1984, Ed. *Ptolemy's Almagest*, NYC.
 B.Tuckerman 1962&64. *Planetary, Lunar, & Solar Pos*, *AmPhilosSocMem* 54&56.
 B.van der Waerden 1988. *Astronomie der Griechen*, Darmstadt.

K Appendix 1. Ptolemy's Plagiarisms

K1 Who computed the *Almajest* 9.4 planet mean motion tables? In §L, we will suggest a possible author. But it is harder to prove who did the tables than to prove (§F3) Ptolemy didn't. As noted at §J5: with Mars (eq.31) & Jupiter (eq.45), Ptolemy isn't aware of the numerical basis of "his" own tables. [Note capper consideration in §F3 bracket.] He *blindly* plagiarized them — *and the numbers underlying them*. He doubtless did likewise for all 5 planets — but got flatout caught in the cases of Mars & Jupiter, where his alleged synodic numbers unquestionably do not match the tables, while (as A.Jones has found: eqs.31&45) the longitudinal numbers do perfectly produce those very tables. (Deceptions fully summarized at §F3.)

K2 And do not fail to appreciate just how screwed-up the Muffia's "Greatest Astronomer of Antiquity" was. Recapping §F3:
 [a] He claimed (fn 2) that the tables (*Almajest* 9.4) were based upon the observed arc/time ratios he elaborates for each planet; but all 5 motions are instead based upon period-

[Despite attempts from various quarters, only 2 of the following 10 solutions have as yet received convincing matches: in a wonderful example of original & unexpected discovery, A.Jones has just shown that *Almajest* 9.3's longitudinal short-period-relation data produce the Jupiter & Mars mean motions; since DR's solutions use nonattested numbers, Jones' solutions are the correct ones. See †4 fnn 26&27.]

Ten examples of precise and [ere Jones' finds] unmatched *DIO* reconstructive fits:⁶

- Two famous Greek solstices solve ACT 210's "Babylonian" year. (*DIO 1.1* †6 eq.6; British Museum [Room 52]; Thurston 2002 p.62.) Fit: 1 part in ordmag 1 billion.
- Atmospheric-refraction common-explanation for *both* canonical ancient Earthsizes. (*AmerJPhys* 47:126 [1979]; Halliday, Resnick & Walker *Fundamentals of Physics* 5th ed. Chap.1; *DIO 6.1* †1 fn 47. [Barbara Rawlins co-discoverer.]) Fits: 1 part in ordmag 100.
- Almajest* 4.11 Hipparchan lunar distance #1. (*DIO 1.3* eq.23 & §P2 table; Thurston 2002 [Isis 93:58] p.60.) Fit: 1 part in ordmag 10000.
- Almajest* 4.11 Hipparchan lunar distance #2. (*DIO 1.3* eq.24, & §P2 table; Thurston 2002 p.60.) Fit: 1 part in ∞.
- Almajest* 9.3 Mars mean motion. (Within: eq.37.) Fit: 1 part in ordmag 100 billion. [Bettered & definitively displaced by A.Jones. See †4 eq.31.]
- Almajest* 9.3 Jupiter mean motion. (*DIO 2.1* †3 §C3.) Fit: 1 part in ordmag 1 billion. [Enormously bettered & definitively displaced by A.Jones. See †4 eq.45.]
- A.Diller-DR 12-of-13 fit to the Strabo 2.5 Hipparchan klimata. (*DIO 4.2* p.56 Table 1 & Thurston 2002 n.18, vs Neugebauer *HAMA* p.734 n.14 or *JHA* 33:15 [2002] p.19, vs *DIO 11.1* p.26 fn 1.) Fit: 10 times (rms) better than the theory of Neugebauer *HAMA* p.305 (fitting only a minority of data: 6-of-13).
- The 781^y eclipse-cycle solution to Ptolemy's final lunisolar equation. (*DIO 6.1* †1 eq.31.) Fit: 1 part in ordmag 10 million before roundings, 1 part in 10 billion or ∞ after.
- Almajest* 4.11 Hipparchan lunar *e&r*. (*DIO 1.3* eqs.19&20.) Fits: 1 part in ordmag 10000 & 1 part in ordmag 100000, respectively.
- Great-Yr. solution to Aristarchos' trop.yr. (Rawlins 2002A eqs.12&13; *AlterOrient & Alt.Test.* 2003.) Fit: 1 part in ordmag 10 million before rounding, 1 part in ∞ after.

All but #5-#7 are Joey'd (fn 4) by most Muffiosi. (Fits? What fits? [See Rawlins 1996C §J5 bracket!]) Muffiosi ignore competing theories 'til denigration is ready-for-launch, even if years pass waiting.) But, savour the apothetic vistas opened by our tray of grails: *think* what elevation Muffia matchers (of just a few) would earn. Grants, AAS-HAD officerdum, *JHA*-Boredship, a MacArthur or two (& maybe even, down the road, a Nobel, from the Sultan of Sweden): the allures hang high, awaiting The-Expected-One who godwilling comes-hosannahed-forth to lance the heresy-spewing *DIO* dragon.⁷

⁶Except #2, "fit" means reproduction of every displayed digit, to the ancient texts' full precision, including each of the 12 fits in #7. One-part-in-∞ means: all integers satisfied on-the-nose.

⁷Lovable *JHA* squandered over 100 pages on three Pb papers (Evans 1987 & Schaefer 2001: see *DIO 12* on these) attacking DR's lesser work, & OG spent profitless at-computer *months* slashing at the present paper (†4); so there's no doubting *JHA* willingness (& see *DIO 2.3* †8 fn 61) to go to any trouble to bury DR. But except for nonMuffioso Jones' recent magnificent successes in matching (nay, utterly displacing) #5-#6, we've seen nothing but years of total failure & total silence. Nonetheless, dry-hole Muffiosi almost uniformly continue as ever (*DIO 1.2* §H2) to adopt the inadvertently self-revealing posture (continuing that cited in fn 3) that not one of DR's eight still-unmatched reconstructions has merit. Well-intended advice to a waning cult: it's long past time for it to either put up (superior solutions for most of those eight) or shut down (its superiority-pose of contempt, which is now ever-more-widely seen as just contemptible). [Was OG rejection of †4 eq.37 (false Mars-fit) from luck (odds: fn 21), wisdom ("idiosyncratic": *DIO 1.2* §H3), power-operation (*DIO 2.3* †6 §F4), and-or to hide OG&co's *non*-fit solutions of same Mars motion (*DIO 2.1* †3 §C8&C14)? As for peace-hopes (p.30 item [d]): craven *JHA* libel-fantasy (p.30 fn 3) is official *S&T* history (& the prime libeller is now HAD-honored). Next *S&T* fable: US war-starting 'abusive' Pearl Harbor kills of 29 innocent Japanese-tourist aircraft?]

‡4 Ancient Planet Tables' Long-Cycle Ancestries Almajest Planet Mean Motions All Based on Period-Relations by Dionysios¹

A Almajest Planet-Tables' False & True Mathematical Bases

A1 For each of the five planets, Ptolemy provides mean motion tables (*Almajest* 9.4), based upon the daily mean tropical motion provided in the tables' preface (*Almajest* 9.3), which in each case is given to six sexagesimal places: about 1/50 billionth of a degree/day (note fn 10). For each planet, he claims² that the mean motion was determined by dividing a centuries-long time interval t into the long angular arc a of the planet's motion during that interval. Cliquish O. Neugebauer-Muffiosi were lockstep in credulously accepting this. (Neugebauer himself even falsely³ claimed to have mathematically checked it.) They did so unanimously right up until their communal hate-object R. Newton actually performed the five a/t divisions and found that Ptolemy was lying in all five cases. (The Muffia-R. Newton contrast here needs to be kept in mind because those who were completely wrong continue to promote the deliciously ironic delusion that they are the ultimate experts on Ptolemy, while Newton&co are just incompetent cranks.)⁴

A2 Inspired by this finding, DR ran continued-fraction analyses upon all the planets' tabular motions and was amazed to find that for Mercury, Venus, & Saturn the solutions perfectly matched (not Ptolemy's centuries-long a/t ratios [fn 2], but) decades-long period-relations given (*Almajest* 9.3) for those same planets, right in the tables' preface!

B Almajest Planet-Tables' False & True Empirical Bases

B1 But the contentions of this paper will be that:
[a] Each of *Almajest* 9.3's medium-length (decades or less in length) tropical period-relations (e.g., the three cited above at §A2), upon which the *Almajest* 9.4 tables were founded (as shown below), is in truth a *centuries-long* period-relation — made artificially much shorter through mere (pure math) division by an integer. (To a scientific readership, this realization should come as no surprise. Indeed, the elementary point that long temporal baselines ensure higher accuracy than short-period data has always been obvious to all astronomers & investigators [except a few present-day cultists: see, e.g., Rawlins 2002A p.26 fn 2] — consistently including Ptolemy himself, *all eight* of whose *Almajest* celestial mean motions were defended [§J1] by resort to centuries-long comparisons of alleged observations [see general point at ‡2 §H], and whose final work [*PlanHyp*] displays exactly the type [eq.1]⁵ of centuries-long integral sidereal period-relation proposed below [§B2] as the basis of all the *Almajest* 9.4 planet mean motion tables. Indeed, the *PlanHyp* Saturn period-relation [fn 38] is identical to our eq.48, below.)

¹Dionysios is Greek for Dennis (a circumstance which might be related to the name of this journal). It was van der Waerden's nickname for Dennis Rawlins, *DIO*'s publisher.

²*Almajest* 9.10 (Mercury), 10.4 (Venus), 10.9 (Mars), 11.3 (Jupiter), 11.7 (Saturn).

³See *DIO* 7.1 ‡5 fn 12. (Also *DIO* 1.3 ‡10 fn 10.)

⁴See, e.g., *DIO* 1.1 ‡1 §C7 & *DIO* 4.3 ‡15 §G9. (Our contrasting attitude: *DIO* 1.3 ‡10 3rd-last parag.) Such opinions are still the norm in Muffia circles — though they are no longer unanimous, I am glad to report.

⁵The specific sidereal equations producing the *Almajest* planet mean motions are found below; we list the equations here (with Neugebauer 1975 page [citing ancient attestation] given in parentheses): eq.9 (p.466), eq.17 (605 n.11), eq.25 (no attestation, but see §F1), eq.40 (pp.390&605), & eq.48 (pp.390&906).

J3 The point has not only been proved here in general — in addition, all five previously un-connected ancestors have been uncovered by the method of §C, and developed individually as we went along. Parts of the developments of the Mercury,³¹ Venus, & Saturn cases are of course not guaranteed to be unique (though the Mars & Jupiter evolutions [big-ancestor→small-*Almajest* 9.3 period-relation] are each essentially unambiguous, and each of the 5 planet-developments' final step [producing the five m of *Almajest* 9.3] is effectively unique). E.g., for the Saturn case, one could take $313^{\text{g}} = 324^{\text{y}} + 3^{\circ} +$ (eq.48 transformed to tropical, i.e., eq.50 halved) & add proportional adjustment $86^{\text{g}} = 89^{\text{y}} + 9^{\circ} -$, resulting in $399^{\text{g}} \approx 413^{\text{y}} + 1/30$; division by 7 then produces $57^{\text{g}} = 59^{\text{y}} + 1^{\circ} 43' = 21551^{\text{d}} 18' = 59^{\text{y}} + 1^{\text{d}} 45'$, the *Almajest* 9.3 numbers (eq.46). (Or subtract proportional $113^{\text{g}} = 117^{\text{y}} - 9^{\circ}$ from eq.50 for $513^{\text{g}} = 531^{\text{y}} + 15^{\circ} 1/2$; division by 9 gives eq.53.)

J4 However, this paper's developments, from empirical long integral sidereal period-relations to *Almajest* 9.3's short tropical period-relations, have proceeded according to a consistent theory (powerfully recommended by the case of Jupiter: §H4): that all proportional adjustment equations were chosen to be as small as possible.³² (Perhaps the ancient computers believed that such procedure was less likely [than large adjustments] to degrade the accuracy of the original empirical sidereal period-relations.) Indeed, for the cases of Saturn (eq.51), Jupiter (eq.42), and Venus (eq.19), the adjustments were barely 1^{y} .

J5 Though there are indeed variations in the treatments for each planet, the differences are felicitously informative (and made writing this paper — fitfully over a period of more than 20^{y} — more of an adventure than otherwise). The treatment of Venus seems exceptionally crude (this was somewhat forced by factors noted at fn 12) and actually was so in one respect (§E3). The sources of the tables of Jupiter and of Mars were not even known to “author” Ptolemy (who just blythely & blindly rode-sourceback through the creation of both planets' tables: §K1). Whether there is any hint of heliocentrism in the longitudinal basis (§G3) for these two planets' tables must be left to others to decide. In any case, Jones' grand discovery of the true (longitudinal) sources of the *Almajest* 9.4 Mars & Jupiter mean motion tables now establishes beyond any doubt the truth of the revolutionary (contra-Muffia) contention first propounded in DR's 1980/4/13 & 9/2 letters to Gingerich (*DIO* 1.2 fn 55) and 1st published in Rawlins 1985K & Rawlins 1987: all 5 planets' *Almajest* mean motions are based not upon Ptolemy's alleged arc/time ratios but upon period-relations. [From the letter cited, Gingerich knows DR was additionally discoverer of the precise solutions for the majority (3/5) of the *Almajest* 9.4 planet mean-motions. So far, neither he nor the Muffia has explicitly acknowledged this. Standard cult-generosity toward the heathen.]

J6 That these ancestral relations' Y were centuries long is strongly indicated by the particular cases of Venus [§E3's 2003 bracket], Mars (§F1 [b]), & Jupiter (§H4) — but, then, we have already noted in passing (§B1) that the point is obvious anyway both from extant testimony to ancient methodology and from elementary empirical considerations.

³¹An example of arbitrary rounding occurs in the Mercury development at eqs.10&11, where the former d is kept more exact than the latter. Which is a reminder that this paper is a study in inducing not the *best* procedures but the most plausible reconstructions of the *actual* procedures of the *Almajest* 9.3-4 material's understandably shortcut-happy ancient computers, working in a pre-electronic (pre-blackboard!) era. In seeking out most-likely explanations of the *Almajest* numbers, the required moderate flexibility added spice to the inductive process — though ever in mind was an Occamite realization that too much nonuniformity of approach can end up fertilizing *ad hoc* fantasies. (We have discussed excesses in this connection several times previously, e.g., *DIO* 1.2 §F4, *DIO* 4.3 ‡15 §F5. [And note our *own* excess: see §G1 bracket & fn 21.] Those who read this paper carefully will see that we have operated with an accent on coherency (e.g., §§B1&J4) while nonetheless showing how one can recover all the actual extant numbers.

³²It was that key criterion which discouraged the (otherwise attractive) alternate Saturn evolution, provided for contrast at §J3. Another common thread throughout these developments (except for Mars): use of unit fractions in the ancestor tropical relations.

I2 We will later (§L) hypothesize that this was based on a time-span of 6 1/2 centuries (like Mars [eq.25] & maybe Mercury), so we'll start our reconstruction by using double eq.48:

$$22^f = 626^g = 648^y \quad (49)$$

Transforming to the tropical frame:

$$626^g = 648^y + 6^\circ + \quad (50)$$

Small proportional adjustment:

$$1^g = 1^y + 13^\circ - \quad (51)$$

Add:²⁸

$$627^g \approx 649^y + 1/19 \approx 237045^d 05' + 19^d 13' = 237064^d 3/10 \quad (52)$$

Dividing this equation by 11 yields²⁹ (using also eq.4):

$$57^g \approx 59^y + 1^\circ 43' \approx 21549^d 33' + 1^d 3/4 = 21551^d 18' \quad (53)$$

— which are the *Almajest* 9.3 numbers displayed at eq.46. (Note §J3's alternate route from eq.48 to eq.53.) Division of this equation's (or longer eq.52's) outer elements yields:

$$m = 57^g / 21551^d 18' = 205200^\circ / 215513^d = 0^\circ; 57, 07, 43, 41, 43, 40/d \quad (54)$$

which is the Saturn tables' *Almajest* 9.3-4 synodic tropical mean motion.

J What the Tables Reveal

J1 The question has been raised: why did *Almajest* 9.3 even bother to disguise long cycles as short ones? (A step which has so durably misled certain astronomically-naïve historians — who've extrapolated their planetary delusion to loney extremes: Rawlins 2002B §A2.) Neugebauer as always sought (§H4) a Babylonian explanation for the *Almajest* 9.3 cycle-durations. Other possibilities: short cycles had greater utility (than long ones) in practical calculation; and/or it was merely desired to make slight corrections to canonical (long-since-thoroughly-tabulated) sub-100^y cycles, a reasonable position that is more or less that of both Neugebauer & Ptolemy. (True, it's also possible [fn 12] that the disguising was a deception. If so, it cannot be laid to Ptolemy, who [a] didn't create this material, [b] didn't pretend *any* of his mean motions [Sun, Moon, all five planets, & stars] came from subcentury-separated data, since he cited *long* time-bases for all eight [i.e., he had more common sense than his modern worshippers: Rawlins 2002B §A2, Rawlins 2002H §E5].) And the disguise was not entirely formal: we have noted (§E3) that for Venus, the *Almajest* 9.4 tables could not be exactly based upon any larger period we encountered during their developments here. (Indeed, in the case of Venus, we learned [*idem*] that a rounding [connected to the shortening of the apparent base-cycle] sensibly affected the tables' accuracy.) By contrast, we found that the centuries-long cycles of Mercury (eq.12) & perhaps Saturn (eq.52) will directly produce their respective tables.

J2 Regardless of our speculations on reasons for disguise: the origin of each of the short tropical *Almajest* 9.4 planet tables has been revealed to be an empirical (stations-based) long sidereal cycle. We have already discussed the evidence for this (above at §§B1&H4). The most obvious point is simply that no intelligent ancient would³⁰ found highly precise tables upon anything but the sort of accurate base which only a long period-relation can provide. (Note analogy to central reasoning at Rawlins 2002A §A11.)

²⁸Regarding the rounding of 19° to 1/19 of a circle in eq.52: see fn 15.

²⁹Despite the approximation-signs of eq.53, its *d* descends exactly from eq.52's rounded *d*.

³⁰Exception to procedure (or intelligence) in *Almajest* 9.3: §E3.

[b] And each of said long tropical relations is a slightly adjusted version of a nearby purely *integral* long-period sidereal relation based (in quite elementary fashion: fn 6) upon secular observations of planet stationary points (of which many were available to astronomers of Ptolemy's era, as he reports at *Almajest* 9.2). [Note p.33 #8: an independent case of a **sidereal** foundation to a Ptolemy **tropical** equation.]

B2 Integral periodic returns have the advantage (Rawlins 2002B §A3) that they automatically and directly produce the most accurate possible values for mean motion based on naked eye data. The approach that produces such relations in practice is well explained by Neugebauer (see fn 6). To put the method into concrete (and historically most-likely-version) terms: if a stationary point occurs near any star, and if that same type of stationary point repeats *Y* sidereal years (Earth's sidereal revolutions) later (at the same star) after *G* retrograde loops (synodic revolutions), then we know that the planet has travelled *F* sidereal heliocentric revolutions, where:

$$G = |F - Y| \quad (1)$$

More specifically: for inferior planets eq.1 is $F = Y + G$; for superior planets, it's $F = Y - G$. (Again, keep in mind that *F*, *G*, & *Y* are all integers. Note also that sidereal variables are in italics — and that *G*, being differential, is neither tropical nor sidereal, and is thus invariant under transformation between these frames.)

B3 Ironically, Ptolemy himself (*Almajest* 9.2) claimed he'd had nothing at all to do with such methods (calling them "fraught with uncertainty"). This misreport evidences several spectacular innocences on the part of Neugebauer-Gingerich's "Greatest Astronomer of Antiquity" (Rawlins 2002V fnn 10&55):

[a] As we are about to learn below (§J5), Ptolemy's own planet mean motions unquestionably were based upon the very period-return approach he damned!

[b] Ptolemy didn't have enough outdoor experience (likewise regarding the Moon: *DIO 6.1* †1 fn 51) to know that integral periodic returns were the best not the worst way to find mean motions in his day.

[c] His specific *Almajest* 9.2 concern about stationary-point data (namely, that station-times are uncertain) is worse than a gaffe; it's an astounding inversion. For, it is this method's wonderful insensitivity to such exact-time difficulties that is precisely its *strength*,⁶ not its weakness. To exploit the method, all one needs to know is: [i] what is the year (not day) of each stationary point (the difference in years becomes *Y* in eq.1); [ii] which star the turning point is at (so that a replica-station there [*Y* years later] can be looked for); [iii] how many retrograde loops (integer *G* in eq.1) occurred in-between.

B4 A point in passing: superficially, it seems incredible that empirically-determined ratios of mere *3-digit integers* could approximate real mean motions to 1 part in ordmag a million. Yet this is not only mathematically possible (see Rawlins 1984A n.27), but was unquestionably accomplished in antiquity for Mars and probably (Rawlins 2002V §C3) for Venus as well.

C Finding the Ancestor Period-Relations

C1 In the *Almajest* 9.3 preface to his mean motion tables, Ptolemy provides for each planet several tropical relations that are nearly equivalent. In this paper, we will analyse & develop primarily the versions which are effectively of the following form (applicable to either geocentric or heliocentric viewpoint), using subscript *J* to denote *Almajest*, and

⁶ Neugebauer 1975 p.390: the method works "without the use of any instruments and without needing to determine accurately the moment when the planet is stationary since . . . the number of elapsed years must be an integer." It is good to see that Neugebauer understood this key point — and was perhaps the 1st to bring it to a wide modern audience.

finding the time-interval d via the *Almajest* 3.1-2 yearlength (eq.4, below):

$$F_J + r_J = G_J = Y_J + r_J = d_J \quad (2)$$

where F = tropical helioc revs, G = synodic revs, r = a remainder expressed in degrees, and Y = tropical⁷ years. (Henceforth, below, we will use corresponding lower-case superscripts in an obvious fashion, to signify revolutions [and still using italics to denote sidereal periodicity], e.g., superscript f = sidereal heliocentric revs, y = sidereal yrs; also f = tropical heliocentric revs, y = tropical yrs, and g = synodic revs.) For Ptolemy, tropical years Y are related to sidereal years Y by a well-known standard ancient unit-ratio⁸ which we just call H , a ratio which implies the standard ancient 1°/century precession rate:

$$H = 36000^y / 35999^y = 1 \quad (3)$$

We will also need the (very inaccurate) Hipparchos-Ptolemy tropical year-length:

$$1^y = 365^d 1/4 - 1/300 = 365^d; 15, 48 = 54787^d / 150 = 365^d .246666. . . \quad (4)$$

Multiplying eqs.3&4 yields the (very accurate) H-P sidereal year (*DIO 2.1* ‡3 fn 18):

$$1^y = 13148880^d / 35999 = 365^d; 15, 24, 31, 32, 27, 9 = 365^d .25681268924 \quad (5)$$

C2 To extract each planet's ancestor period-relation, we will simply apply continued-fraction analysis (truncating before Y exceeds 1000^y) to find the best integer-ratio G/Y that satisfies eq.2:

$$G/Y \approx H \cdot G_J / (Y_J + r_J) \quad (6)$$

D Mercury

D1 For Mercury, the *Almajest* 9.3 prefatory period-relation (in the format of eq.2) is:

$$145^g = 46^y + 1^\circ = 46^y + 1^d 1/30 = 16802^d 24' = 16802^d 2/5 \quad (7)$$

We next apply eq.6 (& eq.3), according to the procedure of §C2, using the data of eq.7:

$$G/Y = H \cdot 145^g / (46^y + 1^\circ) \approx 3^{g/y} + \frac{1}{7 - \frac{1}{2 + \frac{1}{3 - \frac{1}{5}}}} = 684^g / 217^y \quad (8)$$

Which recovers Mercury's integral ancestor:

$$901^f = 684^g = 217^y \quad (9)$$

— an anciently-attested (fn 5) sidereal Mercury period-relation.

D2 Now we reconstruct (see constraints: §J4) the probable history of how tropical eq.7 evolved from sidereal eq.9. First, we must convert eq.9 from the sidereal to the tropical frame of reference by multiplying its 217^y times eq.3, yielding the tropical equation:

$$684^g \approx 217^y + 2^\circ 1/6 \quad (10)$$

(We have omitted the F [leftmost] term of eq.10 — since eq.1 renders it superfluous.) [Note added 2004. General ignoring of F turned out to be quite unwise: see §§F2&H3.] We now adjust eq.10 slightly by adding a small equation, whose integral G is found⁹

⁷See Rawlins 2002A fn 12.

⁸Sources (and several associated ancient developments) at *DIO 6.1* ‡1 eq.26.

⁹By truncating eq.8 at the 2nd fractional term.

as recently revealed by A.Jones' investigative intelligence:²⁷

$$m = (6^f - 4^\circ 5/6) / 25927^d 37' = 129310^\circ / 1555657^d = 0^\circ; 04, 59, 14, 26, 46, 31/d \quad (45)$$

H4 The Jupiter short tropical period-relation (eq.38) is the *Almajest* 9.3 case which is most-obviously derived from a long-period ancestor (eq.40), as we will here show. It's already been noted (§H2) that the degree-fraction (5/6) in the r of eq.38 hints at division by the integer 6. But a whole lot stronger than a hint is the glaring fact that a 71^y cycle is such a dreadfully poor short-tropical period-relation choice that it's nearly impossible to explain — other than by the process laid out in §H2. Neugebauer 1975 p.605 attempts to connect to Babylonian Goal-year-texts the *Almajest* 9.3 choices of short period-relation durations: Mercury 46^y (eq.7), Venus 8^y (eq.15), Mars 79^y (eq.23), Jupiter 71^y (eq.38), Saturn 59^y (eq.46). But Neugebauer 1975 p.605 n.6 admits that these texts also cited the Jupiter 83^y period-relation. So, why didn't Ptolemy choose that excellent period? He was supposedly looking for near-perfect returns, but the Jupiter 71^y remainder $r = -4^\circ 5/6$ is the worst in absolute terms (though see fn 12) — needlessly, since adopting the 83^y Jupiter period-relation (instead of the 71^y one) would ensure a remainder r more than *fifty times* smaller: $76^g = 83^y - 0^d 05'$. Conversely, what *was* the attraction of the 71^y cycle for the ancient constructor of the Jupiter numbers of *Almajest* 9.3? Simple: to draw the 83^y cycle from the 427^y ancestor cycle which we found (eq.39) had bred the *Almajest* 9.3-4 Jupiter tabular motion, one would require subtraction of a 12^y adjustment equation ($11^g \approx 12^y + 4^\circ 43'$) — an adjustment more than ten times larger than the 1^y one (eq.42) which we watched (eq.40→eq.44) elicit the *Almajest* 9.3 Jupiter 71^y period-relation. This contrast supports the theory (§J4) used throughout this paper's reconstructions of the *Almajest* 9.3 computer's developments of short cycles from long ones: he preferred a small adjustment-equation.

I Saturn

I1 We begin with the *Almajest* 9.3 Saturn tropical data:

$$2^f + 1^\circ 43' = 57^g = 59^y + 1^\circ 43' = 59^y + 1^d 3/4 = 21551^d 18' \quad (46)$$

As previously for the other planets, we apply to this equation the method of §C:

$$G/Y = H \cdot 57^g / (59^y + 1^\circ 43') \approx 0^{g/y} + \frac{1}{1 + \frac{1}{28 + \frac{1}{2 + \frac{1}{5}}}} = 313^g / 324^y \quad (47)$$

Which gives us (Ptolemy's [fn 38]) Saturn ancestor sidereal long period-relation:

$$11^f = 313^g = 324^y \quad (48)$$

²⁷ All scientific historians should be grateful that Jones fortunately ignored DR's overconfident and (fn 26) quite unfounded surety that his own Jupiter solution was valid. Jones' fit is perfect to all 6 places, as comparison of eq.45 to the longitudinal motion at *Almajest* 9.3&4 shows. (DR's solution was good only to 5 places.) While DR's check on his Jupiter solution was inexcusably sloppy, his Mars solution was perfectly fitting, and (§G1) at formal odds of thousands-to-1. (Is the reason no one [during two decades!] tried Jones' elementary solution-approach simply: Muffiosi — most-motivated to [a] boost Ptolemy & [b] denigrate DR's work — was [a] still hoping Mars&Jup solutions were via arc/time, and-or [b] actually believed all along that DR was right?) In any case, this situation has happily resulted in the truth behind the *Almajest* 9.4 Mars & Jupiter tables being discovered by an ever-adventurous scholar whose work is so frequently original & central.

H Jupiter

H1 To find the *Almajest* 9.3 Jupiter tabular mean synodic motion's ancestor, we start with the planet's *Almajest* 9.3 short period-relation:

$$6^f - 4^\circ 5/6 = 65^g = 71^y - 4^\circ 5/6 = 71^y - 4^d 9/10 = 25927^d 37' \quad (38)$$

and, just as we have throughout, apply §C's method: using eqs.6&3, we have:

$$G/Y = H \cdot 65^g / (71^y - 4^\circ 5/6) \approx 0^{g/y} + \frac{1}{1 + \frac{1}{11 - \frac{1}{7 + \frac{1}{5}}}} = 391^g / 427^y \quad (39)$$

thus revealing the well-known (fn 5) Jupiter centuries-long sidereal period-relation

$$36^f = 391^g = 427^y \quad (40)$$

to have been eq.38's ancestor. [Parallel, via eq.45's *Almajest* 9.3-4 Jupiter longitudinal motion: truncating the cont'd-frac development $H \cdot (6^f - 4^\circ 5/6) / (71^y - 4^\circ 5/6)$ or $(6^f - 4^\circ 5/6 - 0^\circ .71) / (71^y - 4^\circ 5/6 - 0^\circ .71)$ will produce $36^f = 427^y$ (eq.40) to extremely high precision.]

H2 The descent from eq.40 starts with conversion to tropical frame by eq.3:

$$391^g \approx 427^y + 4^\circ \quad (41)$$

and the development from this point (summarized at Rawlins 1987 n.27) is suggested by the denominator of eq.38's degree-based r , namely 6. (Similarly, d 's fractional ending in eq.7 denominators [2/5 for Mercury]²³ suggest the integers divided into the long tropical ancestor in those cases.) Presuming the ancient computer looked for a relation near eq.40 & divisible by an integer, he would find that a tiny proportional adjustment

$$1^g \approx 1^y + 33^\circ \quad (42)$$

would shift all integral terms in eq.41 into multiples of 6. Subtracting eq.42 from eq.41 yields, using eq.4:

$$36^f - 29^\circ \approx 390^g \approx 426^y - 29^\circ \approx 155565^d 2/3. \quad (43)$$

Dividing by 6, we soon come into possession (eq.44) of all the Jupiter digits of *Almajest* 9.3:

$$6^f - 4^\circ 5/6 = 65^g \approx 71^y - 4^\circ 5/6 \approx 71^y - 4^d 9/10 \approx 25927^d 37' \quad (44)$$

H3 But the synodic data do not produce the *Almajest* 9.4 Jupiter tables. So this gets Ptolemy into unambiguous authorship problems yet again. We know to a certainty that he plagiarized the Jupiter tables because the equation²⁴ he specifies in *Almajest* 9.3 does not²⁵ give his tabular motion,²⁶ while the longitudinal equation (eq.44's data) does so precisely,

²³See also r fractional ending at §J3: 5/7 [alternate Saturn evolution]. (If the Mars d 's ending is a remnant of discarded earlier work, not a scribal-error [fn 16], we note $53' \approx 7/8$.)

²⁴As also with Mars. [See §F3 bracket.]

²⁵If we perform the synodic division from Ptolemy's explicit *Almajest* 9.3 equation, we get $m = 1404000^\circ / 1555657^d = 0^\circ ;54,09,02,42,55,53/d$ — disagreeing with the *Almajest* 9.3-4 Jupiter mean motion already by the 4th place.

²⁶In his first astronomical work, *CanInscr*, Ptolemy merely expresses Jupiter's m to 5 places, which misled DR (who should have considered that the chances of one of five planets' motions ending in a zero was 1/12, hardly significant): *DIO 2.1* †3 fn 23. Though DR's Mars solution was remarkable (§G1), his carelessly-conceived Jupiter solution (*DIO 2.1* †3 §C3) has been found (upon DR's own [disgracefully belated] investigation) to have chance unlikelihood of merely c.10%, statistically insignificant. (But both Jones solutions' chance-odds are [even without attestation] ormag 1/10000. See fn 16.)

through continued-fraction analysis to ensure near-integrality for Y in this adjustment equation (eq.11), which is arranged to be almost exactly proportional to eq.10 — and so chosen that adding it to eq.10 will ensure that, in the ensuing equation (eq.12), G and the integral part of Y will be simple multiples of the corresponding variables in eq.7. The smallest equation satisfying these desiderata is:

$$41^g \approx 13^y + 2^\circ 3/4 \approx 13^y + 3^d \quad (11)$$

Summing eqs.10&11 (and using eq.4 to compute the number of days d in the interval):

$$725^g \approx 230^y + 5^\circ = 230^y + 1/72 \approx 84012^d \approx 230^y + 5^d 1/6 \quad (12)$$

whose integral components are obviously quintuple those of eq.7, where we are reflecting ancients' penchant for unit fractions (§E2). (The rightmost term in eq.12 comes from above [sum of parallel terms in eqs.10&11], not from the left. Similar descent at extreme right will recur here&there throughout this analysis, e.g., eq.28→eq.29.) Dividing by 5, we find:

$$145^g \approx 46^y + 1^\circ \approx 16802^d 24' \approx 46^y + 1^d 02' = 46^y + 1^d 1/30 \quad (13)$$

(The 3rd & 4th entries in eq.13 come from above [eq.12], not from the left.)

The mean daily synodic motion m was then found from eq.13 (though it could have come straight from long-period eq.12, just by dividing 725^g by $d = 84012^d$; see §J1):

$$m = 145^g / 16802^d 24' = 21750^\circ / 7001^d = 3^\circ ;06,24,06,59,35,50/d \quad (14)$$

which is precisely the *Almajest* 9.3-4 value for Mercury's mean motion, i.e., an agreement to the precision Ptolemy gives (§A1), which is (fortunately¹⁰ way overdone); the match is to 1 part in ormag a trillion. Eqs.13&14 account for all the *Almajest* 9.3 Mercury data (e.g., eq.7).

E Venus

E1 Next, we analyse Venus, again starting (as for Mercury at §D1) with the appropriate *Almajest* 9.3 relation (i.e., the Venus version of eq.2):

$$5^g = 8^y - 2^\circ 1/4 = 8^y - 2^d 18' = 2919^d 40' \quad (15)$$

and then applying eqs.6&3 to it, thereby attaining:

$$G/Y = H \cdot 5^g / (8^y - 2^\circ 1/4) \approx 0^{g/y} + \frac{1}{2 - \frac{1}{2 + \frac{1}{2 + \frac{1}{31 - \frac{1}{2}}}}} = 309^g / 494^y \quad (16)$$

(I thank D.Duke & H.Thurston for catching horrendous typos here [& there].)

Thus, the ancestor equation, underlying the *Almajest* 9.3 Venus mean motion (eq.15) was:

$$803^f = 309^g = 494^y \quad (17)$$

— a fragment of which is anciently attested (fn 5).

¹⁰Without the *Almajest* 9.4 planet mean motion tables' enormous overprecision, we couldn't be absolutely certain of finding the prime factors, etc, underlying the planet tabular mean motions.

E2 To reconstruct the historical path from eq.17 to eq.15, we start by converting the former via eq.3 to:

$$309^{\text{e}} = 494^{\text{y}} + 5^{\circ} - \quad (18)$$

Proportionally:

$$1^{\text{e}} = 2^{\text{y}} - (144^{\circ} +) \quad (19)$$

Adding eqs.18&19 and applying eq.4 (& using ancient unit-fraction expression for 140°):

$$310^{\text{e}} \approx 496^{\text{y}} - [1/3 + 1/18] \approx (3260922^{\text{d}} - [2191^{\text{d}} + 365^{\text{d}}])/18 = 543061^{\text{d}}/3 \quad (20)$$

Dividing eq.20 by 62 and using eq.4:

$$5^{\text{e}} \approx 8^{\text{y}} - 2^{\circ} 1/4 \approx (543061^{\text{d}}/62)/3 \approx 8759^{\text{d}}/3 = 2919^{\text{d}} 40' \approx 8^{\text{y}} - 2^{\text{d}} 18' \quad (21)$$

Dividing eq.21's degrees by its days finds the synodic mean motion:

$$m = 5^{\text{e}}/2919^{\text{d}} 40' = 5400^{\circ}/8759^{\text{d}} = 0^{\circ}; 36, 59, 25, 53, 11, 28/d \quad (22)$$

Comparison of eqs.21&22, with the Venus numbers of Ptolemy's tabular preface (*Almajest* 9.3), shows that we have recovered every digit.¹¹

E3 Venus' long-period-relation (eq.20) cannot directly produce the corresponding *Almajest* 9.3 tabular mean motion (eq.22). (This disjunct is more flagrant than for any other planet.) Two important and related¹² oddities: [a] The Venus Y is an ordmag less than that for any of the other four planets. [Note added 2003. Venus' Y is so small that not even a Muffioso will claim that it could serve as empirical foundation for tables which ancients could've thought reliable. If in extenuation it is proposed that the 8^y period-relation is obviously a larger relation divided by an integer — well, thanks: that's exactly the central contention of this paper. (See front cover & §B1.) Further (crucially): any integer less than about 30 — corresponding to a period of nearly 2 1/2 *centuries* (far larger than any of the Y listed by Ptolemy at *Almajest* 9.3) — is not going to permit an acceptably small remainder *r* (fn 12). This consideration alone supports our contention that Ptolemy's Y are descended from (masked) centuries-long empirical cycles. [b] The relative size of Venus' *r* is an ordmag greater than the other planets'.] Further, presumably because Y is so small, the rounding process in eq.21 is exceptionally untrivial¹³ (§J1) and contributes to the curious poorness of *m* — for a planet which should have had (and perhaps did: Rawlins 2002V †6 §C3) one of the best values for *m* (because of the bright & sharp observability of Venus stations, as well as absence of the large secular inequalities that affect Jupiter & Saturn).

¹¹ But note the key original discovery (regarding Venus) by Toomer 1984 p.425 n.29 (see Rawlins 2002V §C4).

¹² Relatively, Venus has the biggest *r* of the *Almajest* 9.3 five — an ordmag bigger. But Venus is not a case where Ptolemy (or source) had any wiggle-room: a period-relation of less than 100^y (evident upper-limit for the five *Almajest* 9.3 period-relations) is mathematically barred, in the resonance-constrained case of Venus, from having a small relative *r*. (Note the causative factor here: the only continued-fraction expression [of those we generated for the five planets] which early-on suddenly hits a big number is Venus: the 31 in eq.16, an integer which postpones [fn 40] any small-*r* Venus return for over 2 centuries.) That is probably why *Almajest* 9.3's Venusian Y seems peculiarly small [merely 8^y]: if Venus' Y were anything like the size of the other four planets' *Almajest* 9.3-attested Y, it would display an embarrassingly large *r*, which would then raise a troublesome question: why even bother to provide (at *Almajest* 9.3) a short period-relation for a planet where only a centuries-long one can have an *r* small enough to come anywhere near competing with those of the other four planets — a question which might suggest the true huge dimensions of the cycles that were actually behind the *Almajest* 9.3 mean motions. See §J1.

¹³ This evaluation assumes that the eq.16 approach is correct for Venus. By contrast, another interpretation might assume that the denominator there should be $8^{\text{y}} - 2^{\circ} 18'$, which would (by analysis similar to eq.16) lead to sidereal cycle $613^{\text{e}} = 980^{\text{y}}$, very near that of *PlanHyp* (fn 38) — though not consistent with it. I doubt that this is significant. (If such a long cycle were the ancestor of eq.22, our proposal at §L4 could not be valid.) But the discrepancy is presented here anyway (emulating Toomer's helpfulness: fn 16) so that others may pursue alternate theories if so inclined. Note: even though *Almajest* 9.3 consistently mentions day-remainders first, we have here throughout

(See *DIO* 9.3 †6 fn 75; also Darwin *Voyage of the Beagle* 1845 Chap.3 [1832].)

G4 Note that the developments of Mars and (as we shall see in §H) Jupiter seem on several grounds to be by a different (possibly heliocentrist) hand than most or all of the rest: [a] The Ptolemy-attested Mars&Jupiter period-relations directly generating their mean motion tables are the longest. [b] The precision of these 2 planets' day-denominators *d* is greater than the other developments' (see §F1), causing greater computation-precision: the Mars & Jupiter tables are computed from integral quotients bearing 7-digit denominators *d* (eqs.31&45), rather than 6-digit *d* (Mercury, Venus, Saturn). [Note: within the Me-V-Sat-suggested 6-digit bound, DR was correct that eq.35 was the only reasonable Mars solution. Happily, Jones' mental sword cut through this Gordian constraint to find eq.31.] The ancient computer *cared* to go this precise. [c] He also *cared* enough about founding his Mars&Jupiter calculations on longitudinal (heliocentrist) revolutions that he chose to handle a cumbersome numerator (similar to false eq.37; irony: fn 21). [See §G3 regarding Jones' doubling the number of planets whose *Almajest* 9.3-4 mean motions are based on longitudinal cycles. So, depending on modern interpretation, the demise of DR's theory either weakens or doubles the mean-motion-tables' support for ancient heliocentrist influence. (See perversity cited in fn 21.) Main factors weakening case for ancient heliocentrist influence [in the planet tables]: [1] DR [a top modern proponent of said influence] carelessly misconstrued [1980-2003] the precise way in which longitudinal [heliocentric] motion related to the *Almajest* 9.4 tables of Mars. [2] For outer planets, geocentrist Ptolemy [*Almajest* 9.3 (Toomer 1984 p.426)] was not reluctant to provide explicit longitudinal [heliocentric] rates of motion [though unaware of their direct calculational rôle].]

[d] Mars' eq.25 is (§F1) the only unattested grandfather period-relation. [e] The resulting Mars motion is the most accurate of the five planets: so well-founded that the *Almajest* 9.4 Mars tables will give a mean synodic position even *today* that is off by only 0°.4, which (as remarked with suspicion in Rawlins 1987 p.237) is better than the average accuracy of Ptolemy's alleged Mars observations *in his own time*. (“Observations” upon which he claimed he founded the *Almajest* Mars orbit! I.e., standard Ptolemaic truthfulness.) Incredibly, the *Almajest* 9.4 Mars mean synodic motion tables' long-term accuracy is comparable to that of the Mars tables of the modern AmPhilSoc tables (Tuckerman 1962&64), which were also off by ordmag 0°.1/millennium (Houlden & Stephenson 1986 p.ii Fig.1: Mars). One notes (Rawlins 1991W §S1) the coincidences that:

[i] By far the most accurate of the *m* is (as Jones proved) based on longitudinal (heliocentric) revolutions. The only other (though see §B4: Venus) accurate²² *Almajest* celestial motions are the solar (terrestrial) sidereal speed and the three lunar motions. Again there are heliocentrist connexions: the earliest highly accurate sidereal year (Rawlins 2002A fn 14) and monthlength (*ibid* eq.6 or 19/235 [*ibid* eq.9] times *ibid* eq.12) both have Aristarchan associations; same for Hipparchos' lunar-model dimensions (Rawlins 1991W eqs.23&24). [ii] Antiquity's Dr.Geocentricity (C.Ptolemy) ignorantly plagiarized all “his” *m* values (e.g., fn 34).

Lesson: whatever Muffiosi may wish to believe (in order to sanctify Dr.G), competency is not unrelated to proper perspective on the universe.

²² For balance, we should note that Ptolemy's false precession (based upon the Metonic equation that 235 months equals 19 years) came to him via heliocentrists (Rawlins 1999). However, we do not know whether Aristarchos really believed that 235/19 months was a true tropical year — or whether he was aware that this was just a calendaric convenience (still surviving today, in the formula for determining Easter).

eq.35 and-or smallness²⁰ in eq.36), DR's longtime interpretation²¹ was that the calculator was a heliocentrist. [Note added 2003. Now that it is revealed (by Jones' intelligence: eqs.31&45) that the actual Mars & Jupiter tables were computed via heliocentric (longitudinal) revolutions, it might possibly be argued (§G4) that Jones' great discovery has doubled (from one to two) the number of *Almajest* 9.4 planetary motions whose hidden basis was heliocentric. However, as DR did not discover either of these motions' longitudinal basis (correctly anyway: fn 21), he shouldn't intrude as arbiter — which is why mention of heliocentrism has been eliminated from this paper's title in the present (2003) re-do, though we will later (§G4) remark some provocative differences (vs other planets') in the longitudinally-based developments of the Mars & Jupiter tabular motions.] In any case: for an as-yet-unrefuted *simple* (by contrast to DR's unhistorical Mars development: eqs.32-37) — and double — indication of subterranean heliocentrists lurking in an ancient geocentrist milieu, see Rawlins 1991W eqs.23&24. Evidence for ancient heliocentrism is nicely summarized (and forcefully augmented) by Thurston 2002 pp.60&62. For an array of further indications of ancient-heliocentrist influence, see: here at §§G4 (item [i]) & L8, fn 22, Rawlins 1987 p.238 & nn.34-38, and Rawlins 1991W §§N4, N17, Q1, and (above-cited) eqs.23&24, fn 284, *DIO 4.2* †9 §K13; see also Rawlins 1991P (esp. §§B-C&F) — an article which argues that, despite the public banning of heliocentricity, all competent ancient mathematical astronomers (at least from Aristarchos on) knew that the Earth circuted the Sun — a public-vs-private sociological schizuation which was to be repeated later in pre-Revolution 18th-century France, since the infallible Roman Church was still proscribing Copernican geomobility, continuing this banishment all the way up to 1835!

²⁰The remainder in eq.36 is much less than that in eq.29. But in §G2, using $15^{\circ} = 32^y + 11^{\circ}$ (instead of eq.33) would have produced a remainder in the 205^y Mars finale (analogous to eq.36) of just $-1^{\circ}1/2$, hardly a difference (vs our eq.36's $1^{\circ}1/3$) worth seriously upsetting basic procedure for.

²¹[Note added 2003. The fact that eq.37 is a synodic division should have pushed DR to look more closely at the Mars situation. (As also the fact that his Mars & Jupiter solutions are disparate. By contrast, one of the several great strengths of Jones' eqs.31&45 is: they solve the Mars&Jupiter mean motions **the same way**.) A perverse irony: DR's false solution was a longitudinally-integral synodic quotient, whereas Jones' true solution was a synodically-integral longitudinal quotient. DR longly&wrongly regarded it as a meaningful coincidence that a plain integral multiple (92) of the only 6 digit-component ratio ($152145^{\circ}/329621^{\circ}$) satisfying the *Almajest* 9.3 motion (eq.37), whose numerator's factors ensured sexagesimal-esque *d*, had (2^y before DR knew it: *DIO 2.1* †3 fn 14) hit within 1 part in 69 million (eqs.32-35) upon not just an integral number (327) of revs but one which is a peculiarly Martian cycle of longitudinal (helioc) Metonic-tropical revs, namely (eq.35): 327^f per $615^y + 1/90$, nextdoor (§J4) to $344^f = 647^y$, genuine ancestor (eq.24) of *Almajest* 9.3's Mars *m*. I.e., dividing eq.37's ratio by all its sexagesimal factors (product: 135) yields $1127^{\circ}/(329621^{\circ}/135)$. But $92 \cdot 1127^{\circ} = 103684^{\circ} = 288^{\circ} + 1/90$, and (via eqs.3, 25, & 26) this, subtracted from $647^f H/303^{\circ}$ times itself, equals $327^f - 0'.102$. Given 216000 arcmin-tenths/circle and 2 possible integralities (longitudinal revs [unprescribed option] vs synodic revs), we can crudely estimate odds against accidentally fitting so closely as (precision divided by choices): $327 \cdot 216000 / (2 \cdot 92) \approx 400,000$ -to-1. Regardless of these high computed odds (somewhat ameliorable by factoring further options into the denominator), DR's Mars solution is not at all historically significant. (Other huge meaningless coincidences: *DIO 8* †5 §§F&G, & P.Lowell's Pluto [Rawlins 1968].) In 2003 Sept, A.Jones (see p.30 fn 1) found what is surely the correct Mars solution: eq.31. Happily, a few DR redemptions follow from this: [i] Despite DR's **Gonggggggggggg** on Mars&Jupiter (failing to check [all] data right in the very preface where he'd found the other 3 solutions!), he is undisputed discoverer (p.31 fn 1) of the numbers behind 3 of the 5 planets: Mercury (a hit to within 1-part-in-a-trillion), Venus, & Saturn. [ii] DR is also (*idem*) the 1980 discoverer of the hitherto universally-rejected (Rawlins 1987 n.30) general theory, now nailed-down-vindicated (§J5) by Jones' finds, that **period-relations** (not Ptolemy's alleged arc/time ratios: fn 2) were the immediate computational fathers of the *Almajest* 9.3&4 planet motions. [iii] All 5 of DR's huge integral-sidereal grandfather period-relation solutions (§C2 or *DIO 2.1* †3 fn 17) still stand (Saturn's explicitly attested as Ptolemy's: §B1), unshaken by the elsewhere-reverberating implications of Jones' 2003 findings, findings which also [iv] ice (§F3) the long-banished RNewton&*DIO* position on Ptolemy's truthfulness.]

F Mars

F1 Ptolemy's *Almajest* 9.3 period-relation for Mars is (note fn 16):

$$42^f + 3^{\circ}1/6 = 37^{\circ} = 79^y + 3^{\circ}1/6 = 79^y + 3^d13' = 28857^d43' \quad (23)$$

Applying eqs.6&3 to eq.23, we have:

$$G/Y = H \cdot 37^{\circ} / (79^y + 3^{\circ}1/6) \approx 0^{g/y} + \frac{1}{2 + \frac{1}{7 + \frac{1}{3 - \frac{1}{2 + \frac{1}{3 + \frac{1}{2}}}}}} = 303^{\circ} / 647^y \quad (24)$$

So the integral sidereal ancestor of the *Almajest* Mars mean motion tables was:

$$344^f = 303^{\circ} = 647^y \quad (25)$$

This is the only one of this paper's five deduced ancestor relations which is not attested in extant ancient materials. However:

[a] Eq.25 is the most accurate (§G4) integral sub-1000^y sidereal Mars period-relation.

[b] The continued-fraction development for Mars (eq.24) produced the most precise hit (of the five planets) upon such an ancestor relation. (I.e., the final digit [the 2] in eq.24 is exact to ordmag a percent.)¹⁴ So we may take ancient use of eq.25 as highly probable, based upon Ptolemy's own numbers: putting eq.23's *Almajest* 9.3-4 Mars synodic motion into eq.6 (& his eq.3) yields eq.25. [A parallel eqs.6&3 approach via eq.31's *Almajest* 9.3-4 Mars longitudinal motion: truncating the cont'd-frac development $H \cdot (42^f + 3^{\circ}1/6) / (79^y + 3^{\circ}1/6)$ or $(42^f + 3^{\circ}1/6 - 0^{\circ}.79) / (79^y + 3^{\circ}1/6 - 0^{\circ}.79)$ will produce $344^f = 647^y$ (eq.25) to extremely high precision.]

F2 Now we look into how Ptolemy or a source could have gotten eq.23 from eq.25. First, applying precession (eq.3) to eq.25 produces:

$$344^f + 6^{\circ}28' = 303^{\circ} \approx 647^y + 6^{\circ}28' \approx 236321^d1/6 \quad (26)$$

Then one can find an almost exactly¹⁵ proportional version of the shortest near-return relation (the well known 15^y Mars cycle):

$$8^f - 1/19 \approx 7^{\circ} \approx 15^y - 1/19 \approx 5459^d1/2 \quad (27)$$

Subtracting eq.27 from eq.26:

$$336^f + 25^{\circ}2/5 \approx 296^{\circ} \approx 632^y + 25^{\circ}2/5 \approx 230861^d2/3 \quad (28)$$

used (as primary) the *Almajest* 9.3 degree-remainders (since most of them [Saturn being the (perhaps slight: §J3) exception] are significantly rounder; in any case, using day-remainders instead would produce a different sidereal relation only for Venus, where rounding and Y's smallness combine to create uncertainty as to whether eq.18 is precisely that planet-motion's ancestor-relation. (The true Venus ancestor-relation might easily be 8^y either side of eq.18, an uncertainty corresponding to one's realization that the bottom part of eq.16 might be 30 or 31 instead of 30 1/2.)

¹⁴Actually 1/10 of a percent, but such extreme closeness is largely an accident of rounding.

¹⁵Regarding what is done to 19° in eq.27 (eq.52): we have earlier (e.g., *DIO 4.1* †3 §F3) exploited our induction that ancients habitually took advantage of the fact that 8^y is close to 1/8 of a degree (because $8 \approx 60^{0.5}$) to substitute 1°/8 for 8^y (or 7^y: eq.29 here & *DIO 1.3* §M10, fn 251). But 19° is relatively an ordmag closer than this, to 1/19 of 360°. Since $360^{0.5}$ is within 1 part in ordmag 1000 of exactly 19, we are here assuming (see also eq.52) that ancient mathematicians, traditionally attached to unit fractions (see §E2), routinely used 1/19 of a circle interchangeably with 19°.

Dividing by 8, one obtains exactly the *Almajest* 9.3 Mars digits¹⁶ the synodic components of which are falsely claimed to be consistent with the *Almajest* tables.

$$42^f + 3^\circ 1/6 \approx 37^g \approx 79^y + 3^\circ 1/6 \approx 79^y + 3^d 13' \approx 28857^d 43' \quad (29)$$

Eq.29 (which, we note, can be gotten directly from eq.26 by proportions) yields mean daily synodic motion:

$$m = 37^g / 28857^d 43' = 799200^\circ / 1731463^d = 0^\circ; 27, 41, 40, 11, 44, 38/d. \quad (30)$$

which comes nowhere near to matching the actual *Almajest* 9.3-4 tabular Mars mean motion (eq.37). But, in a recent daring and brilliant hit-success, Alex Jones has (by defying the false perceptions of both Ptolemy [§F3] and DR [§G]) shown that using the *longitudinal* (leftmost) component of eq.29 (instead of the synodic part) produces:

$$m = (42^f + 3^\circ 1/6) / (28857^d 43') = 907390^\circ / 1731463^d = 0^\circ; 31, 26, 36, 53, 51, 33/d \quad (31)$$

which matches the *Almajest* 9.3-4 Mars-longitude tabular motion, digit-for-digit.

F3 Thus, Ptolemy did not know the calculational basis of "his" *Almajest* 9.4 Mars tables, which he published without any credit at all to the actual skilled scientist who genuinely did the reasoning that produced them.

[Note added 2003. To be quite clear about the current culminating state of the Ptolemy Controversy: Ptolemy committed *three* deceptions *each* for Mars & Jupiter:

[1] Ptolemy claims (fn 2) to have based the tabular mean motion of all planets (including Mars & Jupiter) upon not only observational data (centuries-long-arc-divided-by-time) but [2] specifically upon the *synodic* arc of motion: Mars *Almajest* 10.9, Jupiter *Almajest* 11.3. (Yet Jones found [eqs.31&45] that the Mars & Jupiter tables are strictly based upon *longitudinal* data — and that's *period-relation* data [not Ptolemy's claimed arc/time].)

[3] See also the clear *Almajest* 9.3 statement (Toomer 1984 p.425 final sentence) that all the outer-planet longitudinal-motion tables *came from subtracting the synodic motion from the solar motion*.

So it is now realized on both sides of the Ptolemy Controversy that all three statements ([1]-[3]) are false. Thus, Jones' exploratory verve has firmly established one of the most devastating series of proofs ever produced against Ptolemy's pretensions. These reversals sink for good any hope of ever restoring the formerly-orthodox belief that the *Almajest* planet mean motion tables were Ptolemy's own or that they were computationally based upon (whoever's) "observations" reported by him (fn 2) as their basis. (Independent proof of same point for Mercury [and now Saturn]: fn 34.)

¹⁶ See Toomer 1984 p.424 n.26 for his now-solidly (eq.31) Jones-redeemed proposal that 53' was a scribal error for 43': M for N. (Toomer *loc cit* had fairly noted mss' unanimity against his theory.) Odds on an arcmin-tens-place change in *d* hitting by chance right on Mars' *Almajest* 9.3 longitude-motion: 1/140000.

G DR's Neat, High-Odds, Lovely, & Utterly Unhistorical Mars Fit

G1 An astonishingly integral and perfectly-fitting DR speculation follows.

[It is now absolutely eliminated by A.Jones' wonderful recent discovery: eq.31. Jones' solution is based upon virtually fully-attested data (while DR's is not), additionally paralleling (fn 21) Jones' successful Jupiter solution — i.e., it exhibits *fruitfulness*. (Note delicious irony in the inversion here of an earlier DR-vs-Jones situation: noted at Rawlins 1991W fn 85.) DR's Mars solution (eq.37) found an integral-longitudinal source perfectly producing the *Almajest* 9.3-4 motion which (unlike DR's Jupiter solution: fn 26) hit the mark at seductively above-chance odds. [Evidently thousands-to-1 for Mars: fn 21.] Jones' Mars solution unquestionably must take precedence over DR's, as DR owned by fax to Jones 2003/9/17, an hour after learning of the solution via D.Duke. We retain the prior (false) DR solution here as a curiosity which may be instructive to future scholars in several ways, e.g., regarding complex-speculation-overextension vs caution & humility. See *DIO 2.1* †3 fn 26.]

G2 Our reconstruction here is mathematically equivalent to that of Rawlins 1987 p.237 (but eliminating the overapparent circularity noted by Thurston 2002 p.62). First, round¹⁷ eq.26's *d* to the nearest day:

$$344^f + 6^\circ 28' = 303^g = 647^y + 6^\circ 28' \approx 236321^d \quad (32)$$

Next, eq.32 is adjusted by a different¹⁸ proportional relation:

$$17^f + 6^\circ 28' \approx 15^g - 4^\circ 00' \approx (15 - 1/90) \cdot (236321^d / 303) \approx 32^y + 2^\circ 28' \quad (33)$$

The computation of eq.33's time-interval in days (next-rightmost term) is then performed by a clever ancient-style means (extracting & holding sexagesimal factors until final division: Rawlins 2002A §A8), to ensure a round, non-infinite-sexagesimal result:

$$(15 - 1/90) \cdot (236321^d / 303) = (318797029^d / 101) / 270 \approx 11690^d 53 / 135 \quad (34)$$

After subtracting eqs.33-34 from eq.32, we possess two numbers whose ratio will yield exactly the *Almajest* Mars tables' mean motion.

$$327^f = 288^g + 1/90 = 615^y + 1/90 \approx 224630^d 82 / 135 \quad (35)$$

One could divide by 3 and have instead:

$$109^f = 96^g + 1/270 = 205^y + 1/270 \approx 74876^d 352 / 405 \quad (36)$$

Simple division from the numbers in either eq.35 or eq.36 produces the same mean motion. Choosing eq.35, we find:

$$m = (288^g + 4^\circ) / (224630^d 82 / 135) = 152145^\circ / 329621^d = 0^\circ; 27, 41, 40, 19, 20, 58/d \quad (37)$$

which matches perfectly (i.e., to full given precision) the *Almajest* 9.3&4 Mars tables. The agreement is to 1 part in more than 100 billion.

G3 In the foregoing Mars development, the integer in eq.35 [or eq.36] is the number of *heliocentric* revolutions, not the number of synodic revolutions (which is the integral term for all the other tropical ancestors here: eqs.12, 20, 28, 43, 52). Whereas one can (and always should)¹⁹ look for alternate theories (e.g., the remainder's near-integrality in

¹⁷Integral *d* is less than the precise product (of 647 and eq.5) by barely 2 parts in 3 million.

¹⁸Vs. eq.27, that is. Both eq.27 and eq.33 are based on periodicities familiar to all astronomers: Mars close approaches occur every 15^y (eq.27) to 17^y, so one can use either, or (in eq.33) their sum [which is superior to either].

¹⁹The wisdom of entertaining alternate explanations [DR surely didn't do so enough for eq.37] isn't to be confused with a tactic of using such considerations to submerge unorthodoxy. [Note added 2003. Others must judge whether Gingerich (now redeemed on eq.37) was justified in his 1983 suppression of not just eq.37 but of the entire canvas (see, e.g., *DIO 11.1* fn 1) constituting the present *DIO 11.2*.]