

DIO

Aubrey Diller Legacies

Ptolemy GEOGRAPHY Book 8

Diller's 1984 Establishment of The First Critical Edition

**DIO's Numbered Catalog of Book 8's 360 Sites
With Tabular Correlation to Data of Books 2-7**

Plus 2009's Unexpected Confirmation of

The Diller Pioneer 1934 Proof of Spherical Trigonometry's 130 BC Use by Hipparchos

Dedication

To Aubrey Diller (1903-1985), the 20th century's ultimate devoted philologist of ancient geographical mss, who honored *DIO* by leaving to us the manuscript of his last work: the pioneer completion of two centuries of scholars' scrupulous cumulative labors towards establishment of a reliable text of 2nd century AD mathematician-astrologer Claudius Ptolemy's famous *Geographical Directory* (*GD*), popularly known as the *Geography* or *Geographia*, and said to be the most-written-of work in all the history of geography.

The frustrations of non-completion steadily increased following the series of scholarly but invariably unfinished *GD* editions by Wilberg & Grashof 1838-1845, Müller 1883&1901, & Renou 1925 (which collectively took the project up through Book 7), culminating in Diller's 1984 achievement of establishing the text of the *GD*'s finale: Book 8.

The project of making the *GD* readily accessible continued with the valuable English edition of Berggren & Jones 2000 [henceforth B&J] of all the work's textual parts. (Diller translated only Book 8's preface.) DR's original findings in this field (Rawlins 1985G, Rawlins 2008S, & within at §D3) would never have occurred absent the shoulders of Diller 1984 (Book 8) & B&J. DR's *GD* researches continue below at fnn 64&68 — now upon the additional shoulders of the monumental work (in German) of Stükelberger & Graßhoff 2006 (henceforth S&G), which finally brought all eight books of the *GD* together in one gorgeous publication, for which all scholars of ancient geography are grateful.

Diller's 1984 typescript was accomplished at age 82 at DR's behest, while he was Professor Emeritus of Classics at Indiana University at Bloomington. It was done from index cards of Book 8 data which Diller had been compiling for years — data he generously shared with DR right from our 1st meeting (1982/8/4), data which were of crucial use to the researches that went into DR's presentation at the 1984 Longitude Zero Symposium at Greenwich celebrating the centenary of the Greenwich meridian's 1884 establishment. Diller's full Book 8 data might have been lost at his 1985 death had he not created the typescript from the cards and sent it to DR a year earlier, in time for use in the final published version (Rawlins 1985G) of the Greenwich paper.

Every page of Diller's complete original 1984 typescript¹ is (thanks to *DIO* Editor Dennis Duke) posted on the *DIO* website, available through, e.g., www.dioi.org/gad.htm or www.dioi.org/diller8/diller8.htm.

Aubrey Diller's most enduring discovery, his 1934 proof that Hipparchos used spherical trig and found an accurate obliquity, is also discussed within at §D, where we announce (§D3 [7]) the 2009/4/1 finding of Diller's final vindication. With greater perception or intensity, DR could have discovered this capper decades ago; so, the pleasure of vindication is mingled with a touch of regret, since Diller (and Hugh Thurston, who would have so enjoyed this) both passed away before the controversy's ultimate resolution could be shared with them. Let us hope that belated appreciation of Diller's 75^y old discovery will now atone for all of the shortcomings of our generation's scholarly heirs to his brilliance.

Dennis Rawlins DIO 2009

The results of DR's 3 decades (1979-2009) of original investigations in ancient geography appear in Rawlins 2008S (*DIO 14* §3 pp.33-58 — online at www.dioi.org/vols/we0.pdf) and the present issue (www.dioi.org/w50.pdf), a cheekier summation of which may be found at www.dioi.org/cot.htm#dmfe. Downloadable booklet PDFs for printshop-creating paper copies: www.dioi.org/bk/de0.pdf and [d50.pdf](http://www.dioi.org/bk/de0.pdf). For Rawlins 2008S in HTML, see www.dioi.org/gad.htm, which includes Nobbe's illustration of Ptolemy's 1st projection of the *ekumene* (known world). The anciently intended² neat projection is reconstructed with rigorous precision via raw Postscript at Rawlins 2008S §M Fig.1.

¹As explained at Rawlins 2008S fn 1, the standard Greek accents of the original Diller typescript are not relayed here. (This anti-anachronism has been adopted with his explicit assent.)

²Perfect illustrations of the conventional version are found at, e.g., B&J p.86 or S&G pp.122-123. (The clear explanations & diagrams at both places are must reading for students of the field.) The key to the difference in DR's rendering at Rawlins 2008S Fig.1 is explained in *ibid* fn 51.

Aubrey Diller: Ptolemy GEOGRAPHY Book 8 & Proof of Spherical Trigonometry's Early Use

A Aubrey Diller's Legacy to Historians of Geography & Mathematics

A1 The 2 purposes of this *DIO* volume are: [1] Presentation (§A2 etc) of Aubrey Diller's Greek text and English translation of the opening portions of the crucial final Book 8 of Ptolemy's *Geographical Directory* (*GD*), followed by a full tabulation of both traditions of the *GD* Book 8 *data* which Diller so thoroughly established for the 1st time in history.

[2] To reveal (§D) the sudden 2009 final redemption of Diller's long cult-loathed (fn 22) but *now copper-fastened* proof of Hipparchos' use of spherical trig in the 2nd century BC.

A2 The *GD* Book 8 data comprise the locations of 360 "important cities"¹ throughout the known world (*ekumene*), entirely in *time*-coordinates, listed on the righthand pages of Tables 1-26, below: longest-day *M* in *hours* (instead of latitude *L* in degrees), and longitude *A* in *hours* west (plus-sign) or east (minus-sign) of Alexandria. (This is astronomers' sign-convention for geographical longitude.)

A3 As another pioneering part of this project, we will number the 360 cities of *GD* 8 (in the order of the least corrupt tradition, that of the XZ mss), using the prefix "D" so that city *Dx* is the *x*th site in this §G tabulation: Tables 1-26 (pp.18-40).

A4 DR has long contended (Rawlins 1985G, Rawlins 2008S) that this type of data formed the geographical grid-network underlying² the positioning of the more famous bulk

¹ Similarly proportioned lists of "important cities" survive in the *Handy Tables* and in, e.g., the ancient mss published by Honigmann 1929 (see fn 19). DR has called Book 8 "the Handiest Tables" (fn 72), a play on the title of Ptolemy's similarly (Rawlins 2008S §D) astrologer-intended *Handy Tables*, reflecting DR's contention that Book 8 was (more than any other part of the *GD*) designed for astrologers' convenience. (See www.dioi.org/gad.htm#sgch.) This factor may help explain [a] why the density of listings of cities in Book 8 (per Books 2-7 listings) is nearly 1/2 again higher in Asia (where astrology has traditionally achieved greater mass-mental-bondage) than in Europe, and [b] why the *GD* survived the Dark Ages. Note that the *GD* draws from sources with some knowledge of regions only rarely if at all touched upon in other surviving ancient western literature.

² As to the mystery of who was responsible for this grid and its scientifically fateful shortcomings: though DR has long wondered (based upon *GD* 1.4.2) about the degree of Hipparchos' involvement, there is a strong piece of evidence (see also *DIO 16* ‡3 fn 18) that he was at least not exclusively the culprit, namely, *GD* 5.2.34's latitudes for four sites on Rhodos Island, none of them explicitly Rhodos City, strangely. (A similar Ptolemy lapse: *Almajest* 7.3's concentration upon brightest Pleiad η Tauri vs. the four Catalog Pleiads' omission of same at *Almajest* 7.5.) S&G 2:498 takes some liberties (similar to ours here for D33 = Scandinavia) in order to uncertainly reconstruct a *GD* 5.2.34 match to D189 = Rhodos at *GD* 8.17.21. Contra (esp. Lindos) previous editions (Nobbe 1843-5 2:16, Wilberg & Grashof 1838-1845 p.342, Müller 1883&1901 p.837). But the only *GD* site that is surely near Rhodos City and is virtually identical in latitude is Ielysos (Ἰηλυσος; old Rhodos City) just west of the famous later classical-era metropolis, so we opt to use it in Table 15 below. (Its great proximity to Rhodos City suggests that its choice was intended to unambiguously mark the latter's *B&L*.) The sole possibly accurate site of the four is Panos Akra if (contra H.Kiepert) it is meant to be Cape Prassones (S tip of Rhodos Island), where Rawlins 1994L §E4 found that the southern section of the Ancient Star Catalog was observed by transit, equatorial data later transformed by sph trig (via eq.4) to ecliptical by assuming $L = 35^\circ 5/6$. Most of the *GD* 5.2.34 data's positionings are not so bad relative to each other, but the absolute values of at least two are awful. All of Hipparchos' work shows that he knew his latitude to c.1'. (See, e.g., Rawlins 1994L Table 3.) So it is unlikely that Hipparchos authored the mistaken data for Ielysos & Kamiros. Since two of the four latitudes might have been meant to be at or near Rhodos city, we note that the actual city is at $L = 36^\circ .4$, vs *GD* 5.2.34's $35^\circ 11/12$ (Panos Akra as the harbor's north cape?) or 36° (Ielysos). But both those two cited *GD* 5.2.34 listings could be merely $14^h 1/2$

of the *GD* (Books 2-7), 8000 cities' latitudes *L* in degrees, & longitudes *B* in *degrees* east of the Blest Isles (BI). (No signs are necessary for *B*, since no *B* is west of the BI.)³

A5 Rawlins 2008S was 1st to reveal that the Blest Isles were the Cape Verde Islands. (Contra a long & hitherto unexplained⁴ tradition of suggesting that the BI = the Canaries.) Compare any modern map to *GD* 4.6.34 or the *GD*'s 4th map of Asia (S&G p.838) or world map (S&G pp.748&750, or either volume's inside front cover).

A6 Book 8 (*GD* 8.15.10) places the BI at 4th west of Alexandria, while Book 4 (*GD* 4.5.9) places Alexandria 60°/2 east of the BI. (A pretty consistent distance, given *GD* 8's rounding roughness.) So sites' longitudes in Book 8 show a systematic difference of nearly 4^h versus those of Books 2-7. But since sign-conventions here for our two longitudes are opposite (*A* positive to the west, *B* positive to the east), the equation that will hold for all sites (despite generally minuscule local irregularities) is $A^h + B^o / (15^o / \text{hour}) \doteq 4^h$, or:

$$A + B/15 \doteq 4 \quad (1)$$

B The Manuscripts' Lineages

B1 The earliest of the surviving mss are from c.1300 AD, thus considerably later in time (from Ptolemy⁵ and his prime immediate geographical source, Marinus⁶ of Tyre) than the oldest mss of Ptolemy's other famous compilation, the *Almajest* — and the key *GD* mss are much less consistent with each other.

B2 There are several descending traditions of *GD* mss, but Diller knew that there were two distinct main families, so he established not one *GD* 8 text but two: "XZ" and "UNK", separately arranged & paginated. (See original Diller typescript via www.dioi.org/gad.htm.) The XZ tradition is generally and rightly considered less tampered-with⁷ (that was Diller's opinion and is that of B&J pp.43f: see also Rawlins 2008S fnn 7&12), its data being less precisely accordant with *GD* 2-7 than UNK's. Which suggests that if *GD* 8 (or its forebears) much earlier generated (via eq.2) some of *GD* 2-7's key-city latitudes, the XZ tradition mss are nearer in time to the era when such semi-hypothetical transformation (discussed in Rawlins 1985G & Rawlins 2008S) occurred. Bear in mind that the *precision* of agreement between *GD* 2-7 and the UNK tradition can obscure realization that both traditions suffer from an *accuracy* whose mean pre-longitude-expansion error (Rawlins 2008S §D1, fn 13,

klimata: 36° based on using eq.3 (the obliquity ϵ which we know was that of Eratosthenes & Ptolemy) in eq.2, or 35° 11/12 from instead using eq.4 (Hipparchos' 1st value) with it. As with Elephantine Island and Syene (Rawlins 1985G n.6) we may have multiple listing of what is effectively a single site, each based on one of these two competing ϵ values. (Since, at *GD* 6.7.7 Pseudokelis' $L = 12^\circ 1/2$ fits *GD* 8.22.7 via eq.2 better than Okelis' $L = 12^\circ$, one can wonder if D281 is yet another double site. See fn 24.) The suggestion is that Marinus and thus Ptolemy inherited traditional compilations (and were convinced of their data's accuracy from their sheer handed-down-ness [*GD* 2.1.2]: a classic error of scholarship) — from at least two post-Hipparchos hands. (See tables of major *GD* cities at Rawlins 1985G p.262: involving the same two obliquities just cited.) Each of the ultimate sources had computed key (network-basis) sites' latitudes *L* from typically (fn 19, Rawlins 1985G pp.260f, Rawlins 2008S §D) discrete-interval-rounded klimata *M*, via eq.2 — but using the disparate obliquities noted here.

³See eq.1. The six Blest Isles (*GD* 4.6.34) are listed with *B* equal to 0° or 1° (Nobbe 1843-5 1:274, Wilberg & Grashof 1838-1845 p.298, Müller 1883&1901 p.754; contra S&G 1:454&456) the unweighted mean of which is 1°/2. Is that related to the oddity that the *B* of Alexandria (4^h east of the Blest Isles: *GD* 8.15.10) is 60°/2 (*GD* 4.5.9), not 60°?

⁴Rawlins 2008S asks: did error originate from one of the Blest Isles being named "Kanaria Nesos"?

⁵By least-squares analysis of *Almajest* 7.3's star declinations, the *GD* (cited in *Almajest* 2.13 as imminent) has been dated to no earlier than their epoch, c.160 AD: Rawlins 1994L Table 3 & fn 45.

⁶Marinus is dated to c.140 AD in Rawlins 2008S §I, but may be as late as c.160 AD.

⁷Note hint at fn 66. However, as one moves east in *GD* 8, the *S* data of XZ sometimes seem more precisely arranged than UNK's.

& §L3) is shockingly⁸ large: ordmag 1°. Thus, XZ's larger *GD* 8-vs-*GD* 2-7 disconnect may carry a trace of the crudity of the old klimata tables that originally (a millennium prior to our earliest mss) caused the *GD*'s gross inaccuracies in latitude.

B3 The UNK tradition's data are not only more internally consistent⁹ (*GD* 8-vs-*GD* 2-7) but are less subject to scribal errors (e.g., §B4). And, in much of Greece (where *GD* latitudes are generally too low), *M* values tend to be a few timemin higher in UNK than in XZ, suggesting mass shifts by a later hand. This may have been intended to improve accord with reality,¹⁰ while (fn 9) inadvertently obscuring original data. And what original data that remain can be revealing, e.g., XZ's disparate *A* values omitted by S&G for, e.g., Miletos (D181) & Europs (D269) appear to provide (via eq.1) residual reflections of an earlier tradition¹¹ in which the *B* of Alexandria (D149) was set at 60°, not the curious 60° 1/2 value whose patently-touched-up¹² precision¹³ is naïve in context, a value that eventually (via the proposed archetype of B&J p.42?) became standard.¹⁴ The discrepancies of the former and Java (D357) may be miscomputations, but it is at least as likely that they once had different longitudes, e.g., Java *B* seems (for XZ's $A = 7^h 2/3$ east: omitted by S&G pp.900-901) to have been at $B = 175^\circ$ before ending up at 167° (*GD* 7.2.29 congruent with UNK's *A*).

B4 Still, at least some of the UNK corrections are valid contributions even to manuscript restoration. E.g.: [a] Undoing¹⁵ the accidental switch of the *M* data between D79&80 (corrections we adopt below and typically mark with "r" in the XZ column for these two sites' *M*). [b] Not maintaining the needless identities in XZ's *GD* 8 coordinates for D171&174, D211&212, D255&256, D274&275. [c] Not mixing-up the *A* for D240&241, as XZ did. [d] Generally not being misled¹⁶ by cases where an editor (usually XZ and outside areas of high western civilization) mistakenly took¹⁷ Σ for B on an ancient majuscule ms.

⁸For why such laxity requires explaining, see Rawlins 2008S §D6; for the explanation itself, see *ibid* & Rawlins 1985G, or briefly here at §A4.

⁹UNK's editor(s) evidently went to much trouble to check out consistency, specially recomputing *M* via sph trig (eq.2) to ensure its match to *L* — which is why the great majority of UNK data marked "eggista" ("nearly") are *M*. This labor is admirable in its intent but unfortunate since, again, both *M* and *L* are generally in such poor accord with reality (and *M* so nearly useless, except to astrologers) that this was essentially just a purely mathematical exercise, which has accomplished little except to make it harder for us to trace the *M* values that originally distorted ancient geography so disastrously.

¹⁰E.g., if not operating independently, perhaps UNK's editors realized that XZ's poor *M* of Termessos (D202) had been based on a klimata table with over-rough 1^h/2 intervals. (The identification of XZ's D202 with the Termessos of *GD* 5.5.6 [rather than of *GD* 5.3.2's out-of-order Telmessos] is indicated by XZ's *A* value.) Similar case: the *A* of Busra (D250).

¹¹And UNK may use eq.1's 60° precisely to generate *A*, e.g., Persepolis (D271) & Kabul (D322).

¹²Akin to a modern over-precision fret discussed at *DIO* 10 fn 67.

¹³Precision varies throughout the *GD*; e.g., the *B*&*L* of Gaul are expressed only to degree-sixths (not twelfths) with the sole exception of Pytheas' famous *L* for Marseilles. See similarly for Vietnam (degree-quarters) at Rawlins 2008S §K10.

¹⁴Ptolemy preferred round parameters, so if he accepted a 60°/2 home longitude (questionable), it must have been Marinus' value. Particularly precise XZ examples of *A* computed from setting Alexandria's *B* at 60°/2, are those of Little Armenia's Νικόπολις (D208) & Susa (D263). The identity of the Nicopolis datum with the UNK value suggests the possibility that it leaked into XZ from UNK; but that explanation does not work for the precise and disparate Susa value.

¹⁵The implication that XZ was known to those who created the UNK edition is not mere speculation. The number of cases (e.g., D259, D292, & twice at D297) in which a UNK datum is identical to XZ's, but the word "eggista" is added, is way above chance. It seems that when the later editors checked XZ and found good but not highly precise agreement, they sometimes just indicated the imperfection (via the comment) but made no change otherwise.

¹⁶Ancients perhaps over-doing restoration (if AD's reading is right): for an instance where it seems that UNK's editors may've replaced majuscule B with Σ when the true reading was actually B , see Kossura (D140). Case correctly dealt with by S&G (pp.824-825).

¹⁷E.g., XZ's Vid (D47), Oppidon (D126), Tabarka (D129), Thusdros (D138), Ankara (D196), Belkis (D201), [possibly Gagra (D216)], Astaxata (D227) [twice], Ashkelon (D244), Bostra (D250) [UNK:

C Correlative Tabulation

C1 In the extended facing-page tabulations to follow (Tables 1-26), we will list the two *GD* 8 traditions' hour-data side-by-side on the right page and list on the left page (lined-up in the same row, for each city) the corresponding *GD* 2-7's longitude *B* (BI-based) & latitude *L*, both in degrees. (Details at §G3.)

C2 Such correlation has not been previously done for the entire *GD* 8, though two tables (for a few sample cities) were published at Rawlins 1985G p.262 — and there analysed for mathematical connexions (discussed also in Rawlins 2008S, e.g., §D) via the obliquities of Eratosthenes and Hipparchos, since *M* and *L* are related by a spherical trig equation:

$$\cos(15M/2) = -\tan L \tan \epsilon \quad \text{or} \quad \epsilon = \arctan[-\cos(15M/2)/\tan L] \quad (2)$$

where obliquity ϵ was usually taken to be that of Eratosthenes-Ptolemy (eq.3) or nearby $23^\circ 5/6$, or one of Hipparchos' two values (eqs.4&6), the latter ($23^\circ 2/3$) being the exclusive and totally unexpected discovery of Diller 1934.

C3 The Rawlins 1985G tables discovered that numerous major cities' *L* & *M* did indeed correlate with either the obliquity of Eratosthenes,

$$\epsilon_E = 23^\circ 51' 20'' \quad (3)$$

or the early Hipparchos obliquity (Rawlins 1982C pp.367-368)

$$\epsilon_{HI} = 23^\circ 11/12 = 23^\circ 55' \quad (4)$$

C4 Rawlins 1985G p.262's tables showed:

[a] The cities correlated with Eratosthenes' eq.3 (or its common rounding: $23^\circ 5/6$) included Babylon, Korinth, Kyrene, & Meroë, all related to Eratosthenes' birth or writings.

[b] The cities correlated with Hipparchos' eq.4 included Arbela, Athens, Carthage, Nicaea, & Rhodos — all known to have been related to Hipparchos' birth, life, or geography.

C5 Since correlations §C4 [a] were found via sph trig (eq.2), we have here (also Rawlins 1982N n.11) a shaky hint that possibly sph trig was known in the 3rd century BC. (Contra this tenuous possibility, keep in mind: eq.3's earliest firmly-known use [§D1] was subsequent to Eratosthenes, who appears to have used the term "klima" without longest-day implication.) If so, it was probably nascent at that time. (Otherwise, the simple double-sunset Earth-measure method [which requires sph trig for exact results in the general case] would¹⁸ presumably have led Eratosthenes to speak openly of the large disagreement between the lighthouse method's 256000-stades (likely known before him: Rawlins 1982N p.215 & Rawlins 2008Q §I1) vs the sunset method's 180000-stades. (The latter being the Poseidonios-Marinos-Ptolemy value which eventually became dominant. Conversion discussed in Rawlins 2008Q & Rawlins 2008S. The resulting stretch [discovered by P.Gosselin] of longitude-degrees (which preserved world E-W distances in stades fairly accurately) is discussed in Rawlins 1985G & Rawlins 2008S §L3, but it is most effectively illustrated by the nice diagram at S&G 1:47.)

independently of XZ], Orchoe (D258), Nineveh (D260), Badeo (D278), Sabe (D289) Sapphara (D290), Auzakis (D313). (In these cases, we tend to reconstruct 1/2 to 1/6, usually in accord with S&G.)

¹⁸If Eratosthenes knew of both methods, he would have had to face Earth-size estimates differing by a giant factor: close to 36/25 or 1.44 (the square of 6/5). Did such a hypothetical conflict lead him into his ruminations (Strabo 1.3.11, Rawlins 2008Q §§H1&K2) on possible variability of sea-curvature "even in places that lie close together" (emph added)? (If using the Pharos for both methods, the directions over the Mediterranean would differ.) This passage may be an early hint of a central ancient conflict over whether to use 256000 or 180000 stades (for Earth-circumference), a conflict of which we found (Rawlins 2008Q §K3) that no detailed account survives, though Strabo 1.4.1 notes that Eratosthenes' large circumference came under fire from other scholars.

Table 0: Hipparchan Klimata Fits: Princetitute vs Diller-DR

| Klima | Longest Day <i>M</i> | Hipparchos-Strabo <i>L</i> [Data] | Princetitute-Muffia <i>L</i> [Babylonian] | A.Diller-DR <i>L</i> [Greek] |
|------------------|----------------------|-----------------------------------|---|------------------------------|
| Cinnamon | 12 ^h 3/4 | 8800 | 10200 | 8800 |
| Meroë | 13 ^h | 11600 | 12800 | 11600 |
| Syene | 13 ^h 1/2 | 16800 | 17600 | 16800 |
| Lower Egypt | 14 ^h | 21400 | 21800 | 21400 |
| Phoenicia | 14 ^h 1/4 | 23400 | 23700 | 23400 |
| Rhodos | 14 ^h 1/2 | 25400 | 25500 | 25400 |
| Hellespont | 15 ^h | 28800 | 28800 | 28800 |
| Massalia | 15 ^h 1/4 | 30300 | 30300 | 30300 |
| Pontos | 15 ^h 1/2 | 31700 | 31600 | 31700 |
| Borysthenes | 16 ^h | 34100 | 34100 | 34100 |
| Tanais | 17 ^h | 38000 | 38000 | 38000 |
| S.Little Britain | 18 ^h | 40800 | 40800 | 40800 |
| N.Little Britain | 19 ^h | 42800 | 42800 | 42800 |

D Cultists vs Scientists: Bad News & Glad News

D1 We don't need §C4 item [b] to tell us sph trig (eq.2) was surely known to Hipparchos, **as Diller 1934 was 1st to prove.** (An array of evidences for dating sph trig's use in Hipparchos' century is brought together for the 1st time at www.dioi.org/cot.htm#mmsz.)

D2 Strabo gives a data-pool of Hipparchan latitudes *L* in stades for his klimata,¹⁹ which we list in the middle column of Table 0 (same as Neugebauer 1975 p.1313 except for Meroë: §D3 [7]). In 1934 Diller discovered that, using Hipparchos' scale

$$1^\circ = 700 \text{ stades} \quad (5)$$

(Strabo 2.5.7&34 or Neugebauer 1975 p.305 n.27), each *L* was computed from a discrete klima's *M* (2nd column in Table 0) via eq.2, using²⁰ the unattested but impressively accurate obliquity:

$$\epsilon_{H2} = 23^\circ 2/3 = 23^\circ 40' \quad (6)$$

¹⁹ Ancient astrologers (e.g., Hipparchos, Ptolemy) assigned the term "klima" (from which our word "climate" derives) for latitudes *L* corresponding (via eq.2) to longest day values *M*, usually at intervals of about 1/2 or 1/4 hour, e.g., *Almajest* 2.6&8. (*S&G have helpfully ruled klimata every 1/4 hour on their excellent maps.*) We have occasionally suggested that this might have been done for reasons of sph-trig astrological-house-computing efficiency (Rawlins 2008S §A4 [2]). But perhaps the causes included a commercial factor: house tables sales could be juiced if geography were distorted to convince more-numerous big-city users that they lived right on a klima, a pseudo-circumstance which would obviate the need to interpolate between house tables. (These tables were computed of course only for discrete klimata. A common number of primary klimata for the whole *ekumene* was seven; see, e.g., Pliny 6.39.211-218, Honigmann 1929 ["The Seven Klimata and Important Cities"], Neugebauer 1975 pp.722f. So the interval-spacing and thus the associated crude rounding was large.) Conclusions: [a] The cause of latitudes' undeniable (fn 23) historical degradation was not scientific.

[b] Thus astrology devastated the high-precision ancient geography of genuine scientists before its occultist-filtered remains reached us. A point thoroughly treated in Rawlins 1985G & Rawlins 2008S. Two fresh evidences (found 2009 March) in favor of this hypothesis are provided in fn 23.

²⁰We now see that Hipparchos switched to eq.6's $\epsilon_{H2} = 23^\circ 40'$ (dropping early $\epsilon_{H1} = 23^\circ 55'$: eq.4) after making a better outdoor determination — presumably during his also accurate (Rawlins 1991H §B2) observation of the time of the 135 BC S.Solstice.

This Diller discovery proved: [a] use of sph trig in 2nd century BC science, & [b] Hipparchos' late adoption of a carefully observed and accurate obliquity ϵ (eq.6) — error c.3', far better than any other obliquity-value knowingly used in antiquity. **Both of these crucial discovery-contributions to our knowledge of ancient mathematics & science were 1st proved by Aubrey Diller**, a non-member of the possessively seething clique which — seeing outsiders as just bad-news for its own grantsmanship — reflexively claims they're merely doing "incompetent work in [our] realm".²¹ [Thorough exam of cultism vs Diller: *DIO 16*.]

D3 Diller 1934 made an extremely powerful case (alone totally convincing to any balanced, mathematically able reader). And its validity has since been put beyond all (but hyper-cultist) dispute by an impressive array of confirmations. (Note, too, that DR independently made Diller's discovery in 1979 [reporting his vindication to him by phone 1979/11/26], which tells us that the logic of the discovery did not depend on one person's perception.)²² These confirmations come from information unknown to Diller at the time, a remarkable serial-demonstration of his solution's fruitfulness:

[1] Rawlins 1982C p.368 found that eq.6 was the ϵ underlying Pliny's "circuli" klimata: a perfect fit with minimal reconstruction. (Genuinely fun details: *DIO 16* ¶3 fn 50.)

[2] The statistical analyses of Rawlins 1982C (pp.367-368, eq.28) found that the northern stars of Hipparchos' Ancient Star Catalog are consistent with his adoption of the Diller-discovered Hipparchan obliquity: $23^\circ 2/3$ — eq.6 again.

[3] Nadal & Brunet 1984's statistical investigation of Hipparchos *Comm* found (§D5) that its hundreds of stellar phenomena were computed via obliquity $23^\circ 2/3$: eq.6. Again.

[4] DR found (*DIO 4.2* p.56) that Hipparchos' 19^h klima (North Little Britain), though unknown to Diller, nonetheless fit his theory: predictivity, again.

[5] DR found (*ibid*) that if we assume all L computed by Hipparchos from eqs.2&6 had been (ere conversion to stades) rounded by him to $5'$ or $1/12$ of a degree (klimata's precision at *Almajest 2.6* & *GD 1.23*), this **converted two of Diller 1934's 3 near-hits into spot-on hits**, creating a virtually unanimous fit for the entire klimata table, as the number of non-fits went from 3 to merely 1: the 13^h Meroë klima²³ (resolved at [7], below).

[6] In 2002, DR found (*DIO 11.1* p.26 fn 1) that one more hitherto unnoticed Hipparchos-Strabo klima (for $12^h 3/4$: Cinnamon Country)²⁴ fit Diller's thesis perfectly

²¹ Neugebauer's A.Aboe to DR 1976/3/9. *DIO 4.3* ¶15 §G9 [1994]; *DIO 6* ¶1 §B5 & ¶3 §B2 [1996].

²² The cementality of the Neugebauer cult, known here as the "Muffia" with due respect for the well-foundedness of its perceptions, is shown by the fact that Diller & DR could independently discern the system behind the Hipparchos-Strabo data of Table 0; yet, when its 13-for-13 score (news which is gladdening the hearts of honest scholars) is placed as a gift before any Muffioso, he grumpily ashcans it as an impossibly opaque back-to-square-one enigma (www.dioi.org/fff.htm#bsns). These are **the same people** who for decades (up to *JHA 33:15-19* [2002]) **accepted as gospel Neugebauer's laughably ill-fitting Princetitute theory** (6-for-13: 4th col. in Table 0), enthroning it even in the *Dictionary of Scientific Biography*. (Full history of eminent promos: *DIO 4.2* p.55.) Similarly mote-beam: Muffiose Nobody's-Perfect defense of Ptolemy's shortcomings (spoofed at Rawlins 2002V p.70); yet, when evaluating outlander heretics **even perfection** (§D3 [7]) is insufficient. The spectacle of scholars pushily, robotically doing a Chauvin-to-the-last-ditch (without a glimmer of philosophy-of-science perception, for 75' now) is as pathetic as the ineducable Cook-kooks vs photos (*DIO 7.2-3&9.2-3*).

²³ Eratosthenes & Hipparchos required (Strabo 2.5.7) that Alexandria, Syene, & Meroë be symmetrically spaced at 5000 stade intervals: Alexandria city (not klima) was at latitude 21760 stades or $31^\circ 1/12$ (Rawlins 1982G; Honigmann 1929 p.147 #75), Syene at 16800 stades or 24° , Meroë (astronomically measured: Strabo 2.1.20) at 11800 stades or $16^\circ 11/12$ (where solstitial-noon gnomon errors cancel), all these L being much more correct than those in the *GD* (see Tables 13&14 below): 31° , $23^\circ 5/6$, $16^\circ 5/12$, resp. vs $31^\circ 12'$, $24^\circ 05'$, $16^\circ 57'$ in reality. Hipparchos-Strabo vs *GD* rms errors for the 3 cities: $5'$ vs $22'$, resp. This striking contrast and the equally **hitherto-unremarked fact that the 3 sites really ARE symmetric in latitude** (to 1' precision! — note parallel to *DIO 1.1* ¶6 fn 30) provide yet further indicators that scientific geography existed in antiquity but was later lost: fn 19.

²⁴ In effect, *GD 1.7.4* relates the latitude of Okelis (*GD 6.7.7*, D281 of *GD 8.22.7*) to the Cinnamon Country klima (the southern limit of Hipparchos' ekumene: Strabo 2.5.7), whose latitude Strabo 2.5.35 says equals α UMi's *NPD*. Rawlins 2008S §C wondered whether Marinos' prime latitudes were

— while its disagreement with the competing Neugebauer theory (Table 0) was Neugebauer's worst failure: by 1400 stades or 2 full degrees of latitude. The superiority of fit (Diller-DR vs Neugebauer) is obvious from the 2002-revised *DIO 4.2* p.56 [1994] table, reproduced here as Table 0, with a single alteration which is the subject of our item [7]:

[7] On 2009/4/1, DR realized that while Meroë **city** was at 11800 stades (hitherto the one non-fit in the *DIO 4.2* p.56 Table 1), Hipparchos' Meroë **klima** was at 11600 stades,²⁵ perfectly fitting the Diller-DR solution, leaving Table 0 with a pristine 13-for-13 score.

D4 Ere Meroë-resolution, even without 100 stade rounding: the root-mean-square fit (rms) of the Diller-DR theory (to the Hipparchos-Strabo klimata data) was 9 times better than the Princetitute fit. With Meroë re-solved this ratio rises to 22 times better. Rounding the calculated klimata to the same 100 stade precision Strabo's data displays, the ratio becomes ∞ since all 13 results fit **perfectly** now. Very, **very** seldom in ancient astronomy history does such compelling evidence appear, backed by such a hit-after-hit-after-hit lock-on.

D5 The validity of Diller's eq.6 was independently confirmed by scientists Nadal & Brunet 1984 (p.231 & n.17). DR had the privilege of being first to relay him the glad news.

D6 Finally, despite 68^y of embarrassingly uncomprehending Muffia abuse (or just systematic non-citation) of Diller's greatest discovery, justice overcame cult-think in 2002, when his finding was honored by the eminent mathematician Hugh Thurston in the world's leading history of science journal, *Isis* (Thurston 2002S p.67 & n.18) — thanks to Editor Margaret Rossiter's refusal to be bound by political pressure. And no paper subject to non-fake²⁶ refereeing has since questioned the finding. So we may take it that Diller's discovery of Hipparchos' use of sph trig (eq.2) with accurate obliquity (eq.6) is now a permanently established part of our scholarly heritage. In pace requiescat, Aubrey.

klimata-based, as were Hipparchos' and Ptolemy's. Marinos' adducement of Okelis (D281) appears to tilt the balance in favor of a positive answer to the question. (See also his Aromata at $M = 12^h 1/4$: B&J p.138.) Unfortunately. Note that Pseudokelis (also *GD 6.7.7*) has a latitude of $12^\circ 1/2$, which is nearer real Okelis (Turbah, $12^\circ 41'N$) than D281 and is consistent (fn 2) with the latitude of the Cinnamon Country klima ($M = 12^h 3/4$), computed via eq.2 for Hipparchos' 1st obliquity ϵ_{H1} (eq.4) or Eratosthenes' ϵ_E (eq.3). Regarding Okelis, see also Rawlins 2008S §H & fn 30.

²⁵ The key is Strabo's mixing-up of city & klima for Alexandria, Carthage, & Meroë. *All* his Meroë citations are to the **city**, except Strabo 2.5.36, his sole mention of the 13^h "Meroë" klima, obviously for huge Meroë "Island" (not city, as Pliny 6.220 & *Almajest 2.6* knew, most klimata being big regions): a confused passage — like nearby 2.5.38, as rightly noted in part at *JHA 33:15-19* (2002) p.18 n.9, though missing that the alleged shadow ratios (7:5 & 11:7) for **cities** Alexandria & Carthage are just longest-shortest-day ratios $M:m$ for the Alexandria & Carthage **klimata** (Neugebauer 1975 p.336 n.29, Rawlins 1985G n.17) where $M = 14^h$ & $14^h 2/3$ (Neugebauer 1975 pp.722-732), resp. Strabo 2.5.36 places the Meroë klima 1800 stades further from the Equator than from "Alexandria", which Strabo 2.5.38's equation (of Alexandria & 7:5) lets us take as the Alexandria 14^h **KLIMA** at $L = 21400$ stades (Table 0), **thus placing Meroë's klima at 11600 stades, just the figure predicted all along by the Diller-DR sph trig theory**: 11600 stades was right in Diller 1934 (p.267), 75^y ago.

²⁶Which exempts *JHA 33.1:15-19* [2002]. (On *JHA* refereeing, see www.dioi.org/fff.htm#cfff.) No serious referee could miss pp.15&16's innocence of *Almajest 1.12*'s use of solstitial not equinoctial data for finding ϵ & L , resp, as Thurston was 1st to note, in parallel shock at non-citation of Rawlins 1985G & esp. *DIO 4.2* p.55 n.6 (producing 11-hits-out-of-12: p.56 Table 1) which by 2002 had been on the published record [*DIO 4.2* p.56] for 8^y. See §D3 [5] for how (with [4], [6], & [7]) it now elevates Diller's hit-score from 8-for-11 success (Diller 1934) to 13-for-13 perfection. None of the *JHA*-proposed deus-ex-machination tampering with the table's data produces an ϵ that matches Diller's eq.6 in either roundness or a single subsequent vindication. Much less 3 such: §D3 [1]-[3]. Hist.astron pols' decades of rejection of Diller 1934 is a phenomenon not of scholarship but of grant-Svengalism. Ancient astronomy's old-guard has taken decades to (Rawlins 2008R §A) learn almost nothing about how ancients founded theory upon empirical data and can hardly be taken seriously by able scientists while lockstep-adding to a 3/4 century disgrace during which we have thus far vainly waited for even *one* of its Trilbys (*DIO 9.3* ¶6 fn 70) to surprise by rising above the herd (www.dioi.org/che.htm#crbh) and admitting **merely the POSSIBLE value** of Diller's important, now septuply-vindicated (§D3) & flawless (7!) contribution to the history of mathematics. As at *DIO 1.3* ¶10: "The search continues."

E Preface to Book 8: Greek Text Established by Aubrey Diller

[English translation follows at §F.]

8.1. Μετα ποιας προθεσεως δει ποιεισθαι τηνκατα πινακας διαιρειν της οικουμηνης;

8.1.1. Οσα μεν ουν εχρην εις την γεωγραφικην υψηγησιν συνεισενεγκειν εκ τε της συνεχεστερας ακριβωσεως²⁷ των τας εκτετοπισμενας ημων χωρας περιελθοντων και της εις το προχειροτερον αμα και οικειοτερον των καταγραφων επιβολης αυταρκως εχειν ηγουμαι. το γαρ επιλεγειν κατα τον αυτον τροπον τοις προ ημων ωσπερ επι κεφαλιον δια τινων τοπων εκαστος γραφεται των εντασσομενων τη καταγραφη παραλληλων η και μεσημβριων, μη και γελοιον η παντων απλως των τοπων και των μη πιπτοντων εις τους εκθεθειμενους κυκλους παρακειμενας εχοντων τας εποχας των δι αυτων γραφομενων παραλληλων τε και μεσημβριων.

8.1.2. Επειδη²⁸ τις αν γενοιτο της οικουμενης ολης καταγραφη²⁹ συμμετρας καθ ενα πινακα καταλαμβανομενης υτ οπιν ημιν γεγονεν, ακολουθον εστι³⁰ προεκθεσθαι τας εσομενας υπογραφας κεφαλιωδεις ει δαιρουμεν αυτην εις πλειους πινακας ενεκεν του δυνασθαι και παντα τα εφωδευμενα και μετα της προς το ευδηλοτερον συμμετριας κατατασσειν. επι μεν γαρ της υφεν καταγραφης αναγκιον γινεται δια το δειν συντηρειν τους προς αλληλα των μερων της οικουμενης λογους τα μεν στενοχωρειεθαι δια το συνεχες των εντασσομενων τα δε παρελκειν απορια των εγγραφισμεων.

8.1.3. Οπερ οι πλειστοι περισταμενοι πολλαχη³¹ διαστρεφειν ηναγκασθησαν τα τε μετρα και τα σχηματα των χωρων υπο των πινακων αυτων ωσπερ και μη υπο της ιστοριας χειραγωγηθεντες, καθαπερ οσοι το μεν πλειστον μερος του πινακος απενειμαν τη Ευρωπη και κατα μηκος και κατα πλατος δια το πολυχουν και πυκνον των εντασσομενων το δε ελαχιστον τη μεν Ασια κατα το³² μηκος τη δε Λιβυη κατα το πλατος δια το εναντιον. παρα γαρ τουτην την αιτιαν το μεν Ινδικον πελαγος μετα την Ταπροβανην επι τας αρκτους απεστρεψαν ενσταντος αυτους του πινακος προς την επι τας ανατολας προχωρησιν επειδη μηδεν εχον τοιουτον επι της υπερκειμενης κατα το βορειον Σκυθιας αντιπαραγραφειν, τον δε δυτικον ωκεανον επι τας ανατολας απεστρεψαν παλιν ενσταντος³³ αυτοις του πινακος επι την μεσημβριαν³⁴ διαστασιν ετει μηδε³⁵ ενταυθα το της εντος Λιβυης βαθος η το της Ινδικης ειχε τι δυναμενον κατα το συνεχες αντιπαρατεθηνα³⁶ τη δυτικη παραλιω,³⁷ ως και δια τα τοιαυτα την περι του περιρρεισθαι³⁸ την γην ολην τω ωκεσντω δοξαν αρξασθαι μεν³⁹ απο γραφικων αμαρτηματων καταστρεψαι δε εις ασυστατον ιστοριαν.

²⁷ ακριβως εως U¹NK.

²⁸ επι δε X επειδη Z επειδ η UNK.

²⁹ υπογραφη X παραγραφη Z.

³⁰ εστιν XU¹N.

³¹ πολλα δη UNK.

³² om. το XZ.

³³ εν οταν τοις U¹N^aK.

³⁴ μεσημβρινην XZN^a.

³⁵ επειδη δε X επει μηδεν ZUK επει δη μηδεν N.

³⁶ αντιπαρασταθηνα UNK.

³⁷ παραλια N^aK.

³⁸ περιωρισθαι U¹K περιωρεισθαι N.

³⁹ μεν XZK μετα U¹N.

8.1.4. Επι μεντοι της κατα πινακας⁴⁰ διαιρεσεως⁴¹ εκθυγοιμεν αν το ειρημενον συμπτωμα ει ποιοιμεθα τας διαιρεσεις ουτως ωστε τας μεν πολυχουστερας των χωρων η μονας η μετ ολιγων απολαμβανειν τον πινακα κατα μειζους των κυκλων διαστασεις τας δε απυκνους και μη διειλημμενας ολας μετα πλειονων ομοιων υφ ενος περιεχεσθαι πινακος εν ελαττωσι των κυκλων διαστασεσιν. ουδεν γαρ ετι δει και παντας τους πινακας αλληλοις ειναι συμμετρους, αλλα μονα τα εν εκαστω διασωζειν τον προς αλληλα λογον, ωσπερ οταν μονην κεφαλην υπογραφωμεν τα μονης της κεφαλης,⁴² η μονην χειρα τα μονης της χειρος, ουκ ετι δε και τα της κεφαλης τοις της χειρος ει μη οταν υφ εν σχημα ποιωμεν ολον τον ανθρωπον. αλλ ονπερ τροπον το πον ουδεν κωλπει ποτε μεν αυξειν ποτε δε μειουν, ουτως ουδε των μερων οταν η καθ αυτα τα μεν αυξειν τα δε μειουν προς τας των υποτιθεμενων πινακων ευρυχωριας.

8.1.5. Ου παρα πολυ δε εσται της αληθειας, καθαπερ εν αρχη της συνταξεως ειπομεν, καν ευθειας γραμμιας αντι των κυκλων επι γουν των κατα μερος πινακων παραγραφωμεν⁴³ και προσετι τας μεσημβρινας μη συννευουσας αλλα και αυτας παραλληλους αλληλαις. επι μεν γαρ της ολης οικουμενης οι του πλατους και του μηκος οροι κατα μεγαλας λαμβανομενοι διαστασεις αξιολογους ποιουσι τας των ακρων κυκλων παραλλαγας, επι δε εκαστου⁴⁴ των πινακων ουκ ετι. διο και κατα τον λογον του διχα τεμνοντοξ τον πινακα παραλληλου προς τον μεγιστον κυκλον λεγομεν δειν ποιεισθαι τας μοιριαιας παραβολας ινα μηδε⁴⁵ το παρ ολην την διαστασιν του πινακος ενδεον επιζητωμεν αλλα μονον το παρα την απο⁴⁶ του μεταξυ προς το ετερον των περατων.

8.2. Τινα καθ εκαστον των πινακων υπογραφειν αρμοζει;

8.2.1. Της τοιαυτης τοιουν προθεσεωξ επερχομενοι τας διαιρεσεις της Ευρωπης εποιησαμεθα πινακας δεκα της δε Λιβυης πινακας τεσσαρας της δε ολης Ασιας πινακας δωδεκα. τας δε καθ εκαστον υπογραφας εξεθεμεθα, προτασσοντες μεν τινος τε εστιν ο πιναξ ηπειρου και ποστος και ποιας περιχει χωρας και τινα λογον εχει ο δια μεσου αυτων παραλληλος εγγιστα προς τον μεσημβρινον και τις ολου του πινακος γινεται περιορισμος, υποτασσοντες δε των καθ εκαστην χωραν διασημων πολεων τα μεν εξαιματα μετειλημμενα εις τα μεγαθη των εν αυταις μεγαστων ημερων⁴⁷ τας δε κατα μηκος εποχας εις τας απο του δι Αλεξανδρειας μεσημβρινου διαστασεις ητοι προς ανατολας η προς δυσμας μεγαθεσι των εγγιστα ωρων⁴⁸ ισημεριων και ων ο ζωδιακος υπερκειται ποτερον απαξ η δις ο ηλιος γινεται κατα κορυφην και πως διακειμενος προς τας τροπας.

8.2.2. Προσθηκαμεν δ αν και τινα των απλανων εχουσιν επι των κατα κορυφην τοπων⁴⁹ ει συντηρουντες εφαινοντο τα προς τον ισημερινον πλατη, τουτεστιν ει δια⁵⁰ των αυτων αι παραλληλων εφεροντο. επειδηπερ απεδειξαμεν εν τη μαθηματικη συνταξει οτι μεταπιπτει τε και η των απλανων σφαιρα εις τα επομενα του κοσμου παρα τα⁵¹ τροπικα και ισημερινα σημεια και ου περι τους του

⁴⁰ πινακος U¹K.

⁴¹ της διαιρεσεως U¹NK.

⁴² την κεφαλην UNK.

⁴³ παραγραφωμεν XUN.

⁴⁴ εκαστων UNK.

⁴⁵ om. -δε UNK.

⁴⁶ om. την απο X om. το παρα Z.

⁴⁷ ημερων μεγαστων Z om. μεγαστων UNK.

⁴⁸ ωρων XZ^m ημερων Z^tU¹NK.

⁴⁹ των τοπων U¹N.

⁵⁰ ιδια U¹N¹.

⁵¹ om. τα U¹NK.

ισημερινου πολους αλλα περι τους του δια μεσων των ζωδιων κυκλου⁵² καθαπερ και αι⁵³ των πλανωμενων ως δια τουτο μη δυνασθαι τους αυτους αστερας των αυτων τοπων αι γινεσθαι κατα κορυφην αλλα μεταχωρειν εξ αναγκης τους μεν αυτων επι τους βορειοτερους τοπους⁵⁴ των προτερων τους δε επι τους νοτιωτερους, παρελκειν⁵⁵ ημις εδοξεν⁵⁶ η τοιαυτη προσθηκη της υπογραφης, εξον⁵⁷ επι της κατα την τοιαυτην υποθεσιν αστεριζομενης ημιν σφαιρας την εν τοις επιζητουμενοις χρονοις θεσιν αυτης προς τον δι⁵⁸ αμφοτερων των πολων κυκλον καθισταντας⁵⁹ και περιφεροντας ολην παρα την του μενοντος μεσημβρινου οιηρημενην⁶⁰ πλευραν οκοπειν το σημειον αυτου τοσαυτας απεχον του ισημερινου μοιρας οσας και ο δια του ζητουμενου τοπου επι τα αυτα παραλληλος και λαμβανειν⁶¹ προχειρωσ ειτε μηδ ολας τις ενεχθησεται δι εκεινου του σημειου των απλανων ειτε εις⁶² η πλειους και τις η τινες.

8.2.3. Τουτων δη⁶³ προδιωρισμενων αρκτεον της λοιπης προθεσεως εντευθεν.

⁵² ζωδιακων κυκλων U¹NK.

⁵³ om. αι UNK.

⁵⁴ τροπους U^aN.

⁵⁵ παρελκον U¹NK.

⁵⁶ εδειξεν Z^aN.

⁵⁷ εξων U¹NK.

⁵⁸ προς των αμφ. U¹NK.

⁵⁹ καθισταντας U¹NK.

⁶⁰ διειρημενην U¹N.

⁶¹ καταλαμβονειν U¹NK.

⁶² εισι U¹NK.

⁶³ δη X ηδη ZUNK.

F Preface to Book 8: Diller's English Translation of §E

8.1. With what project must division of the ecumene be made by maps?

8.1.1. What ought to be put into the Geographical Guide [Directory] from the increasing accuracy of those who have visited our outlying regions and from the design of the maps for both convenience and relevance I think is clear enough. For to add summarily as those before us have done through what points each parallel or even meridian shown on the map passes may be absurd, since for all the points, even those that do not lie on the circles presented, the positions of their parallels and meridians are available.

8.1.2. Now that we have seen what rendering of the whole ecumene in a single map would be suitable, the next thing is to set out the summary outlines to be if we divide it into several maps in order to put in the actual data in full and in scale for clarity. For in a single drawing where we must keep the proportion of the parts of the ecumene to each other it is necessary for some of the parts to be crowded because of the wealth of the data being shown and for others to be wasted for lack of data to be shown.

8.1.3. To evade this most were forced by the maps themselves, but not by the matter, to distort the sizes and shapes of the countries extensively. Thus those who allotted the greatest part of the map to Europe in both longitude and latitude for the wealth of data being shown, and the least part in longitude to Asia and in latitude to Libya for the contrary. For this reason they turned the Indian ocean beyond Taprobane northward as the map prevented their extending it eastward while they had nothing to put in against Scythia lying to the north, and they turned the western ocean eastward as the map prevented their extending it southward while here too the depth of interior Libya and of India did not have anything to be put in to continue the western coast. In this way the notion of the whole earth surrounded by ocean began from errors in drawing and ended in unproved doctrine.

8.1.4. In the division by maps, however, would escape this result if we made the divisions so that the map would take the richest countries either single or few together with large distances between the the circles while the meagre and undistinguished would be contained whole with several like them in one map with lesser distances between the circles. For the maps need no more be all in proportion to each other but only the parts in each need to keep the ratio to each other as when we sketch a head alone the parts of the head only or a hand alone the parts of the hand only but no more the parts of the head to the parts of the hand unless we do the whole man in one figure. But just as nothing prevents now enlarging now reducing the whole so the parts also when they are by themselves, according to the space of the respective map.

8.1.5. It will not be far from the truth, as we said in the beginning of work ([Geogr Dir] II 1.10), if we make straight lines instead of circles at least on the partial maps, and moreover the meridians not converging but them also parallel to each other. For in the whole ecumene the lines of latitude and longitude taken at large intervals produce considerable changes at the ends of the circles but not on the several maps. Therefore we say the comparisons in degrees must be made in the ratio between the parallels dividing the map in half and the greatest circle in order not to reckon the reduction on the whole breadth of the map but only that on the distance from the middle to one off the margins.

8.2. What is suitable in an outline for each map?

8.2.1. Pursuing the divisions in this project we have made ten maps of Europe, four of Libya [Africa], and twelve of greater Asia. We have set out the outlines for each, prefacing what continent the map belongs to and it number in order and what countries it contains and the ratio of the parallel through the middle to the meridian and what bounds the whole map, and subjoining for the outstanding cities in each country their latitude converted into the length of their longest day and their positions in longitude converted into distances from the meridian of Alexandria either east or west in number of equinoctial hours and for those

that lie under the zodiac whether the sun touches zenith once or twice and how it stands to the solstices.

8.2.2. We would have added what fixed star they have at zenith if they [stars] appeared to keep their [declination vis-a-vis] the equator, that is, if they moved always along the same parallel. We have shown in our mathematical work ([*Alm*] VII 2-3) that the sphere of the fixed stars also moves backward in relation to the tropical and equinoctial signs and not around the poles of the equator but around those of the zodiac, as do those [the spheres] of the planets also, and for this reason the same stars cannot always touch zenith to the same points but must shift some north some south. So I thought this addition to the outline superfluous, since with the stellar sphere [which] I have made for this purpose we can, by setting it at the proper position for a given time in relation to the circle through the two [equatorial] poles and turning it along the graduated edge of the fixed meridian, not the point on it as many degrees from the equator as the parallel through the given place and thus perceive easily whether no star at all passes through that point or one or more and which one or ones.

8.2.3. With these preliminaries settled we must begin the rest of the project.

Remarks by DR: letters (e.g., X, U, etc.) are used here to signify the key manuscript families, which are catalogued and discussed in Diller's preface to the modern reprint of Nobbe's pioneering 1843-1845 first complete (semi-critical) edition of the *Geogr Dir*.

Diller's own judicious note regarding variants: "Variae lectiones XZ UNK. Only conjunctive variants are reported; variants in only one manuscript are omitted as insignificant."

G First Full *GD 2-7* & *GD 8* Joint Tabulation

G1 Now to our tables⁶⁴ for displaying Diller Book 8's data. Almost all *GD* data are found in S&G, but we include some which S&G have dropped;⁶⁵ thus, the present catalog will help complete the available *GD* record.⁶⁶ And every so often our listed data differ⁶⁷ from S&G. But providing these differences & occasional extra data and alternate interpretations⁶⁸ here

⁶⁴ For identifications of *GD* sites with modern ones we have drawn freely, gratefully, and generally trustingly upon S&G's. (We often use durable older non-ancient names, such as USSR, Ceylon, Sian, or Saigon, since [1] They lasted much longer than the recent ones have as yet. [2] Too often, altered appellations prove ephemeral. (E.g., Cape Kennedy; Hadrian's vain Ailia Kapitolia for Jerusalem.) We do not claim greater preferability for most of our occasional differing identifications, except for: [a] The *GD*'s zero-longitude, the Blest Isles, is the Cape Verde Islands group (Rawlins 2008S §F). [b] Alexandria Eschate (D309) is Iskander.

[c] Kattigara (D357) is Saigon [presently Ho Chi Minh City], while S&G (e.g., p.18) suggests it was Hanoi. DR now (contra orig. edition of Rawlins 2008S) realizes that the coast of Vietnam was not explored beyond Saigon. (Even aside from the huge *L* discrepancy between Kattigara & Hanoi [fn 68]: if Hanoi were reached by direct sailing, mountainous Hainan would probably have been sighted; but no such feature is listed in the *GD*.)

[d] "Java" is probably today's Java, and Sumatra was the Golden Peninsula which became mistakenly merged with the adjacent Malay Peninsula, while (*idem*) S&G appear (e.g., p.18) to suppose that: the sailors never got near Java, but they went 100s of miles through the narrow Malacca Strait between Malay&Sumatra without noting the existence of Sumatra (the huge, lengthy island to the SW). (It may also be implied that small "Java" [Ἰαβὰδιον] island, way to the SE, is Sumatra.)

⁶⁵ Usually XZ data, generally omitted for fitting poorly to corresponding data in *GD 2-7*. Occasional S&G-dropped UNK data include, e.g., the *A* of Kattigara (D356).

⁶⁶ S&G often drop *GD 8* data that do not fit the corresponding *GD 2-7* data. However, the omitted data may be clues to prior (now lost) editions of the *GD* (which could have been nearer in time & state to Marinus-Ptolemy's original). E.g., XZ's *M* for Mouza (D280) indicates that Mouza's *L* may once have been at 12° 1/2, right on the 4th *Almajest* 2.6 klima — reflecting the crude-klima-intervals which may have corrupted the *GD*'s *L*. Mouza is probably the modern Arabian town of Mawshij (Yemen), of actual *L* = c.13° 2/3. Which is a bit of evidence that XZ is the older version of the *GD*, since its *L* is c.1° too far south, as is the Hipparchos-era latitude for nearby Okelis in all versions of *GD 1.7.4*.

⁶⁷ E.g., Jul Caesarea (D124), Garame (D164), Aromata (D170), Smyrna (D179), Miletos (D181), Turambe (D218), Osika (D226), Palmyra (D239), Caesarea (D243), Petra (D248), Medaba (D249), Ambrodax (D275), Doumetha (D277), Mouza (D280), Drosache (D315), Sera (D317), Koni (D327), Cabenis (D332). If these alternate data are useful to future scholars, all to the good. But, again: there is no implication that they are better than S&G's.

⁶⁸ Our occasional *GD 8* data-disagreements with S&G are mostly from differing choices among variants: Diller vs S&G. (Our tables of course adopted the former in what is, after all, a Diller issue of *DIO!*) We do not here list data-variants which Diller found in his researches, since they may be consulted in the two appendices to the original Diller typescript, via www.dioi.org/diller8/diller8.htm. For many sites, modern attempts at identification (especially far eastern) are some part guesswork. We have not bothered putting question-marks at any, since no hard boundary exists here between certain and uncertain; but be warned that fallibility in this game is taken for granted. Note: Much inspired by S&G's grand opus (though, in the following exceptional cases, agreeing little with it) DR has fundamentally re-thought his 2006 identifications (www.dioi.org/gad.htm) in the Malay-Vietnam region, with (hopefully) some large-scale-clarifying improvements (check vs S&G Map 25 [pp.902-903] or our Table 25), mainly identifying Χρυσῆς Χερσονήσου (Golden Peninsula) as Sumatra, a large island (running close-in-parallel to the Malay Peninsula for hundreds of miles) mis-taken by the *GD*'s SE Asia source, "Alexandros", to be Malay's extension. Confusing island & peninsula is a common *pioneer*-explorer error (e.g., Schei "Island" & Peary "Land"), but such errors are unlikely to survive repeated visits. So either [a] western ships had never achieved the Malacca Strait (from pirates, tides, or ancient topography?) or [b] the *GD* coastal profile from Phuket (south around Sumatra, and back north) to Singapore was based on a *single* voyage [see also Wm.Rosen *Justinian's Flea* 2007 NYC p.295] by a prototype for Sindbad (whose later legend did include reaching Sumatra) presumably though not certainly explorer (?) Alexandros himself — who, like (doubly) Ptolemy, boasted an authoritative royal name. (In modern times, royals acquire no sure awe by donning the name Alexander. Even aside from the ill-fated fictional *Man Who Would Be King*, no less than three actual royal Alexanders have

is in no way meant to be a denigration of Stückelberger & Graßhoff 2006: a magnificent, accurate (99.99%+ flawless tabulation), conscientiously⁶⁹ and judiciously accomplished, epochal achievement — which has earned eternal credit for its team of dedicated authors and the University of Bern. (One of the two main authors, Gerd Graßhoff, has recently been granted *DIO*'s R.R.Newton Award.)

G2 As mentioned above (§A3) and in Rawlins 2008S, each Book 8 site is here numbered in our Tables 1-26 (below) with a prefix “D” which indicates its order:⁷⁰ calling Athens by the label D109, means that this is the 109th city in Diller's XZ typescript and in our tables.

G3 Each of our *GD* tables is spread over two facing pages: The leftmost column is the site's order, D# (as just explained). Just to the right of that is the “Site” column, for either the site's modern name or (for famous ancient cities) the original one in modern garb. Following that, we have the Greek name of the same site as listed in the *GD*. The next two columns are Books 2-7's *B* & *L*, respectively, in degrees, as listed according to S&G's best selective judgement. The final column gives the location of said *B* & *L* in *GD* 2-7. (The book's # is at the column's head, marked ‘G’, and the chapter *c* & section *s* are found in the column, in the form: *c.s*; the sole exception, Doumeha [D277], is G5.19.7.) In the righthand page facing the foregoing data, each row merely continues that which is directly to its left on the lefthand page: the righthand-page's 1st column gives the chapter *c* in Book 8 in the form 8.*c* at the head and section *s* in the column. In the next four columns over, we find Book 8's *M* and *A* data, first for Diller's XZ typescript, then for his UNK typescript. (Every digit of this, Diller's final work, is reproduced, with the exception of a few reconstruction-speculations. These are marked “r” to the datum's right: Diller's original value may be checked in his typescript via www.gad.htm.) The final two

been assassinated: Russian czar 1881, Serb king 1903, Yugoslavia's inventor&king 1934.)

The linchpin error of fusing Malay & Sumatra has misled geographers for centuries. (Also Rawlins 2008S.) A key adjacent *GD* 7 error is the Malay Peninsula's false shortening (& fattening). Another: the successive sign-errors (latitude & “Landlubber”) which hugely moved & rotated Vietnam, macro-mixups already unravelled at Rawlins 2008S §§K5&10, resp. Results of DR's 2009 investigation: Marèoura (D352; *GD* 7.2.24) = Rangoon (Burma).

Sabara & Sabarakos Gulf (*GD* 7.2.4) = Phuket (Malay) & Malacca Strait (between Malay & Sumatra). Golden Peninsula (*GD* 7.2.5) = Sumatra. Sabana (*idem*) or south thereof = S.tip of Sumatra.

Promontory near Takola (D347; *GD* 7.2.5) = N.tip of Sumatra near Banda Akeh.

Zabai (D348; *GD* 7.2.6) = Singapore. (I see that R.Hennig has earlier suggested this: S&G p.93 n.93.)

Μεγάλου κόλπου [Great Bay] (*GD* 7.2.7) = Gulf of Thailand.

Tomara (*GD* 7.2.24) = Bangkok [Krung Thep] (Siam [Thailand]).

Aspithra (D354; *GD* 7.3.5) = Chanthaburi (also Siam).

Thinai (D355; *GD* 7.3.34) = Phnom Penh (Cambodia [Kampuchea]).

Νοτιον ακρον [South cape] (*GD* 7.3.2) = S.tip of Vietnam.

Kattigara (D356; *GD* 7.3.3) = Saigon [Ho Chi Minh City] (Vietnam).

So, along Vietnam's coast, Saigon was (contra Rawlins 2008S) Alexandros' *farthest probe east*: after 20^d sail from Phuket (mostly along SW-facing Sumatran coast) to Singapore, then a few days more “crossing” from there (past *revealingly-named* “SouthCape” cited just above) to Saigon (*GD* 1.14.1-6). This take on *GD*'s Map 25 (Asia 11) will be grafted into future printings of Rawlins 2008S at §§K8-11. Its latitude residuals for the nine precise sites of our foregoing list are all under 5° (rms 3°.2), vs S&G p.18's tentative suggestions that Zabai = Saigon & Kattigara = Hanoi: errors 6° & 12° 1/2, resp.

⁶⁹Perhaps too conscientiously with respect to the length of the stade, which is ambiguously defined (at, e.g., S&G pp.47 & 71 n.35) as 1/8 or 2/15 of the 1481m 1/2 Roman mile (i.e., 185m or 197m 1/2, resp) — even as the evidence for 1/8's correctness has lately been proceeding monotonically to a point beyond reasonable doubt. The latest evidence is displayed in Rawlins 2008Q eqs.11&25-28, whose cascade of ultimate fits are based upon the standard 185m Greek stade.

⁷⁰S&G has nearly the same order as ours but follows that of Nobbe & the UNK mss, which here & there has minor differences from that of the XZ mss. See sites D120-122, D191-192, D236-237, D294-296, D318-319, D328-329, & D354-359. No publication previous to *DIO* has numbered the 360 cities of Book 8 consecutively. Not all cities are listed in both traditions, so our list is a merge. For itemization of the very few cities omitted by the merges of Nobbe or Diller, see Rawlins 2008S fn 3.

columns appear only for those tables which include the tropics, and are for both traditions' *S* data (solar-orbit noon-trans-Equator semi-arc: §G6) as described in §G6.

G4 For the *GD* 2-7 columns⁷¹ of *L* & *B*, we use S&G.⁷² For *GD* 8, we have drawn the *M*, *A* & *S* from Diller's ms.

G5 We have put marks next to uncertain data: “c” with all data marked “nearly” [εγγιστα] in the ms, “r” with all that are reconstructed; and occasionally “x” for some data that appear to be scribal errors, and “n” for the subclass of such instances which can perhaps be explained by an ancient editor's dropping of negative-signs⁷³ (or similar slips).

G6 For tropical sites there is an extra pair of columns (XZ & UNK) at the far right for the semi-arc *S* of the path of the Sun during the period when it is north⁷⁴ of the zenith at said site's local apparent noon. (All Book 8 *S* values are less than 90°, since no Book 8 site lies on the Equator.) *S* is related to *L* by the equation:⁷⁵

$$S = \arccos[\sin L / \sin \epsilon] \quad (7)$$

G7 Each of the 26 tables that follow is associated with a *GD* map. (Convenient reconstructions of which are found with, e.g., S&G vol.2 or (for Books 2-5) Müller's little-known 1901 map volume. The S&G maps are especially helpful for those interested in Book 8, since all *GD* 8 sites are highlight-marked by ⊙.) Both *GD* 2-7 and *GD* 8 are divided according to the same 26 maps with the following breakdown (www.dioi.org/gad.htm#dsqy): 10 maps of Europe, with 118 *GD* 8 sites; 4 maps of Africa, with 52 *GD* 8 sites; 12 maps of Asia, with 190 *GD* 8 sites. Our geographical headers for the tables provided here are not meant to be all-inclusive, being intended merely to provide modern readers a familiar rough⁷⁶ idea of the location of the table and thus the corresponding *GD* map.

⁷¹Note that in some eastern regions, cities' degree-longitudes *B* are integral much more often than are the same cities' degree-latitudes *L* — suggesting that these *L* were manipulated independently of adjustments of the *B* data. (This should not be a surprise, if [as Rawlins 1985G & Rawlins 2008S argue] the *L* were adjusted to klimata, while the *B* were simply expanded by 4/3 or 7/5.) A symptom of similar independence in Book 8: in some regions in the UNK tradition, while *M* is written numerically, the very same city's *A* datum is spelled out verbally.

⁷²Compared to those for *GD* 8, the disagreements between the two *GD* ms traditions appear to be relatively trivial for *GD* 2-7 — presumably because astrologers made much more use of Book 8, their ideal Handiest Tables (fn 1), and thus argued more over its editing. (See, e.g., fn 19.)

⁷³A few XZ slips may have arisen from sign errors, indicating that some ancients dealt regularly with negatives. (See Rawlins 1999 §B5 for how ancient use of negatives greatly compacted their continued-fraction expressions — an unexpected reconstructive window into how ancient math was done by actual scientists, as against pedants. For another example of confusion caused by the latter, see Rawlins 2008R §C5.) E.g., Nikephorion (D253) where longitude east $A = 1^h - 1/5$ was apparently read by XZ as east $1^h 1/5$. [For Labbana (D254) it may be that XZ&UNK reversed rôles in error. Or, perhaps the *A* of D253&254 were reverse-misfiled.] Or see Gagra (D216) where perhaps $16^h - 1/6$ was doubly mis-read by XZ as $16^h + 1/2$. The most intriguing coincidence of the lot is the UNK data for Nisaia (D301), where one finds an inexplicably gross mistake. Or, during computation of *M* from *L* by eqs.7&3, the tan of $L = 39^\circ 1/6$ was mis-interpolated: 1/6 down from 40° instead of 1/6 up from 39° , resulting in $M = 15^h - 1/9$, whose sign was lost, leaving the UNK *M* of $15^h 1/9$. (None of these postulated lost-negatives are restored in our tables but are simply marked “n” there.)

⁷⁴Remarkably, the sole *GD* Book 8 site genuinely (Rawlins 2008S §K5) south of the Equator, is Java (D357), where *S* thus instead refers to the noon-Sun's appearances *south* of the zenith.

⁷⁵The crawling evolution of data over the centuries is revealed by such cases as D290 (*GD* 8.22.16), where it is clear (eqs.7&3) that XZ's *S* was computed from $L = 14^\circ$; and UNK's *S*, from $L = 14^\circ 1/4$ — yet *GD* 6.7.41 lists the site's *L* as $14^\circ 1/2$. A weighted statistical study of all *GD* *S* data could reveal the ϵ adopted for eq.7. It appears often to have been eq.3, suggesting Ptolemy as computer. Which is one lead-in to the question: was Book 8 the only part of the *GD* he wrote? Why would he compose Books 2-7 based on the Blest Isles as zero-longitude? — when *Almajest* 2.13 predicts his *GD* will (as in *GD* 8) use Alexandria for such, since *Almajest* astronomical tables *are for Alexandria time*.

⁷⁶For more exact descriptions of *GD* maps' geographical ranges, see Ptolemy's at S&G pp.908-915; also S&G's Table of Contents (pp.5-6 or pp.476-477), thoughtfully printed at the start of *each* volume for the reader's convenience; and at each's endpapers is a helpful overview-quilt-key to all 26 maps.

| D# | Site | GD Name | B | L | G2 |
|----|----------------|----------------|---------|---------|------|
| 1 | Shetlands | θουλη | 29° | 63° | 3.32 |
| 2 | Limerick | Ιουερνις | 11° | 58° 1/6 | 2.10 |
| 3 | Rheban | Ραιβα | 12° | 59° 3/4 | 2.10 |
| 4 | London | Λουδιον | 20° | 54° | 3.27 |
| 5 | York | Εβορακον | 20° | 57° 1/3 | 3.17 |
| 6 | Catterick | Κατουρακτονιον | 20° | 58° | 3.16 |
| 7 | Pinnata Castra | Πτερωτον | 27° 1/4 | 59° 1/3 | 3.13 |
| 8 | Lewis | Δουμνα | 30° | 61° | 3.31 |
| 9 | Isle of Wight | Ουηκτις | 19° 1/3 | 52° 1/3 | 3.33 |

| D# | Site | GD Name | B | L | G2 |
|----|----------------|------------------|---------|-----------|------|
| 10 | Cáceres | Νωρβα Καισαρεια | 7° 5/6 | 39° 11/12 | 5.8 |
| 11 | Mérida | Αυγουστα Ημεριτα | 8° | 39° 1/2 | 5.8 |
| 12 | Seville | Ισπαλις | 7° 1/4 | 37° 5/6 | 4.14 |
| 13 | Córdoba | Κορδυβη | 9° 1/3 | 38° 1/12 | 4.11 |
| 14 | Astorga | Αστουρικα Αυγ. | 9° 1/2 | 44° | 6.36 |
| 15 | Cartagena | Νεα Καρχηδων | 12° 1/4 | 37° 11/12 | 6.14 |
| 16 | Tarragona | Ταρρακωνη | 16° 1/3 | 40° 2/3 | 6.17 |
| 17 | Peñalba deCas. | Κλουνια | 11° | 42° | 6.56 |
| 18 | Zaragoza | Καισαρεια Αυγ. | 14° 1/4 | 41° 1/2 | 6.63 |
| 19 | Cadiz | Γαδειρα | 5° 1/6 | 36° 1/6 | 4.16 |

| D# | Site | GD Name | B | L | G2 |
|----|------------|-----------------|---------|----------|-------|
| 20 | Saintes | Μεδιολανιον Ακ. | 17° 2/3 | 46° 3/4 | 7.7 |
| 21 | Bordeaux | Βουρδιγαλλα | 18° | 45° | 7.8 |
| 22 | Autun | Αυγουστοδουνον | 23° 2/3 | 46° 1/2 | 8.17 |
| 23 | Lyon | Λουνδουνος | 23° 1/4 | 45° 5/6 | 8.17 |
| 24 | Boulogne | Γησοριακον | 22° 3/4 | 53° 1/2 | 9.3 |
| 25 | Reims | Δουροκοττορονr | 23° 3/4 | 48° 1/2 | 9.12 |
| 26 | Marseilles | Μασσαλια | 24° 1/2 | 43° 1/12 | 10.8 |
| 27 | Narbonne | Ναρβον | 21° | 43° | 10.9 |
| 28 | Vienne | Ουιεννα | 23° | 45° | 10.11 |
| 29 | Nimes | Νεμαυσος | 22° | 44° 1/2 | 10.10 |

| D# | Site | GD Name | B | L | G2 |
|----|-----------|---------------|---------|---------|-------|
| 30 | Amisia | Αμασεια | 31° 1/2 | 51° | 11.28 |
| 31 | Lippstadt | Λουππια | 34° 1/2 | 52° 3/4 | 11.28 |
| 32 | Embrun | Εβουροδουνον | 39° | 48° | 11.30 |
| 33 | Sweden | Σκανδια νησος | 45° | 58° | 11.34 |

| G8.3 | M _{XZ} | A _{XZ} | M _{UNK} | A _{UNK} |
|------|----------------------|---------------------|---------------------|--------------------|
| 3 | 20 ^h | 2 ^h | 20 ^h | 2 ^h |
| 4 | 18 ^h | 3 ^h 1/4r | 18 ^h | 3 ^h 1/4 |
| 5 | 18 ^h 7/12 | 3 ^h 1/5 | 18 ^h 1/2 | 3 ^h 1/5 |
| 6 | 17 ^h | 2 ^h 2/3 | 17 ^h | 2 ^h 2/3 |
| 7 | 17 ^h 5/6 | 2 ^h 1/3 | | |
| 8 | 18 ^h | 2 ^h 2/3 | 18 ^h | 2 ^h 2/3 |
| 9 | 18 ^h 1/2 | 2 ^h 1/6r | 18 ^h 1/2 | 2 ^h 1/6 |
| 10 | 19 ^h | 2 ^h | 19 ^h | 2 ^h |
| 11 | 16 ^h 2/3 | 2 ^h 2/3 | 16 ^h 2/3 | 2 ^h 2/3 |

| G8.4 | M _{XZ} | A _{XZ} | M _{UNK} | A _{UNK} |
|------|-----------------------|----------------------|------------------------|----------------------|
| 3 | 14 ^h 11/12 | 3 ^h 1/2 | 14 ^h 11/12c | 3 ^h 1/2 |
| 3 | 14 ^h 5/6 | 3 ^h 1/2 | 14 ^h 5/6 | 3 ^h 1/2 |
| 4 | 14 ^h 2/3 | 3 ^h 11/20 | 14 ^h 2/3 | 3 ^h 1/15x |
| 4 | 14 ^h 2/3 | 3 ^h 2/5 | 14 ^h 2/3 | 3 ^h 2/5r |
| 5 | 15 ^h | 3 ^h 2/5 | 15 ^h 5/12c | 3 ^h 2/5 |
| 5 | 14 ^h 2/3 | 3 ^h 1/5 | 14 ^h 2/3 | 3 ^h 1/6 |
| 5 | 15 ^h c | 3 ^h | 15 ^h c | 2 ^h 11/12 |
| 5 | 15 ^h 2/3 | 3 ^h 1/3 | 15 ^h 1/8 | 3 ^h 1/4 |
| 5 | 15 ^h 1/12 | 3 ^h 2/3 | 15 ^h 1/12 | 3 ^h 1/15 |
| 5 | 14 ^h 1/2 | 3 ^h 2/3 | 14 ^h 1/2 | 3 ^h 2/3 |

| G8.5 | M _{XZ} | A _{XZ} | M _{UNK} | A _{UNK} |
|------|----------------------|---------------------|----------------------|---------------------|
| 3 | 15 ^h 3/4 | 2 ^h 2/3 | 15 ^h 3/4 | 2 ^h 5/6 |
| 4 | 15 ^h 1/2 | 2 ^h 5/6r | 15 ^h 1/2r | 2 ^h 5/6 |
| 5 | 15 ^h 2/3 | 2 ^h 1/2 | 15 ^h 3/4 | 2 ^h 5/12 |
| 5 | 15 ^h 1/2 | 2 ^h 1/2 | 15 ^h 2/3 | 2 ^h 1/2c |
| 6 | 16 ^h 1/2 | 2 ^h 1/2 | 16 ^h 1/2 | 2 ^h 5/12 |
| 6 | 16 ^h | 2 ^h 1/2 | 16 ^h | 2 ^h 5/12 |
| 7 | 15 ^h 1/4 | 2 ^h 2/5 | 15 ^h 1/4 | 2 ^h 5/12 |
| 7 | 15 ^h 1/4 | 2 ^h 1/2 | 15 ^h 1/4 | 2 ^h 7/12 |
| 7 | 15 ^h 1/2 | 2 ^h 1/2 | 15 ^h 1/2 | 2 ^h 1/4 |
| 7 | 15 ^h 5/12 | 2 ^h 1/2 | 15 ^h 1/2c | 2 ^h 1/2 |

| G8.6 | M _{XZ} | A _{XZ} | M _{UNK} | A _{UNK} |
|------|-----------------------|---------------------|-----------------------|--------------------|
| 3 | 16 ^h 1/2 | 2 ^h | 16 ^h 1/2 | 2 ^h c |
| 3 | 16 ^h 7/12 | 1 ^h 3/4 | 16 ^h 5/6 | 1 ^h 2/3 |
| 3 | 15 ^h 11/12 | 1 ^h 1/3 | 15 ^h 11/12 | 1 ^h 1/3 |
| 4 | 18 ^h | 1 ^h 1/15 | 18 ^h | 1 ^h |

Table 5: Europe 5 Western Balkans

| D# | Site | GD Name | B | L | G2 |
|----|----------------|------------------|---------|---------|-------|
| 34 | Bregenz | Βριγαντιον | 30° | 46° | 12.5 |
| 35 | Augsburg | Αυγουστα Ουενδ. | 32° 1/2 | 46° 1/3 | 12.8 |
| 36 | Pöchlarn | Αρελατη | 35° | 47° | 13.3 |
| 37 | Zuglio | Ιουλιον Καρνικον | 34° 1/2 | 45° 1/4 | 13.4 |
| 38 | Ptuj | Ποτοβιον | 37° 2/3 | 45° 1/2 | 14.4 |
| 39 | Sopron | Σκαρβαντια | 39° 1/2 | 47° | 14.5 |
| 40 | Ljubljana | Ημωνα | 36° 1/2 | 45° 1/3 | 14.7 |
| 41 | Bosanska Grad. | Σερβτιον | 42° 1/3 | 46° 1/2 | 15.6 |
| 42 | Osijek | Μουρσια | 43° 1/2 | 45° 3/4 | 15.8 |
| 43 | SremskaMitrov. | Σιρμιον | 44° 5/6 | 45° | 15.8 |
| 44 | Zadar | Ιαδερλιβουρνιας | 42° | 43° 3/4 | 16.3 |
| 45 | Sidrona | Σιδρωνια | 43° 1/2 | 44° 1/6 | 16.10 |
| 46 | Solin | Σαλωναι Δαλματ. | 43° 1/3 | 43° 1/6 | 16.4 |
| 47 | Vid | Ναρωνα | 44° 1/3 | 42° 3/4 | 16.12 |
| 48 | Scardona | Σκαρδονα νησος | 40° 2/3 | 43° 2/3 | 16.13 |

Table 5: Europe 5 Western Balkans

| G8.7 | M_{XZ} | A_{XZ} | M_{UNK} | A_{UNK} |
|------|-----------------------|----------------------|----------------------|----------------------|
| 3 | 15 ^h 2/3 | 2 ^h | 15 ^h 2/3 | 2 ^h |
| 4 | 15 ^h 2/3 | 1 ^h 17/30 | 15 ^h 3/4c | 1 ^h 5/6 |
| 5 | 15 ^h 5/6 | 1 ^h 2/3 | 15 ^h 5/6 | 1 ^h 2/3 |
| 5 | 15 ^h 1/2 | 1 ^h 11/15 | 15 ^h 1/2 | 1 ^h 2/3 |
| 6 | 15 ^h 17/30 | 1 ^h 1/2 | 15 ^h 7/12 | 1 ^h 1/2 |
| 6 | 15 ^h 5/6 | 1 ^h 2/5 | 15 ^h 5/6 | 1 ^h 1/3 |
| 6 | 15 ^h 5/6 | 1 ^h 2/3 | 15 ^h 1/2 | 1 ^h 17/30 |
| 7 | 15 ^h | 1 ^h 1/6 | 15 ^h 3/4c | 1 ^h 1/6 |
| 7 | 15 ^h 7/12 | 1 ^h 1/8 | | |
| 7 | 15 ^h 1/2 | 1 ^h 1/15 | 15 ^h 1/2 | 1 ^h |
| 8 | 15 ^h 1/3 | 1 ^h 1/5 | 15 ^h 1/3 | 1 ^h 1/5 |
| 8 | 15 ^h 5/12 | 1 ^h 1/8 | 15 ^h 5/12 | 1 ^h 1/8 |
| 8 | 15 ^h 1/4 | 1 ^h 1/8 | 15 ^h 1/4 | 1 ^h 1/8 |
| 8 | 15 ^h 1/6r | 1 ^h 1/15 | 15 ^h 1/4c | 1 ^h 1/15 |
| 9 | 15 ^h 1/3 | 1 ^h 4/15 | 15 ^h 1/3 | 1 ^h 1/4 |

Table 6: Europe 6 Italy

| D# | Site | GD Name | B | L | G3 |
|----|-------------|--------------|---------|----------|------|
| 49 | Rome | Ρωμη | 36° 2/3 | 41° 2/3 | 1.61 |
| 50 | Nice | Νικαια | 28° | 43° 5/12 | 1.2 |
| 51 | Terracina | Ταρρακιναι | 37° 3/4 | 41° 1/4 | 1.5 |
| 52 | Naples | Νεαπολις | 40° | 40° 1/2 | 1.6 |
| 53 | Tarentum | Ταρασ | 42° 1/6 | 40° | 1.12 |
| 54 | Brindisi | Βρενδεσιον | 42° 1/2 | 39° 2/3 | 1.14 |
| 55 | Ancona | Αγκων | 36° 1/2 | 43° 2/3 | 1.21 |
| 56 | Ravenna | Ραουεννα | 34° 2/3 | 44° | 1.23 |
| 57 | Aquileia | Ακουληια | 34° | 45° | 1.29 |
| 58 | Benevento | Ουνεβεβενδος | 41° | 41° 1/3 | 1.67 |
| 59 | Capua | Καπη | 40° | 41° 1/6 | 1.68 |
| 60 | Aleria | Αλερια | 31° 1/2 | 40° 1/12 | 2.5 |
| 61 | La Canonica | Μαριανη | 31° 1/3 | 40° 2/3 | 2.5 |

Table 6: Europe 6 Italy

| G8.8 | M_{XZ} | A_{XZ} | M_{UNK} | A_{UNK} |
|------|-----------------------|-----------------------|-----------------------|----------------------|
| 3 | 15 ^h 1/2x | 1 ^h 5/8 | 15 ^h 1/12 | 1 ^h 5/8 |
| 3 | 15 ^h 1/4 | 2 ^h 1/8 | 15 ^h 1/4 | 2 ^h 1/8 |
| 3 | 15 ^h 1/12 | 1 ^h 1/2 | 15 ^h 1/15 | 1 ^h 1/2 |
| 4 | 14 ^h 2/3 | 1 ^h 1/3 | 14 ^h 11/12 | 1 ^h 1/3 |
| 4 | 14 ^h 11/12 | 1 ^h 4/15 | | |
| 4 | 14 ^h 5/6 | 1 ^h 1/5 | 14 ^h 5/6 | 1 ^h 1/6 |
| 5 | 15 ^h 1/3 | 1 ^h 1/2 | 15 ^h 1/3 | 1 ^h 17/30 |
| 5 | 15 ^h 5/12 | 1 ^h 11/15 | 15 ^h 5/12c | 1 ^h 2/3 |
| 6 | 15 ^h 1/2 | 1 ^h 11/12x | 15 ^h 5/12c | 1 ^h 3/4r |
| 6 | 15 ^h 1/12 | 1 ^h 4/15 | 15 ^h 1/12c | 1 ^h 1/4 |
| 6 | 15 ^h 1/12 | 1 ^h 1/3 | 15 ^h 1/12 | 1 ^h 1/3 |
| 7 | 14 ^h 7/12 | 2 ^h | 14 ^h 11/12 | 2 ^h c |
| 7 | 15 ^h | 2 ^h | 15 ^h c | 2 ^h c |

Table 7: Europe 7 Sardinia & Sicily

| D# | Site | GD Name | B | L | G3 |
|----|--------------|------------------|----------|--------|------|
| 62 | Sulci | Σολκοι | 30°3/4 | 35°5/6 | 3.3 |
| 63 | Susaleus | Σουσαλεος | 31°11/12 | 36°2/3 | 3.4 |
| 64 | Cagliari | Καραλλις | 32°1/2 | 36° | 3.4 |
| 65 | Porto Torres | Παργος Λιβισσων. | 30°1/4 | 38°5/6 | 3.5 |
| 66 | Cuglieri | Γουρουλις Νεα | 30°1/2 | 37°1/3 | 3.7 |
| 67 | Lilybaeum | Λιλυβαιον | 37° | 36° | 4.5 |
| 68 | Syracuse | Συρακουσαι | 39°1/2 | 37°1/4 | 4.9 |
| 69 | Messina Sic. | Μεσηνη | 39°1/2 | 38°1/2 | 4.9 |
| 70 | Centuripe | Κεντουριπαι | 38°1/2 | 37°3/4 | 4.13 |
| 71 | Segesta | Σεγεστα | 37°1/6 | 36°1/2 | 4.15 |
| 72 | Catania | Κατανη | 39°7/12 | 37°2/3 | 4.9 |

Table 7: Europe 7 Sardinia & Sicily

| G8.9 | M _{XZ} | A _{XZ} | M _{UNK} | A _{UNK} |
|------|-----------------------|----------------------|----------------------|----------------------|
| 3 | 14 ^h 1/2 | 2 ^h | 14 ^h 7/12 | 1 ^h 9/10 |
| 3 | 14 ^h 7/12 | 1 ^h 9/10 | 14 ^h 7/12 | 1 ^h 9/10 |
| 3 | 14 ^h 1/2 | 1 ^h 13/15 | 14 ^h 1/2 | 1 ^h 5/6 |
| 3 | 14 ^h 3/4 | 2 ^h | 14 ^h 3/4 | 2 ^h c |
| 3 | 14 ^h 2/3 | 2 ^h | 14 ^h 5/8 | 1 ^h 23/24 |
| 4 | 14 ^h 1/2 | 1 ^h 17/30 | 14 ^h 1/2 | 1 ^h 17/30 |
| 4 | 14 ^h 7/12r | 1 ^h 2/5 | 14 ^h 5/8 | 1 ^h 2/5 |
| 4 | 14 ^h 3/4 | 1 ^h 2/5 | 14 ^h 3/4 | 1 ^h 2/5 |
| 4 | 14 ^h 2/3 | 1 ^h 11/24 | 14 ^h 2/3 | 1 ^h 11/24 |
| 4 | 14 ^h 1/2 | 1 ^h 17/30 | 14 ^h 1/2 | 1 ^h 17/30 |
| 4 | | | 14 ^h 2/3 | 1 ^h 2/5 |

Table 8: Europe 8 Ukraine

| D# | Site | GD Name | B | L | G3 |
|----|-----------------|-----------------|--------|----------|------|
| 73 | Tamyrake | Ταμυρακη | 59°1/3 | 48°1/2 | 5.8 |
| 74 | Navaron | Ναυαρον | 58°1/2 | 50° | 5.27 |
| 75 | Berislav, Dnepr | ΟλβιαΒορυσθενησ | 57° | 49° | 5.28 |
| 76 | Feodosija | Θεοδοσια | 63°1/3 | 47°1/3 | 6.3 |
| 77 | Kerch | Παντκαπαια | 64° | 47°11/12 | 6.4 |

Table 8: Europe 8 Ukraine

| G8.10 | M _{XZ} | A _{XZ} | M _{UNK} | A _{UNK} |
|-------|-----------------------|---------------------|-----------------------|---------------------|
| 3 | 16 ^h | 0 ^h 1/15 | 16 ^h | 0 ^h 1/15 |
| 3 | 16 ^h 1/4 | 0 ^h 1/8 | 16 ^h 1/3 | 0 ^h 1/8 |
| 3 | 16 ^h 1/12 | 0 ^h 1/5 | 16 ^h 1/12 | 0 ^h 1/5 |
| 4 | 15 ^h 5/6 | -0°1/5 | 15 ^h 5/6 | -0°1/5 |
| 4 | 15 ^h 11/12 | -0°1/4 | 15 ^h 11/12 | -0°1/4 |

Table 9: Europe 9 Eastern Balkans

| D# | Site | GD Name | B | L | G3 |
|----|----------------|------------------|----------|---------|-------|
| 78 | Bormanon | Βορμανον Ιαζυγην | 43°2/3 | 48°1/4 | 7.2 |
| 79 | Salinaï | Σαλιναι | 49°1/4 | 47°1/6 | 8.7 |
| 80 | Hunedoara | Ζαμυισσογουσα | 47°5/6 | 45°1/4 | 8.9 |
| 81 | Arçar | Ραιτιαρια | 49° | 43°1/3 | 9.4 |
| 82 | Skopje | Σκουποι | 48°1/2 | 42°1/2 | 9.6 |
| 83 | Varna | Οδησσα | 54°5/6 | 45° | 10.8 |
| 84 | Gigen | Οισκας | 51° | 44° | 10.10 |
| 85 | Enez | Αινος | 53°1/6 | 41°1/2 | 11.2 |
| 86 | Sozopol | Απολλωνια Ποντ. | 54°5/6 | 44°1/3 | 11.4 |
| 87 | Byzantium | Βυζαντιον | 56° | 43°1/12 | 11.5 |
| 88 | MarmaraEreğl. | Περινθος | 54°5/6 | 42°1/3 | 11.6 |
| 89 | Goce Delčev | Νικοπολις | 51°3/4 | 42°1/3 | 11.13 |
| 90 | Lysimachia | Λυσιμαχια | 54°1/6 | 41°1/2 | 11.13 |
| 91 | Marmara Island | Προκονησος | 55°1/2 | 42° | 11.14 |
| 92 | Alçitepe | Ελαιους | 54°1/2 | 40°3/4 | 12.3 |
| 93 | Yalikavat | Σεστος | 54°11/12 | 41°1/4 | 12.4 |

Table 9: Europe 9 Eastern Balkans

| G8.11 | M _{XZ} | A _{XZ} | M _{UNK} | A _{UNK} |
|-------|----------------------|----------------------|----------------------|----------------------|
| 3 | 16 ^h | 1 ^h 1/8 | 16 ^h c | 1 ^h 1/12 |
| 4 | 15 ^h 1/2x | 0 ^h 2/5 | 15 ^h 5/6 | 0 ^h 11/15 |
| 4 | 15 ^h 1/2r | 0 ^h 5/6 | 15 ^h 1/2 | 0 ^h 5/6 |
| 5 | 15 ^h 1/4 | 0 ^h 2/3 | 15 ^h 1/2 | 0 ^h 3/4 |
| 5 | 15 ^h 1/4 | 0 ^h 19/24 | 15 ^h 1/6 | 0 ^h 3/4 |
| 6 | 15 ^h 1/2 | 0 ^h 1/15 | 15 ^h 1/2 | 0 ^h 1/3 |
| 6 | 15 ^h 3/8 | 0 ^h 5/8 | 15 ^h 3/8 | 0 ^h 7/12 |
| 7 | 15 ^h 1/12 | 0 ^h 11/24 | 15 ^h 1/12 | 0 ^h 11/24 |
| 7 | 15 ^h 5/12 | 0 ^h 2/5 | 15 ^h 5/12 | 0 ^h 1/3 |
| 7 | 15 ^h 1/4 | 0 ^h 2/5 | 15 ^h 1/4 | 0 ^h 1/4 |
| 7 | 15 ^h 1/2 | 0 ^h 2/5 | 15 ^h 1/6 | 0 ^h 1/3 |
| 7 | 15 ^h 1/6 | 0 ^h 2/3 | 15 ^h 1/6 | 0 ^h 17/30 |
| 7 | 15 ^h 1/8 | 0 ^h 2/5 | 15 ^h 1/12 | 0 ^h 2/5 |
| 8 | 15 ^h 1/2 | 0 ^h 2/3 | 15 ^h 1/8 | 0 ^h 1/3c |
| 9 | 15 ^h | 0 ^h 2/5 | 15 ^h | 0 ^h 1/3 |
| 10 | 15 ^h 1/12 | 0 ^h 1/3 | 15 ^h 1/8 | 0 ^h 1/3 |

Table 10: Europe 10 Greece & Crete

| D# | Site | GD Name | B | L | G3 |
|-----|--------------|-----------------|----------|-----------|-------|
| 94 | Durrës | Δυρραχιον | 45° | 40° 5/6 | 13.3 |
| 95 | Thessalonika | Θεσσαλονικη | 49° 5/6 | 40° 1/3 | 13.14 |
| 96 | Amfipolis | Αμφιπολις | 50° | 41° 1/2 | 13.31 |
| 97 | Bitola | Ηρακλεια Μακ. | 47° 2/3 | 40° 2/3 | 13.33 |
| 98 | Edessa | Εδεσσα | 48° 3/4 | 40° 1/3 | 13.39 |
| 99 | Pella | Πελλα | 49° 1/3 | 40° 1/12 | 13.39 |
| 100 | Larisa | Λαρισσα Πελασγ. | 50° | 39° 1/6 | 13.42 |
| 101 | Nea Potidea | Κασανδρεια | 51° 1/12 | 40° | 13.13 |
| 102 | Lemnos | Λημνος | 52° 1/3 | 40° 11/12 | 13.47 |
| 103 | Nicopolis | Νικοπολις | 47° 7/12 | 37° 11/12 | 14.5 |
| 104 | Arta | Αμβρακια | 48° | 38° 1/3 | 14.6 |
| 105 | Corfu | Κερκυρα | 45° 2/3 | 37° 3/4 | 14.11 |
| 106 | Kefallinia | Κεφαληνια | 47° 2/3 | 37° 1/6 | 14.12 |
| 107 | Thebes Gr. | Βοιωτια Θηβαι | 52° 2/3 | 37° 2/3 | 15.20 |
| 108 | Megara | Μεγαρα | 52° | 37° 5/12 | 15.21 |
| 109 | Athens | Αθηραι | 52° 3/4 | 37° 1/4 | 15.22 |
| 110 | Mavromati | Μεσσηνη | 49° 1/4 | 35° 1/4 | 16.8 |
| 111 | Corinth | Κορινθος | 51° 1/4 | 36° 11/12 | 16.17 |
| 112 | Tegea | Τεγα | 49° 5/6 | 36° 1/3 | 16.19 |
| 113 | Argos | Αργος | 51° 1/3 | 36° 1/4 | 16.20 |
| 114 | Sparta | Λακεδαμων | 50° 1/4 | 35° 1/2 | 16.22 |
| 115 | Chalkis Eub. | Χαλκις | 53° 1/2 | 38° | 15.24 |
| 116 | Karystos | Καρυστος | 54° 1/2 | 37° 2/3 | 15.24 |
| 117 | Gortyna | Γορτυνα | 54° 1/4 | 34° 5/6 | 17.10 |
| 118 | Knossos | Κνωσσος | 54° 3/4 | 35° | 17.10 |

Table 10: Europe 10 Greece & Crete

| G8.12 | M_{XZ} | A_{XZ} | M_{UNK} | A_{UNK} |
|-------|-----------------------|----------------------|------------------------|----------------------|
| 3 | 15 ^h | 1 ^h | 15 ^h | 1 ^h |
| 4 | 14 ^h 11/12 | 0 ^h 11/15 | 14 ^h 11/12 | 0 ^h 2/3 |
| 5 | 15 ^h 1/8 | 0 ^h 11/15 | 15 ^h 1/12 | 0 ^h 2/3 |
| 6 | 15 ^h 1/8 | 0 ^h 19/24 | 15 ^h c | 0 ^h 5/6 |
| 7 | 14 ^h 14/15 | 0 ^h 11/24 | | |
| 8 | 14 ^h 5/6 | 0 ^h 11/15 | 14 ^h 11/12c | 0 ^h 3/4c |
| 9 | 14 ^h 3/4 | 0 ^h 7/10 | 14 ^h 3/4c | 0 ^h 2/3 |
| 10 | 14 ^h 5/6 | 0 ^h 5/8 | 14 ^h 11/12c | 0 ^h 7/12 |
| 11 | 15 ^h | 0 ^h 8/15 | 15 ^h | 0 ^h 1/2 |
| 12 | 14 ^h 5/8 | 0 ^h 13/15 | 14 ^h 2/3 | 0 ^h 5/6 |
| 13 | 14 ^h 3/4 | 0 ^h 5/6 | 14 ^h 3/4c | 0 ^h 5/6c |
| 14 | 14 ^h 5/8 | 1 ^h | 14 ^h 2/3 | 1 ^h |
| 15 | 14 ^h 7/12 | 0 ^h 7/9 | 14 ^h 5/8 | 0 ^h 5/6 |
| 16 | 14 ^h 5/6 | 1 ^h | 14 ^h 2/3 | 0 ^h 1/2 |
| 17 | 14 ^h 5/8 | 0 ^h 17/30 | 14 ^h 5/8 | 0 ^h 17/30 |
| 18 | 14 ^h 7/12 | 0 ^h 1/2 | 14 ^h 5/8 | 0 ^h 1/2c |
| 19 | 14 ^h 5/12 | 0 ^h 5/12 | 14 ^h 5/12 | 0 ^h 11/15 |
| 20 | 14 ^h 7/12 | 0 ^h 5/8 | 14 ^h 7/12 | 0 ^h 5/8 |
| 21 | 14 ^h 1/2 | 0 ^h 7/10 | 14 ^h 1/2 | 0 ^h 2/3 |
| 22 | 14 ^h 1/2 | 0 ^h 5/6 | 14 ^h 1/2 | 0 ^h 5/8 |
| 23 | 14 ^h 1/2 | 0 ^h 2/3 | 14 ^h 5/12c | 0 ^h 2/3 |
| 24 | 14 ^h 3/4 | 0 ^h 1/2 | 14 ^h 2/3 | 0 ^h 1/2 |
| 24 | 14 ^h 5/8 | 0 ^h 2/5 | 14 ^h 2/3 | 0 ^h 11/30 |
| 25 | 14 ^h 3/8 | 0 ^h 5/12 | 14 ^h 1/3 | 0 ^h 2/5 |
| 25 | 14 ^h 5/12 | 0 ^h 2/5 | 14 ^h 1/3 | 0 ^h 1/3 |

Table 11: Africa 1 Northwest Africa

| D# | Site | GD Name | B | L | G4 |
|-----|---------------|------------------|--------|-----------|------|
| 119 | Tangiers | Τιγγις Καισαρεια | 6°1/2 | 35° 11/12 | 1.5 |
| 120 | Asilah | Ζιλια | 6°1/2 | 35° 1/6 | 1.13 |
| 121 | Larache | Λιξ | 6°3/4 | 34° 11/12 | 1.13 |
| 122 | Walila | Ουολουβιλις | 8°1/4 | 33°2/3 | 1.14 |
| 123 | Ténès | Καρτινα | 14°1/2 | 33°2/3 | 2.4 |
| 124 | Cherchell | Ιωλ Καισαρεια | 17° | 33° 1/3 | 2.5 |
| 125 | Bougie | Σαλδα | 22° | 32° 1/2 | 2.9 |
| 126 | Ksar el-Kebir | Οπιδιον Νεον | 16° | 32°2/3 | 2.25 |
| 127 | Miliana | Ζουγαβαρρι | 16°5/6 | 32° 2/3 | 2.25 |
| 128 | Tiklat | Τουβουσουπτος | 23°3/4 | 31° 1/3 | 2.31 |

Table 11: Africa 1 Northwest Africa

| G8.13 | M _{XZ} | A _{XZ} | M _{UNK} | A _{UNK} |
|-------|----------------------|---------------------|----------------------|-----------------------|
| 3 | 14 ^h 1/2 | 3 ^h 7/12 | 14 ^h 1/2 | 3 ^h 7/12 |
| 4 | 14 ^h 1/2 | 3 ^h 1/2 | 14 ^h 5/12 | 3 ^h 11/12 |
| 5 | 14 ^h 5/12 | 3 ^h 1/2 | 14 ^h 1/3 | 3 ^h 17/30 |
| 6 | 14 ^h 1/3 | 3 ^h 1/2 | 14 ^h 1/4 | 3 ^h 1/2c |
| 7 | 14 ^h 1/3 | 3 ^h | 14 ^h 1/4 | 3 ^h |
| 8 | 14 ^h 1/4 | 2 ^h 2/3 | 14 ^h 1/4 | 2 ^h 11/12 |
| 9 | 14 ^h 1/6 | 2 ^h 1/2 | 14 ^h 1/6 | 2 ^h 17/30 |
| 10 | 14 ^h 1/6r | 3 ^h | 14 ^h 1/12 | 2 ^h 11/12r |
| 11 | 14 ^h 1/5 | 2 ^h 3/4 | 14 ^h 1/5 | 2 ^h 9/10 |
| 12 | 14 ^h 1/8 | 2 ^h 1/2 | 14 ^h 1/8 | 2 ^h 5/12 |

Table 12: Africa 2 North Africa

| D# | Site | GD Name | B | L | G4 |
|-----|-------------|----------------|--------|---------|------|
| 129 | Tabarka | Θαβρακα | 31°1/4 | 32° 1/3 | 3.5 |
| 130 | Utica | Ιτυκη | 33°2/3 | 32°3/4 | 3.6 |
| 131 | Carthage | Καρχηδων | 34°5/6 | 32°2/3 | 3.7 |
| 132 | Souse | Αδρουμητος | 36°2/3 | 32°2/3 | 3.9 |
| 133 | Lebda | Μεγαλη Λεπτις | 42° | 31°2/3 | 3.13 |
| 134 | Constantine | Κιρτα Ιουλια | 26°5/6 | 31° 1/3 | 3.28 |
| 135 | El-Kef | Σικα Ουνεβερια | 30°1/2 | 30°5/6 | 3.30 |
| 136 | Hammam Dar. | Βουλλα Ρηγια | 30°2/3 | 31° 1/2 | 3.30 |
| 137 | Oudna | Ουθινα | 34°1/4 | 31° 1/3 | 3.34 |
| 138 | El-Djem | Θυσδρος | 37°5/6 | 32° 1/6 | 3.39 |
| 139 | Djerba | Μηνιγξ | 39°1/2 | 31° 1/3 | 3.45 |
| 140 | Pantelleria | Κοσσυρα | 37°1/3 | 34° 1/3 | 3.47 |
| 141 | Malta | Μελιτη | 38°3/4 | 34°2/3 | 3.47 |

Table 12: Africa 2 North Africa

| G8.14 | M _{XZ} | A _{XZ} | M _{UNK} | A _{UNK} |
|-------|----------------------|----------------------|----------------------|----------------------|
| 3 | 14 ^h 1/6r | 2 ^h | 14 ^h 1/6 | 2 ^h c |
| 4 | 14 ^h 1/5 | 1 ^h 3/4 | 14 ^h 1/5 | 1 ^h 3/4 |
| 5 | 14 ^h 1/4 | 1 ^h 3/4 | 14 ^h 1/5 | 1 ^h 2/3 |
| 6 | 14 ^h 1/5 | 1 ^h 5/6 | 14 ^h 1/5 | 1 ^h 7/12 |
| 7 | 14 ^h 1/8 | 1 ^h 1/4 | 14 ^h 1/8 | 1 ^h 1/5 |
| 8 | 14 ^h 1/12 | 2 ^h 1/4 | 14 ^h 1/12 | 2 ^h 1/4 |
| 9 | 14 ^h 1/12 | 2 ^h | 14 ^h | 2 ^h c |
| 10 | 14 ^h 1/12 | 2 ^h | 14 ^h 1/12 | 2 ^h c |
| 11 | 14 ^h 1/12 | 1 ^h 3/4 | 14 ^h 1/12 | 1 ^h 3/4 |
| 12 | 14 ^h 1/6r | 1 ^h 1/2 | 14 ^h 1/8 | 1 ^h 1/2 |
| 13 | 14 ^h 1/12 | 1 ^h 2/5 | 14 ^h 1/12 | 1 ^h 2/5 |
| 14 | 14 ^h 1/3 | 1 ^h 17/30 | 14 ^h 1/3 | 1 ^h 1/6 |
| 15 | 14 ^h 1/4 | 1 ^h 11/24 | 14 ^h 1/3 | 1 ^h 11/24 |

Table 13: Africa 3 Cyrenaica & Egypt

| D# | Site | GD Name | B | L | G4 |
|-----|----------------|------------------|----------|-----------|------|
| 142 | Benghazi | Βερενικη Κυρ. | 47°3/4 | 31° 1/3 | 4.4 |
| 143 | Tokra | Αρσινοη Τευχειρα | 48°2/3 | 31° 1/3 | 4.4 |
| 144 | Tolmeta | Πτολεμαϊς Κψρ. | 49° 1/12 | 31° 1/6 | 4.4 |
| 145 | Apollonia | Απολλωνια Χυρ. | 50° 1/6 | 31°2/3 | 4.5 |
| 146 | Cyrene | Κυρηνη | 50° | 31° 1/3 | 4.11 |
| 147 | Ras et-Tin | Μεγαλη Χεπσον. | 52° | 31°2/3 | 5.2 |
| 148 | Marsa Matruch | Παραιτονιον | 57° | 31° 1/6 | 5.6 |
| 149 | Alexandria | Αλεξανδρεια | 60° 1/2 | 31° | 5.9 |
| 150 | Pelusium | Πηλουσιον | 63° 1/3 | 31° 1/4 | 5.11 |
| 151 | Memphis | Μεμφις | 61°5/6 | 29°5/6 | 5.55 |
| 152 | El-Minshije | Πτολεμαϊς Ερμ. | 61°5/6 | 27° 1/6 | 5.66 |
| 153 | Thebes Eg. | Θηβων Μεγαλη Δ. | 62° | 25° 1/2 | 5.73 |
| 154 | Syene>Aswan | Συνηη | 62° | 23°5/6 | 5.73 |
| 155 | Siwa | Αμμων | 55° 1/2 | 28° | 5.33 |
| 156 | Great Oasis | Μεγαλη Οασις | 59° 1/2 | 26° 11/12 | 5.37 |
| 157 | Quseir | Μυος | 64° 1/2 | 27° 1/2 | 5.14 |
| 158 | Bender elKebir | Βερενικη Μαρμ. | 64° 1/12 | 23°5/6 | 5.15 |

Table 13: Africa 3 Cyrenaica & Egypt

| G8.15 | M _{XZ} | A _{XZ} | M _{UNK} | A _{UNK} | S _{XZ} | S _{UNK} |
|-------|-----------------------|----------------------|-----------------------|----------------------|-----------------|------------------|
| 3 | 14 ^h 1/15r | 0 ^h 13/15 | 14 ^h 1/12 | 0 ^h 5/6 | | |
| 4 | 14 ^h 1/12 | 0 ^h 3/4r | 14 ^h 1/12 | 0 ^h 11/15 | | |
| 5 | 14 ^h 1/8 | 0 ^h 3/4 | 14 ^h 1/12 | 0 ^h 3/4 | | |
| 6 | 14 ^h 1/8 | 0 ^h 2/3 | 14 ^h 1/8 | 0 ^h 2/3 | | |
| 7 | 14 ^h 1/12 | 0 ^h 2/3 | 14 ^h 1/12 | 0 ^h 2/3 | | |
| 8 | 14 ^h | 0 ^h 17/30 | 14 ^h 1/8 | 0 ^h 17/30 | | |
| 9 | 14 ^h 1/12 | 0 ^h 1/4 | 14 ^h 1/12 | 0 ^h 1/4 | | |
| 10 | 14 ^h 1/15r | 0 ^h | 14 ^h 1/12 | 0 ^h | | |
| 11 | 14 ^h 1/15r | -0 ^h 1/5 | 14 ^h 1/12 | -0 ^h 1/5 | | |
| 12 | 14 ^h | -0 ^h 1/12 | 13 ^h 19/20 | -0 ^h 1/8 | | |
| 13 | 13 ^h 3/4 | -0 ^h 1/12 | 13 ^h 43/60 | -0 ^h 1/8 | | |
| 14 | 13 ^h 5/8 | -0 ^h 1/12 | 13 ^h 5/8 | -0 ^h 1/8 | | |
| 15 | 13 ^h 1/2 | -0 ^h 1/12 | 13 ^h 1/2 | -0 ^h 1/8 | 0° | 0° |
| 16 | 13 ^h 5/6 | -0 ^h 1/3 | 13 ^h 5/6 | -0 ^h 1/3 | | |
| 17 | 13 ^h 2/3 | -0 ^h 1/15 | 13 ^h 2/3 | -0 ^h 1/15 | | |
| 18 | 13 ^h 3/4 | -0 ^h 1/4 | 13 ^h 3/4 | -0 ^h 1/4 | | |
| 19 | 13 ^h 1/2 | -0 ^h 1/4 | 13 ^h 1/2 | -0 ^h 1/4 | 0° | 0° |

Table 14: Africa 4 Interior Africa

| D# | Site | GD Name | B | L | G4 |
|-----|---------------|-----------------|---------|---------|------|
| 159 | Autolalai | Αυτολαλαι | 10° | 23°5/6 | 6.24 |
| 160 | Iarzeitha | Ιαρζειθα | 10° | 15° 1/2 | 6.6 |
| 161 | Thaondokana | Θαμουδοκανα | 23° | 17° | 6.28 |
| 162 | Geira | Γειρα | 36° | 18° | 6.31 |
| 163 | Djerma | Γαραμη | 43° | 21° 1/2 | 6.30 |
| 164 | Gebel Barkal | Ναπατα Αιθ. | 63° | 20° 1/4 | 7.19 |
| 165 | Meroë | Μεροη | 61° 1/2 | 16°5/12 | 7.21 |
| 166 | PtolemyLodge | Πτολεμαϊς Θηρων | 66° | 16°5/12 | 7.7 |
| 167 | Massawa | Αδουλις | 67° | 11° 1/3 | 7.8 |
| 168 | Ras Siyan | Δηρη | 74° 1/2 | 11° | 7.9 |
| 169 | Ras Antarah | Μοσουλον | 79° | 9° | 7.10 |
| 170 | CapeGuardafui | Αροματα | 83° | 6° | 7.10 |

Table 14: Africa 4 Interior Africa

| G8.16 | M _{XZ} | A _{XZ} | M _{UNK} | A _{UNK} | S _{XZ} | S _{UNK} |
|-------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------|------------------|
| 3 | 13 ^h 1/2 | 3 ^h 1/3 | 13 ^h 1/2 | 3 ^h 1/3 | 0° | 0° |
| 5 | 12 ^h 11/12 | 3 ^h 1/3 | 12 ^h 11/12 | 3 ^h 1/3 | 48°2/3 | 43°2/3 |
| 5 | 13 ^h | 2 ^h 1/2 | 13 ^h | 2 ^h 1/2 | 43°2/3 | 43° |
| 6 | 13 ^h 1/15r | 1 ^h 5/8 | 13 ^h 1/12 | 1 ^h 5/8 | 40° 1/3r | 40° 1/3 |
| 7 | 13 ^h 1/4 | 0 ^h 1/6 | 13 ^h 1/4 | 0 ^h 1/6 | 25° | 25° |
| 8 | 13 ^h 1/4 | -0 ^h 1/6 | 13 ^h 1/4 | -0 ^h 1/6 | 31° 1/6 | 30° |
| 9 | 13 ^h | -0 ^h 1/15 | 13 ^h | -0 ^h 1/15 | 45°2/3 | 45° |
| 10 | 13 ^h | -0 ^h 1/5 | 13 ^h | -0 ^h 2/5 | 45° 1/3 | 45° |
| 11 | 12 ^h 1/4 | -0 ^h 13/30 | 12 ^h 2/3r | -0 ^h 11/24 | 60° | 62°c |
| 12 | 12 ^h 7/12 | -0 ^h 11/12 | 12 ^h 2/3 | -1 ^h | 62°3/4 | 63°3/4 |
| 13 | 12 ^h 1/2 | -1 ^h 1/4 | 12 ^h 1/2 | -1 ^h 1/3c | 68° 1/8 | 68°3/4 |
| 14 | 12 ^h 1/3 | -1 ^h 1/2 | 12 ^h 11/24 | -1 ^h 1/2 | 75° | 76° |

| D# | Site | GD Name | B | L | G5 |
|-----|-----------------|-------------------|-----------|-----------|------|
| 171 | Chalcedon | Χαλκηδων | 56° 1/12 | 43° 1/12 | 1.2 |
| 172 | Nicomedia | Νικομηδεια | 57° 1/3 | 42° 1/2 | 1.3 |
| 173 | ApameiaBithyn. | Απαμεια | 56° 11/12 | 42° | 1.4 |
| 174 | Ereğli | Ηερακλεια Ποντου | 59° | 43° 1/2 | 1.7 |
| 175 | Nicaea>Iznik | Νικαια | 58° | 42° 1/4 | 1.14 |
| 176 | Kyzikos | Κυζικος | 56° | 41° 1/2 | 2.2 |
| 177 | AlexandriaTroas | Αλεξανδρεια Τρωας | 55° 5/12 | 40° 2/3 | 2.4 |
| 178 | Bergama | Περγαμος | 57° 5/12 | 39° 3/4 | 2.14 |
| 179 | Smyrna/Izmir | Σμυρνα | 58° 5/12 | 38° 7/12 | 2.7 |
| 180 | Ephesos | Εφεσος | 57° 2/3 | 37° 2/3 | 2.8 |
| 181 | Miletos>Balat | Μιλητος | 58° | 37° | 2.9 |
| 182 | Knidos>Datça | Κνιδος | 56° 1/4 | 36° | 2.10 |
| 183 | Sardis>Sart | Σαρδεις | 58° 2/3 | 38° 1/4 | 2.17 |
| 184 | Magn.Maeander | ΜαγνησιαΜαιαν. | 58° 1/2 | 37° 5/6 | 2.19 |
| 185 | Dinar | Απαμεια Κιβωτος | 61° 1/6 | 38° 11/12 | 2.25 |
| 186 | Göhlisar | Κιβυρα | 60° 1/6 | 38° 11/12 | 2.26 |
| 187 | Mitilini | Μιτυληνη | 55° 2/3 | 39° 2/3 | 2.29 |
| 188 | Chios | Χιος | 56° 1/3 | 38° 7/12 | 2.30 |
| 189 | Ielysos,Rhodos | Ροδος | 58° 1/3 | 36° | 2.34 |
| 190 | Gelemiş | Παταρα | 60° 1/2 | 36° | 3.3 |
| 191 | Kale | Ανδριακη | 60° 3/4 | 36° 5/12 | 3.3 |
| 192 | Demre | Μυρα | 61° | 36° 2/3 | 3.6 |
| 193 | Turingçova | Λιμυρα | 61° 5/12 | 36° 7/12 | 3.6 |
| 194 | Sinope | Σινωπη | 63° 5/6 | 44° | 4.3 |
| 195 | Amisos | Αμισος | 65° | 43° 1/12 | 4.3 |
| 196 | Ankara | Αγκυρα | 62° 2/3 | 42° | 4.8 |
| 197 | Sivrihisar | Γερμα | 61° 1/2 | 42° | 4.7 |
| 198 | Ballihisar | Πεσσινους | 61° | 41° 1/2 | 4.7 |
| 199 | Selimiya | Σιδη | 63° 5/12 | 36° 2/3 | 5.2 |
| 200 | Aksu | Περγη | 62° 1/4 | 36° 11/12 | 5.7 |
| 201 | Belkis | Ασπενδος | 62° 1/4 | 36° 3/4 | 5.7 |
| 202 | Termessos | Τερμησσος | 62° 1/6 | 37° 1/4 | 5.6 |
| 203 | Trabzon | Τραπεζους | 70° 3/4 | 43° 1/12 | 6.5 |
| 204 | Gümenek | Κομανα Ποντικη | 67° | 41° 1/2 | 6.9 |
| 205 | Kayseri | Μαζακα Καισ. | 66° 1/2 | 39° 1/2 | 6.15 |
| 206 | Şar | Κομανα Καππ. | 68° | 38° | 7.7 |
| 207 | Malatya | Μελιτηνη | 71° | 39° 1/2 | 7.5 |
| 208 | Pürk | Νικοπολις Μ.Αρμ. | 69° | 41° 2/3 | 7.3 |
| 209 | Sadağ | Σαταλα Μ.Αρμεν. | 69° 1/2 | 42° 1/6 | 7.3 |
| 210 | Silinti | Σελινους | 64° 1/3 | 36° 3/4 | 8.2 |
| 211 | Viranşehir | Πομπηιουπ. Σολοι | 67° 1/4 | 36° 2/3 | 8.4 |
| 212 | Mallos | Μαλλος | 68° 1/2 | 36° 1/2 | 8.4 |
| 213 | Tarsus | Ταρσος | 67° 2/3 | 36° 5/6 | 8.7 |
| 214 | Adana | Αδανα | 68° 1/4 | 36° 3/4 | 8.7 |

| G8.17 | M _{XZ} | A _{XZ} | M _{UNK} | A _{UNK} |
|-------|-----------------------|-----------------------|-----------------------|-----------------------|
| 3 | 15 ^h 1/4 | 0 ^h 1/4 | 15 ^h 1/4 | 0 ^h 1/4 |
| 4 | 15 ^h 1/6 | 0 ^h 1/4 | 15 ^h 1/4 | 0 ^h 1/6 |
| 5 | 15 ^h 1/12 | 0 ^h 1/4 | 15 ^h 1/8 | 0 ^h 1/6 |
| 6 | 15 ^h 1/4 | 0 ^h 1/4 | 15 ^h 1/3 | 0 ^h 1/10 |
| 7 | 15 ^h 1/8 | 0 ^h 1/4 | 15 ^h 1/8 | 0 ^h 1/7 |
| 8 | 15 ^h 1/12r | 0 ^h 1/4r | 15 ^h 1/12 | 0 ^h 1/4 |
| 9 | 15 ^h | 0 ^h 1/3 | 15 ^h c | 0 ^h 1/3 |
| 10 | 14 ^h 5/6 | 0 ^h 1/5 | 14 ^h 7/8 | 0 ^h 1/5 |
| 11 | 14 ^h 3/4 | 0 ^h 1/5 | 14 ^h 3/4 | 0 ^h 1/8 |
| 12 | 14 ^h 2/3 | 0 ^h 1/5 | 14 ^h 2/3 | 0 ^h 1/6 |
| 13 | 14 ^h 5/6 | 0 ^h 1/8 | 14 ^h 7/12 | 0 ^h 1/6 |
| 14 | 14 ^h 1/2 | 0 ^h 1/4 | 14 ^h 1/2 | 0 ^h 1/4 |
| 15 | 14 ^h 3/4 | 0 ^h 1/8 | 14 ^h 3/4c | 0 ^h 1/8 |
| 16 | 14 ^h 2/3 | 0 ^h 1/8 | 14 ^h 2/3 | 0 ^h 1/8 |
| 17 | 14 ^h 2/3 | 0 ^h c | 14 ^h 2/3 | 0 ^h c |
| 18 | 14 ^h 2/3 | 0 ^h c | 14 ^h 2/3 | 0 ^h |
| 19 | 14 ^h 5/6 | 0 ^h 1/3 | 14 ^h 5/6 | 0 ^h 1/3 |
| 20 | 14 ^h 3/4 | 0 ^h 1/4 | 14 ^h 3/4 | 0 ^h 1/4 |
| 21 | 14 ^h 1/2 | 0 ^h 1/8 | 14 ^h 1/2 | 0 ^h 1/8 |
| 22 | 14 ^h 1/2 | 0 ^h | 14 ^h 1/2 | 0 ^h |
| 24 | 14 ^h 7/12 | -0 ^h c | 14 ^h 1/2 | -0 ^h c |
| 23 | | | 14 ^h 7/12 | -0 ^h c |
| 25 | 14 ^h 7/12 | -0 ^h c | | |
| 26 | 15 ^h 3/8 | -0 ^h 1/4 | 15 ^h 1/3 | -0 ^h 1/4 |
| 27 | 15 ^h 1/4 | -0 ^h 1/3 | 15 ^h 1/4 | -0 ^h 1/3 |
| 28 | 15 ^h 1/6r | -0 ^h 1/8 | 15 ^h 1/8 | -0 ^h 1/6 |
| 29 | 15 ^h 1/8 | -0 ^h c | 15 ^h 1/8 | -0 ^h c |
| 30 | 15 ^h 1/12r | -0 ^h c | 15 ^h 1/12 | -0 ^h c |
| 31 | 14 ^h 1/2 | -0 ^h 1/5 | 14 ^h 1/2 | -0 ^h 1/5 |
| 32 | 14 ^h 7/12 | -0 ^h 1/12 | 14 ^h 7/12 | -0 ^h 1/8 |
| 33 | 14 ^h 7/12 | -0 ^h 1/6r | 14 ^h 7/12 | -0 ^h 1/8 |
| 34 | 14 ^h 1/2 | -0 ^h 1/9 | 14 ^h 5/8 | -0 ^h 1/8 |
| 35 | 15 ^h 1/4 | -0 ^h 2/3 | 15 ^h 1/4 | -0 ^h 2/3 |
| 36 | 15 ^h 1/8 | -0 ^h 2/5 | 15 ^h 1/12 | -0 ^h 11/24 |
| 37 | 14 ^h 5/6 | -0 ^h 2/5 | 14 ^h 5/6 | -0 ^h 2/5 |
| 38 | 14 ^h 3/4r | -0 ^h 1/2 | 14 ^h 3/4c | -0 ^h 1/2 |
| 39 | 14 ^h 5/6 | -0 ^h 7/10 | 14 ^h 5/6 | -0 ^h 3/4 |
| 40 | 15 ^h 1/8 | -0 ^h 17/30 | 15 ^h 1/8 | -0 ^h 17/30 |
| 41 | 15 ^h | -0 ^h 1/2 | 15 ^h 1/8 | -0 ^h 5/8 |
| 42 | 14 ^h 7/12 | -0 ^h 1/4 | 14 ^h 7/12 | -0 ^h 1/4 |
| 43 | 14 ^h 7/12 | -0 ^h 1/2 | 14 ^h 7/12 | -0 ^h 1/2c |
| 44 | 14 ^h 7/12 | -0 ^h 1/2 | 14 ^h 17/30 | -0 ^h 1/2 |
| 45 | 14 ^h 7/12 | -0 ^h 1/2 | 14 ^h 7/12 | -0 ^h 1/2 |
| 46 | 14 ^h 7/12 | -0 ^h 1/2 | 14 ^h 7/12 | -0 ^h 1/2 |

Table 16: Asia 2 Southern Russia

| D# | Site | GD Name | B | L | G5 |
|-----|------------------|-----------|---------|---------|------|
| 215 | Akçaabat | Ερμωνασσα | 65° | 47° 1/2 | 9.8 |
| 216 | Gagra | Οινανθια | 69° 2/3 | 47° 1/4 | 9.9 |
| 217 | Tanaïs > Don | Ταναϊς | 67° | 54° 2/3 | 9.16 |
| 218 | Stanitsa Peresyp | Τυραμβη | 69° 2/3 | 49° 5/6 | 9.4 |
| 219 | Rostov | Ναυαρις | 70° | 55° | 9.16 |

Table 16: Asia 2 S.Russia

| G8.18 | M _{XZ} | A _{XZ} | M _{UNK} | A _{UNK} |
|-------|----------------------|---------------------|----------------------|-----------------------|
| 3 | 15 ^h 5/6 | -0 ^h 1/3 | 15 ^h 5/6 | -0 ^h 1/3 |
| 4 | 16 ^h 1/6m | -0 ^h 5/6 | 15 ^h 5/6c | -0 ^h 2/3c |
| 5 | 17 ^h | -0 ^h 5/6 | 17 ^h 1/6 | -0 ^h 13/30 |
| 6 | 16 ^h 1/3 | -0 ^h 2/3 | 16 ^h 1/3 | -0 ^h 2/3c |
| 7 | 17 ^h 1/4 | -0 ^h 2/3 | 17 ^h 1/4 | -0 ^h 2/3 |

Table 17: Asia 3 Armenia

| D# | Site | GD Name | B | L | G5 |
|-----|------------|-----------------|---------|---------|-------|
| 220 | Sukhumi | Διοσκουριας | 71° 1/6 | 46° 3/4 | 10.2 |
| 221 | Poti | Φασις | 72° 1/2 | 44° 3/4 | 10.2 |
| 222 | Urbnisi | Αρτανισσα | 75° 2/3 | 46° | 11.3 |
| 223 | Tsitsamuri | Αρμακτικα | 75° | 44° 3/4 | 11.3 |
| 224 | Baku | Γαγγαρα | 79° 1/2 | 45° | 12.2 |
| 225 | Alvan | Αλβανα | 81° 2/3 | 45° 5/6 | 12.2 |
| 226 | Saki | Οσικα | 77° 1/2 | 44° 3/4 | 12.5 |
| 227 | Artashat | Αρταξατα | 78° | 42° 2/3 | 13.12 |
| 228 | Armavir | Αρμαουρια | 76° 2/3 | 42° 3/4 | 13.12 |
| 229 | Van | Θωσπια | 74° 1/3 | 39° 5/6 | 13.19 |
| 230 | Edremit | Αρτεμιτα Αρμεν. | 78° 2/3 | 40° 1/3 | 13.21 |
| 231 | Haraba | Αρσαμοσατα | 73° | 38° 1/3 | 13.19 |

Table 17: Asia 3 Armenia

| G8.19 | M _{XZ} | A _{XZ} | M _{UNK} | A _{UNK} |
|-------|-----------------------|-----------------------|-----------------------|-----------------------|
| 3 | 15 ^h 3/4 | -0 ^h 11/15 | 15 ^h 3/4 | -0 ^h 11/15 |
| 4 | 15 ^h 1/2 | -0 ^h 19/24 | 15 ^h 1/2 | -0 ^h 5/6 |
| 5 | 15 ^h 7/12 | -1 ^h | 15 ^h 2/3 | -1 ^h 1/30 |
| 6 | 15 ^h 5/12r | -1 ^h | 15 ^h 1/2c | -1 ^h |
| 7 | 15 ^h 1/2 | -1 ^h 1/4 | 15 ^h 1/2 | -1 ^h 1/4 |
| 8 | 15 ^h 5/6 | -1 ^h 2/5 | 15 ^h 2/3 | -1 ^h 13/30 |
| 9 | 15 ^h 1/8 | -1 ^h 1/8 | | |
| 10 | 15 ^h 1/6r | -1 ^h 1/6r | 15 ^h 1/6 | -1 ^h 1/6 |
| 11 | | | 15 ^h 1/4c | -1 ^h 1/10 |
| 12 | 14 ^h 11/12 | -1 ^h | 14 ^h 7/8r | -1 ^h c |
| 13 | 14 ^h 5/12 | -1 ^h 1/5 | 14 ^h 11/12 | -1 ^h 1/4 |
| 14 | 14 ^h 3/4 | -0 ^h 5/6 | | |

Table 18: Asia 4 Middle East

| D# | Site | GD Name | B | L | G5 |
|-----|----------------|------------------|----------|----------|-------|
| 232 | Paphos | Παφος | 64° 1/3 | 35° 1/6 | 14.1 |
| 233 | Limassol | Αμαθους | 65° 3/4 | 35° | 14.2 |
| 234 | Ammokhostos | Σαλαμις | 66° 2/3 | 35° 1/2 | 14.3 |
| 235 | Latakia | Λαοδικεια | 68° 1/2 | 35° 1/12 | 15.3 |
| 236 | Antioch | Αντιοχεια | 69° | 35° 1/2 | 15.16 |
| 237 | Membidj | Ιεραπολις | 71° 1/4 | 36° 1/4 | 15.13 |
| 238 | Apamea | Απαμεια | 70° | 34° 3/4 | 15.19 |
| 239 | Tadmur | Παλμυρα | 71° 1/2 | 34° | 15.24 |
| 240 | Baalbek | Ηελιουπολις Συρ. | 68° 2/3 | 33° 2/3 | 15.22 |
| 241 | Banias | Καισαρ. Πανιας | 67° 2/3 | 33° | 15.21 |
| 242 | Damascus | Δαμασκος | 69° | 33° | 15.22 |
| 243 | Caesarea | Καισαρεια | 66° 1/4 | 32° 1/2 | 16.2 |
| 244 | Ashkelon | Ασκαλων | 65° | 31° 2/3 | 16.2 |
| 245 | Teveryah | Τιβεριας | 67° 1/4 | 32° 1/12 | 16.4 |
| 246 | Nablus | Νεαπολις Σαμαρ. | 66° 5/6 | 31° 5/6 | 16.5 |
| 247 | Jerusalem | Ιεροσολυμα/ΑιλΚ | 66° | 31° 2/3 | 16.8 |
| 248 | Wadi Musa | Πετρα | 66° 3/4 | 30° 1/3 | 17.5 |
| 249 | Medaba | Μηδανα | 68° 1/2 | 30° 3/4 | 17.6 |
| 250 | Busra | Βοστρα | 69° 3/4 | 31° 1/2 | 17.7 |
| 251 | Urfa | Εδεσσα Μεσοπ. | 72° 1/2 | 37° 1/2 | 18.10 |
| 252 | Neşibin | Νισιβις | 75° 1/6 | 37° 1/2 | 18.11 |
| 253 | Raqqa | Νικηφοριον | 73° 1/12 | 35° 1/3 | 18.6 |
| 254 | Qalaat Sergat | Λαββανα | 77° 5/6 | 36° 1/2 | 18.9 |
| 255 | Seleucia | Σελευκεια | 79° 1/3 | 35° 2/3 | 18.8 |
| 256 | Babylon>Hillah | Βαβυλον | 79° | 35° | 20.6 |
| 257 | Birs Nimrud | Βορσητα | 78° 3/4 | 34° 1/3 | 20.6 |
| 258 | Warka | Ορχοη | 78° 1/2 | 32° 2/3 | 20.7 |
| 259 | Basra | Τερηδων | 80° | 31° 1/6 | 20.5 |

Table 18: Asia 4 Middle East

| G8.20 | M_{XZ} | A_{XZ} | M_{UNK} | A_{UNK} |
|-------|----------------------|-----------------------|-----------------------|-----------------------|
| 3 | 14 ^h 1/2 | -0 ^h 1/4 | 14 ^h 5/12 | -0 ^h 1/4 |
| 4 | 14 ^h 2/3 | -0 ^h 1/3 | 14 ^h 5/12c | -0 ^h 2/5 |
| 5 | 14 ^h 1/2 | -0 ^h 2/5 | 14 ^h 1/2c | -0 ^h 11/24 |
| 6 | 14 ^h 5/12 | -0 ^h 1/2 | 14 ^h 5/12 | -0 ^h 17/30 |
| 7 | 14 ^h 1/2 | -0 ^h 17/30 | 14 ^h 1/2c | -0 ^h 7/12 |
| 8 | 14 ^h 1/2 | -0 ^h 3/4 | 14 ^h 1/2 | -0 ^h 3/4 |
| 9 | 14 ^h 5/12 | -0 ^h 5/8 | 14 ^h 5/12c | -0 ^h 2/3 |
| 10 | 14 ^h 1/3 | -1 ^h 1/2 | 14 ^h 1/3c | -0 ^h 3/4 |
| 11 | 14 ^h 1/4 | -0 ^h 1/2 | 14 ^h 1/4 | -0 ^h 17/30 |
| 12 | 14 ^h 1/4 | -0 ^h 17/30 | 14 ^h 1/4c | -0 ^h 1/2 |
| 13 | 14 ^h 1/4 | -0 ^h 17/30 | 14 ^h 1/4c | -0 ^h 7/12 |
| 14 | 14 ^h 1/6 | -0 ^h 2/5 | 14 ^h 1/5 | -0 ^h 2/5 |
| 15 | 14 ^h 1/6r | -0 ^h 5/12 | 14 ^h 1/8c | -0 ^h 1/3 |
| 16 | 14 ^h 1/6r | -0 ^h 5/12 | | |
| 17 | 14 ^h 1/8 | -0 ^h 5/12 | | |
| 18 | 14 ^h 1/8 | -0 ^h 2/5 | 14 ^h 1/8c | -0 ^h 2/5 |
| 19 | 14 ^h | -0 ^h 2/5 | 14 ^h | -0 ^h 13/30 |
| 20 | 14 ^h 1/12 | -0 ^h 1/2 | 14 ^h | -0 ^h 17/30 |
| 21 | 14 ^h 1/8 | -0 ^h 1/2 | 14 ^h 1/6r | -0 ^h 2/3c |
| 22 | 14 ^h 2/3 | -0 ^h 3/4 | 14 ^h 5/8 | -0 ^h 5/6 |
| 23 | 14 ^h 2/3 | -1 ^h | 14 ^h 5/8 | -1 ^h |
| 24 | 14 ^h 5/12 | -1 ^h 1/5n | 14 ^h 7/12x | -0 ^h 5/6 |
| 25 | 14 ^h 1/2 | -1 ^h 1/6r | 14 ^h 1/2 | -0 ^h 5/6x |
| 26 | 14 ^h 5/12 | -1 ^h 1/4 | 14 ^h 1/2c | -1 ^h 1/4 |
| 27 | 14 ^h 5/12 | -1 ^h 1/4 | 14 ^h 5/12 | -1 ^h 1/4 |
| 28 | 14 ^h 1/4 | -1 ^h 1/4 | 14 ^h 1/3 | -1 ^h 1/4c |
| 29 | 14 ^h 1/6r | -1 ^h 1/4 | 14 ^h 1/6 | -1 ^h 1/5 |
| 30 | 14 ^h 1/12 | -1 ^h 1/3r | 14 ^h 1/12c | -1 ^h 1/3 |

Table 19: Asia 5 Babylonia & Persia

| D# | Site | GD Name | B | L | G6 |
|-----|--------------|---------------|---------|---------|------|
| 260 | Nineveh | Νινος | 78° | 36° 2/3 | 1.3 |
| 261 | Arbela>Irbil | Αρβηλα | 80° | 37° 1/4 | 1.5 |
| 262 | Ktesiphon | Κτησιφων | 80° | 35° | 1.3 |
| 263 | Susa>Shush | Σουσα | 84° | 34° 1/4 | 3.5 |
| 264 | Tarsiana | Ταρσιανα | 82° | 32° 1/2 | 3.5 |
| 265 | Dschabul | Πασινου Χαραξ | 81° 2/3 | 31° | 3.2 |
| 266 | Kyropolis | Κυροπολις | 85° 1/2 | 41° 1/2 | 2.2 |
| 267 | Ekbatana | Εκβατανα | 88° | 37° 3/4 | 2.14 |
| 268 | Arsakia | Αρσακια | 88° | 36° 1/2 | 2.16 |
| 269 | Europos | Ευροπος Μηδ. | 93° 2/3 | 36° 2/3 | 2.17 |
| 270 | Axima | Αξιμα | 87° 3/4 | 33° 5/6 | 4.4 |
| 271 | Persepolis | Περσοπολις | 91° | 33° 1/3 | 4.4 |
| 272 | Marrasion | Μαρρασιον | 92° 1/2 | 34° 1/2 | 4.4 |
| 273 | Taoke | Ταοκη | 89° | 30° 1/3 | 4.7 |
| 274 | Hekatonpylos | Εκατομυλος | 96° | 37° 5/6 | 5.2 |
| 275 | Ambrodax | Αμβρωδαξ | 94° 1/2 | 38° 1/3 | 5.2 |
| 276 | Artakana | Αρτακανα | 96° | 34° 1/2 | 5.4 |

Table 19: Asia 5 Babylonia & Persia

| G8.21 | M_{XZ} | A_{XZ} | M_{UNK} | A_{UNK} |
|-------|----------------------|-----------------------|-----------------------|----------------------|
| 3 | 14 ^h 7/12 | -1 ^h 1/6r | 14 ^h 7/12 | -1 ^h 1/4x |
| 3 | 14 ^h 5/8r | -1 ^h 1/3 | 14 ^h 5/8 | -1 ^h 1/3 |
| 4 | 14 ^h 1/2 | -1 ^h 1/3 | 14 ^h 7/12c | -1 ^h 1/3 |
| 5 | 14 ^h 1/3 | -1 ^h 17/30 | 14 ^h 1/3 | -1 ^h 7/12 |
| 6 | 14 ^h 1/6 | -1 ^h 1/3x | 14 ^h 1/6 | -1 ^h 1/2c |
| 7 | 14 ^h 1/12 | -1 ^h 1/3 | | |
| 8 | 15 ^h 1/3 | -1 ^h 2/3 | 15 ^h | -1 ^h 2/3 |
| 9 | 14 ^h 2/3 | -1 ^h 2/3 | 14 ^h 2/3 | -1 ^h 5/6 |
| 10 | 14 ^h 1/2 | -1 ^h 5/6 | 14 ^h 7/12 | -1 ^h 5/6 |
| 11 | 14 ^h 7/12 | -2 ^h 1/5 | 14 ^h 7/12 | -2 ^h 1/4 |
| 12 | 14 ^h 1/4 | -1 ^h 3/4 | 14 ^h 1/3 | -1 ^h 5/6 |
| 13 | 14 ^h 1/3 | -2 ^h | 14 ^h 1/4 | -2 ^h 1/15 |
| 14 | 14 ^h 1/3 | -2 ^h 1/6r | 14 ^h 1/3 | -2 ^h 1/6 |
| 15 | 14 ^h | -1 ^h 5/6 | 14 ^h | -2 ^h c |
| 16 | 14 ^h 2/3 | -2 ^h 1/3 | 14 ^h 2/3 | -2 ^h 2/5 |
| 17 | 14 ^h 2/3 | -2 ^h 1/3 | 14 ^h 3/4c | -2 ^h 1/3 |
| 18 | 14 ^h 5/12 | -2 ^h 1/3 | 14 ^h 3/8 | -2 ^h 2/5 |

Table 20: Asia 6 Arabia Felix

| D# | Site | GD Name | B | L | G6 |
|-----|----------------|--------------|---------|---------|--------|
| 277 | Dumat elCandal | Δουμηθα | 75° | 29° 2/3 | 5.19.7 |
| 278 | Badeo | Βαδεω | 70° | 20° 1/4 | 7.6 |
| 279 | Pudnos | Πουδνου | 72° 1/2 | 16° 1/2 | 7.7 |
| 280 | Mawshij | Μουζα | 74° 1/2 | 14° | 7.7 |
| 281 | Turbah | Οκηλις | 75° | 12° | 7.7 |
| 282 | Aden | Αραβιας | 80° | 11° 1/2 | 7.9 |
| 283 | Kane | Κανη | 84° | 12° 1/2 | 7.10 |
| 284 | Gerra | Γερρα | 80° | 23° 1/3 | 7.16 |
| 285 | Marib | Μαρα | 76° | 18° 1/3 | 7.37 |
| 286 | Omanon | Ομανον | 77° 2/3 | 19° 1/3 | 7.36 |
| 287 | Menambis | Μεναμβις | 75° 3/4 | 16° 1/2 | 7.38 |
| 288 | Shabwah | Σαββαθα | 77° | 16° 1/2 | 7.38 |
| 289 | Saue | Σαυη | 76° | 13° | 7.42 |
| 290 | Zafar | Σαφφαρ | 78° | 14° 1/2 | 7.41 |
| 291 | Dioskorides | Διοσκοριδους | 86° 2/3 | 9° 1/2 | 7.45 |
| 292 | Sarapis | Σαραπιδος | 94° | 17° 1/2 | 7.46 |
| 293 | Arphana | Αρφανα | 81° 1/3 | 28° 2/3 | 7.47 |
| 294 | Hormuz | Αρμουζα | 94° 1/2 | 23° 1/2 | 8.5 |
| 295 | Samydake | Σαμυδακη | 99° 1/2 | 22° 2/3 | 8.7 |
| 296 | Kirman | Καρμανα | 100° | 29° | 8.13 |
| 297 | Karminna | Καρμιννα | 102° | 18° | 8.16 |

Table 20: Asia 6 Arabia Felix

| G8.22 | M_{XZ} | A_{XZ} | M_{UNK} | A_{UNK} | S_{XZ} | S_{UNK} |
|-------|-----------------------|-----------------------|-----------------------|-----------------------|----------|-----------|
| 3 | 13 ^h 11/12 | -1 ^h | | | | |
| 4 | 13 ^h 1/4 | -0 ^h 2/3 | 13 ^h 1/4 | -0 ^h 1/3x | 31° 1/6r | 30° |
| 5 | 13 ^h | -0 ^h 3/4 | 13 ^h | -0 ^h 5/6 | 45° 1/3 | 44° 2/3 |
| 6 | 12 ^h 3/4 | -1 ^h | 12 ^h 5/6 | -1 ^h c | 53° 1/4 | 54° 1/3 |
| 7 | 14 ^h 1/4x | -1 ^h | 12 ^h 3/4c | -1 ^h | 58° | 61° 1/4 |
| 8 | 12 ^h 2/3 | -1 ^h 1/3 | 12 ^h 2/3 | -1 ^h 1/3 | 59° 1/2 | 62° 1/3 |
| 9 | 12 ^h 3/4 | -0 ^h 17/30 | 12 ^h 3/4 | -0 ^h 3/5 | 59° | 60° 3/4 |
| 10 | 13 ^h 1/2 | -0 ^h 2/3 | 13 ^h 1/2c | -0 ^h 1/3 | 0° | 4° 1/3 |
| 11 | 13 ^h 1/8 | -1 ^h | 13 ^h 1/8 | -1 ^h 1/15 | 39° | 37° 1/2 |
| 12 | 13 ^h 1/4 | -1 ^h 3/4 | 13 ^h 13/60 | -1 ^h 1/5c | 33° 1/3 | 32° |
| 13 | 13 ^h | -1 ^h | 13 ^h | -1 ^h 1/20 | 45° 1/3 | 45° |
| 14 | 13 ^h | -1 ^h 1/3 | 13 ^h | -1 ^h 1/8 | 45° 1/3 | 45° |
| 15 | 12 ^h 3/4 | -1 ^h | 12 ^h 47/60 | -1 ^h 1/15 | 56° 1/6r | 58° |
| 16 | 12 ^h 11/12 | -1 ^h 1/6r | 12 ^h 7/8 | -1 ^h 26/30 | 53° 1/4 | 52° 1/2 |
| 17 | 12 ^h 1/2 | -1 ^h 3/4 | 12 ^h 2/3x | -1 ^h 2/3x | 68° 1/2 | 62° 1/2 |
| 18 | 13 ^h 1/12 | -2 ^h 1/4 | 13 ^h 1/12c | -2 ^h 4/15 | 42° | 41° |
| 19 | 13 ^h 1/2x | -1 ^h 2/5 | | | | |
| 21 | 13 ^h 1/2 | -2 ^h 1/3 | 13 ^h 1/2c | -2 ^h 3/10 | 0° | 3° |
| 22 | 13 ^h 5/12 | -2 ^h 2/3 | 13 ^h 5/12 | -2 ^h 2/3c | 17° 2/3 | 10° |
| 20 | 13 ^h 11/12 | -2 ^h 2/3 | 13 ^h 7/8 | -2 ^h 2/3 | | |
| 23 | 13 ^h 1/8 | -2 ^h 3/4 | 13 ^h 1/8c | -2 ^h 4/5 | 40° | 40° c |

Table 21: Asia 7 Southern USSR

| D# | Site | GD Name | B | L | G6 |
|-----|-------------|------------------|----------|---------|-------|
| 298 | Hyrkania | Υρκανια | 98° 1/2 | 40° | 9.7 |
| 299 | Amarua | Αμαρουσα | 95° | 40° | 9.7 |
| 300 | Mary | Αντιοχεια Μαργ. | 106° | 40° 2/3 | 10.4 |
| 301 | Nisaea | Νισαια | 105° 1/4 | 39° 1/6 | 10.4 |
| 302 | Katracharta | Χατραχαρτα | 110° | 44° 1/6 | 11.7 |
| 303 | Waziradad | Ζαριασπα | 115° | 44° | 11.7 |
| 304 | Balkh | Βακτρα | 116° | 41° | 11.9 |
| 305 | Samarkand | Μαρακανδα | 112° | 39° 1/4 | 11.9 |
| 306 | Oxeiana | Ωξειανα | 117° 1/2 | 44° 2/3 | 12.5 |
| 307 | Maruka | Μαρουκα | 117° 1/4 | 43° 2/3 | 12.5 |
| 308 | Drepsa | Δρεψα | 120° | 45° | 12.6 |
| 309 | Iskander | Αλεξανδρεια Εσχ. | 122° | 41° | 12.6 |
| 310 | Aspabota | Ασπαβωτα | 102° | 44° | 14.2 |
| 311 | Dauaba | Δαουαβα | 104° | 45° | 14.14 |

Table 21: Asia 7 S. USSR

| G8.23 | M _{XZ} | A _{XZ} | M _{UNK} | A _{UNK} |
|-------|-----------------------|-----------------------|-----------------------|-----------------------|
| 3 | 14 ^h 11/12 | -2 ^h 17/30 | 14 ^h 11/12 | -2 ^h 17/30 |
| 4 | 14 ^h 11/12 | -2 ^h 2/3x | 14 ^h 7/8 | -2 ^h 2/5 |
| 5 | 15 ^h | -3 ^h | 15 ^h c | -3 ^h 1/15 |
| 6 | 14 ^h 5/6 | -3 ^h | 15 ^h 1/9n | -3 ^h |
| 7 | 15 ^h 3/8 | -3 ^h 1/3 | 15 ^h 5/12c | -3 ^h 1/3 |
| 8 | 15 ^h 2/3 | -3 ^h 2/3 | 15 ^h 3/8 | -3 ^h 2/3 |
| 9 | 15 ^h | -3 ^h 2/3 | 15 ^h | -3 ^h 11/15 |
| 10 | 14 ^h 5/6 | -3 ^h 1/2 | 14 ^h 5/6 | -3 ^h 1/2c |
| 11 | 15 ^h 5/6x | -3 ^h 1/8x | 15 ^h 1/2c | -3 ^h 5/6c |
| 12 | 15 ^h 1/3 | -3 ^h 3/4 | 15 ^h 1/3c | -3 ^h 3/4c |
| 13 | 15 ^h 1/2 | -4 ^h | 15 ^h 1/2 | -4 ^h |
| 14 | 14 ^h 3/4x | -4 ^h 1/10 | 15 ^h | -4 ^h 1/8 |
| 15 | 14 ^h 5/12 | -2 ^h 3/4 | 14 ^h 3/8 | -2 ^h 5/6c |
| 16 | 15 ^h 1/2 | -3 ^h | 15 ^h 1/2 | -2 ^h 9/10 |

Table 22: Asia 8 China

| D# | Site | GD Name | B | L | G6 |
|-----|----------------|-----------------|----------|----------|------|
| 312 | Issedon Scyth. | Ισσηδων Σκυθικη | 150° | 48° 1/2 | 15.4 |
| 313 | Auzakia | Αυζακια | 144° | 49° 2/3 | 15.4 |
| 314 | Issedon Ser. | Ισσηδων Σερικη | 162° | 45° | 16.7 |
| 315 | Drosake | Δρωσακη | 167° 2/3 | 42° 1/2 | 16.7 |
| 316 | Ottorokora | Οττοροκορρα | 165° | 37° 1/4 | 16.8 |
| 317 | Sian [Xi'an] | Σερα | 177° 1/4 | 38° 7/12 | 16.8 |

Table 22: Asia 8 China

| G8.24 | M _{XZ} | A _{XZ} | M _{UNK} | A _{UNK} |
|-------|----------------------|---------------------|----------------------|------------------------------------|
| 3 | 16 ^h | -6 ^h | 16 ^h | -6 ^h |
| 4 | 16 ^h 1/6r | -6 ^h 1/4 | 16 ^h 1/4c | -5 ^h 3/5 |
| 5 | 15 ^h 1/2 | -6 ^h 3/4 | 15 ^h 1/2 | -6 ^h 5/6c |
| 6 | 15 ^h 1/6 | -7 ^h 1/8 | 15 ^h 1/6 | -7 ^h 1/6c |
| 7 | 14 ^h 5/8 | -7 ^h | 14 ^h 2/3c | -7 ^h |
| 8 | 14 ^h 3/4 | -7 ^h 3/4 | 14 ^h 3/4 | -7 ^h 5/6<8 ^h |

Table 23: Asia 9 Afghanistan & Pakistan

| D# | Site | GD Name | B | L | G6 |
|-----|-------------|-------------------|----------|---------|------|
| 318 | Bitaxa | Βιταξα | 103° 2/3 | 38° | 17.4 |
| 319 | Areia | Αρεια | 105° | 35° | 17.7 |
| 320 | Herat | Αλεξανδρεια Αρεια | 110° | 36° | 17.6 |
| 321 | Naulibis | Ναυλιβις | 117° | 35° 1/2 | 18.5 |
| 322 | Kabul | Καβουρα | 118° | 35° | 18.5 |
| 323 | Prophthasia | Προφθασια | 110° | 32° 1/3 | 19.4 |
| 324 | Ariaspe | Αριασπη | 108° 2/3 | 28° 2/3 | 19.5 |
| 325 | Kandahar | Αλεξανδρεια Αραχ. | 114° | 31° | 20.4 |
| 326 | Arachotos | Αραχωτος | 118° | 30° 1/3 | 20.5 |
| 327 | Koni | Κουνι | 110° | 27° | 21.5 |
| 328 | Arbis | Αρβις | 105° 1/3 | 20° 1/2 | 21.5 |
| 329 | Musarna | Μουσαρνα | 115° | 27° 1/2 | 21.5 |

Table 23: Asia 9 Afghanistan & Pakistan

| G8.25 | M _{XZ} | A _{XZ} | M _{UNK} | A _{UNK} | S _{XZ} | S _{UNK} |
|-------|----------------------|-----------------------|----------------------|-----------------------|-----------------|------------------|
| 4 | 14 ^h 2/3 | -2 ^h 5/6 | 14 ^h 2/3 | -2 ^h 11/12 | | |
| 3 | 14 ^h 5/12 | -3 ^h | 14 ^h 5/12 | -3 ^h | | |
| 5 | 14 ^h 1/2 | -3 ^h 1/3 | 14 ^h 1/2 | -3 ^h 1/3 | | |
| 6 | 14 ^h 1/2 | -3 ^h 3/4 | 14 ^h 1/2c | -3 ^h 5/6 | | |
| 7 | 14 ^h 1/3 | -3 ^h 1/2 | 14 ^h 5/12 | -3 ^h 13/15 | | |
| 8 | 14 ^h 1/6r | -3 ^h 1/3 | 14 ^h 1/6 | -3 ^h 1/3 | | |
| 9 | 14 ^h 1/2 | -3 ^h 1/5 | 14 ^h 5/6 | -3 ^h 1/4 | | |
| 10 | 14 ^h 1/12 | -3 ^h 17/30 | 14 ^h 1/12 | -3 ^h 3/5 | | |
| 11 | 14 ^h | -3 ^h 5/6 | 14 ^h | -3 ^h 13/15 | | |
| 12 | 13 ^h 3/4 | -3 ^h 1/4r | 13 ^h 5/6c | -3 ^h 1/3 | 0°x | |
| 14 | 13 ^h 1/4 | -3 ^h | 13 ^h 1/2c | -3 ^h | 30° | 0°c |
| 13 | 13 ^h 3/4 | -3 ^h 2/3 | 13 ^h 3/4 | -3 ^h 2/3 | | |

Table 24: Asia 10 India

| D# | Site | GD Name | B | L | G7 |
|-----|------------|------------|----------|---------|------|
| 330 | Chaul | Σιμουλλα | 110° | 14° 3/4 | 1.6 |
| 331 | Cranganur | Μουζιρις | 117° | 14° | 1.8 |
| 332 | Tranquebar | Χαβηνις | 128° 1/3 | 15° 3/4 | 1.13 |
| 333 | Palura | Παλουρα | 136° 2/3 | 11° 1/2 | 1.16 |
| 334 | Kaspeira | Κασπειρα | 127° | 31° 1/4 | 1.49 |
| 335 | Bukephala | Βουκεφαλα | 125° 1/2 | 33° | 1.46 |
| 336 | Patna | Παλιμβοθρα | 143° | 27° | 1.73 |
| 337 | Patala | Παταλα | 112° 5/6 | 21° | 1.59 |
| 338 | Barbarei | Βαρβαρει | 113° 1/4 | 22° 1/2 | 1.59 |
| 339 | Bharucha | Βαρυγαζα | 113° 1/4 | 17° 1/3 | 1.62 |
| 340 | Ujjain | Οζηνη | 117° | 20° | 1.63 |
| 341 | Paithan | Βαιθανα | 117° | 18° 1/6 | 1.82 |
| 342 | Hippokura | Ιπποκουρα | 119° 3/4 | 19° 1/6 | 1.83 |
| 343 | Tirukkarur | Καρουρα | 119° | 16° 1/3 | 1.86 |
| 344 | Madurai | Μοδουρα | 125° | 16° 1/3 | 1.89 |
| 345 | Uraiyar | Ορθουρα | 130° | 16° 1/3 | 1.91 |
| 346 | Pintida | Πιτυνδρα | 135° 1/2 | 12° 1/2 | 1.93 |

Table 24: Asia 10 India

| G8.26 | M_{XZ} | A_{XZ} | M_{UNK} | A_{UNK} | S_{XZ} | S_{UNK} |
|-------|-----------------------|----------------------|-------------------------|-----------------------|----------|-----------|
| 3 | 12 ^h 3/4 | -3 ^h 1/3 | 12 ^h 11/12c | -3 ^h 1/3 | 51° | 51° 1/3 |
| 4 | 12 ^h 5/6 | -3 ^h 3/4 | 12 ^h 5/6 | -3 ^h 5/6 | 53° 1/4 | 54° 1/2 |
| 5 | 12 ^h 11/12 | -4 ^h 5/6 | 12 ^h 11/12c | -4 ^h 7/12 | 49° 1/2 | 47° 3/5 |
| 6 | 12 ^h 2/3 | -5 ^h 1/15 | 12 ^h 103/150 | -5 ^h 1/9 | 61° 5/6 | 62° 1/2 |
| 7 | 14 ^h 1/4x | -4 ^h 5/12 | 14 ^h 1/12c | -4 ^h 1/2c | | |
| 8 | 14 ^h 1/4 | -4 ^h 1/3 | 14 ^h 1/4c | -4 ^h 11/30 | | |
| 9 | 14 ^h | -5 ^h 1/2 | 13 ^h 3/4c | -5 ^h 8/15 | | |
| 10 | 13 ^h 5/12 | -3 ^h 1/2 | 13 ^h 1/3c | -3 ^h 1/2 | 19° | 23° 5/6 |
| 11 | 13 ^h 1/3 | -3 ^h 1/2 | 13 ^h 5/12 | -3 ^h 11/20 | 27° 1/2 | 18° 2/3 |
| 12 | 13 ^h 1/12 | -3 ^h 1/2 | 13 ^h 1/12c | -3 ^h 11/20 | 42° 1/2 | 41° 2/3 |
| 13 | 13 ^h 5/6 | -3 ^h 3/4 | 13 ^h 1/4c | -4 ^h | 32° 1/4 | 31° |
| 14 | 13 ^h 1/8 | -3 ^h 3/4 | 13 ^h 1/8c | -3 ^h 5/6c | 39° 1/2 | 38° 1/4 |
| 15 | 13 ^h 1/6r | -4 ^h | 13 ^h 1/6 | -4 ^h c | 35° 2/3 | 34° 1/3 |
| 16 | 13 ^h | -3 ^h 5/6 | 13 ^h | -3 ^h 14/15 | 46° | 45° 1/3 |
| 17 | 13 ^h | -3 ^h 1/4 | 13 ^h | -4 ^h 1/3 | 46° | 45° 1/3 |
| 18 | 13 ^h | -4 ^h 2/3 | 13 ^h | -4 ^h 2/3 | 46° | 45° 1/3 |
| 19 | 12 ^h 3/4 | -5 ^h | 12 ^h 3/4 | -5 ^h 1/30 | 57° 1/2 | 60° |

Table 25: Asia 11 Southeast Asia

| D# | Site | GD Name | B | L | G7 |
|-----|---------------|------------------|----------|---------|------|
| 347 | Banda Akeh | Τακωλα | 160° | 4° 1/4 | 2.5 |
| 348 | Singapore | Ζαβαι | 168° 1/3 | 4° 3/4 | 2.6 |
| 349 | Dhaulti | Τασαλει | 150° | 23° 1/3 | 2.23 |
| 350 | Tugma | Τουγμα | 152° 1/2 | 22° 1/4 | 2.23 |
| 351 | Mandalay | Τριλιγγον | 154° | 18° | 2.23 |
| 352 | Rangoon | Μαρεουρα | 158° | 12° 1/2 | 2.24 |
| 353 | Rhandamarta | Ρανδαμαρκοττα | 172° | 28° | 2.23 |
| 354 | Chanthaburi | Ασιθρα | 175° 1/2 | 16° 1/4 | 3.5 |
| 355 | Phnom Penh | Θινα | 180° | 13° | 3.6 |
| 356 | Saigon | Καττιγαρα | 177° | 8° 1/2r | 3.3 |
| 357 | Batavia, Java | Αργυρη, Ιαβαδιου | 167° | -8° 1/2 | 2.29 |

Table 25: Asia 11 Southeast Asia

| G8.27 | M_{XZ} | A_{XZ} | M_{UNK} | A_{UNK} | S_{XZ} | S_{UNK} |
|-------|---------------------|----------------------|-----------------------|------------------------|----------|-----------|
| 3 | 12 ^h 1/4 | -6 ^h 2/3 | 12 ^h 1/4 | -6 ^h 2/3 | 79° 1/2 | 80° |
| 4 | 12 ^h 1/4 | -7 ^h 1/5 | 12 ^h 1/4 | -7 ^h 13/60 | 78° 1/2 | 78° 2/3 |
| 5 | 13 ^h 1/2 | -6 ^h | 13 ^h 1/2c | -6 ^h | 0° | 4° 1/3x |
| 6 | 13 ^h 1/4 | -6 ^h 1/8 | 13 ^h 5/12c | -6 ^h 1/6 | 31° 1/2 | 13° |
| 7 | 13 ^h | -6 ^h 1/4 | 13 ^h 1/8c | -6 ^h 4/15 | 43° 3/4 | 39° |
| 8 | 12 ^h 3/4 | -6 ^h 1/2 | 12 ^h 3/4 | -6 ^h 8/15 | 57° 1/2 | 60° |
| 9 | 13 ^h 3/4 | -7 ^h 5/12 | 13 ^h 5/6c | -7 ^h 1/2c | | |
| 11 | 13 ^h 1/8 | -7 ^h 2/3 | 13 ^h c | -7 ^h 7/10 | 39° 1/4 | 45° 2/3 |
| 12 | 13 ^h 5/8 | -8 ^h | 13 ^h 3/4 | -8 ^h | 63° 2/3 | 58° |
| 13 | 12 ^h 1/2 | -7 ^h 3/4 | 12 ^h 3/4 | -7 ^h 13/15 | 68° 3/4 | 70° c |
| 10 | 12 ^h 1/2 | -7 ^h 2/3 | 12 ^h 1/2 | -7 ^h 49/360 | 68° 3/4 | 70° c |

Table 26: Asia 12 Ceylon [Sri Lanka]

| D# | Site | GD Name | B | L | G7 |
|-----|-------------|--------------|----------|---------|------|
| 358 | Point Pedro | Ταλακωρυ | 126° 1/3 | 11° 2/3 | 4.7 |
| 359 | Trincomalee | Ναγαδιβα | 129° | 8° 1/2 | 4.7 |
| 360 | Minneriya | Μααγραμαμμον | 127° | 7° 1/3 | 4.10 |

Table 26: Asia 12 Ceylon [Sri Lanka]

| G8.28 | M_{XZ} | A_{XZ} | M_{UNK} | A_{UNK} | S_{XZ} | S_{UNK} |
|-------|-----------------------|-----------------------|----------------------|----------------------|----------|-----------|
| 4 | 12 ^h 2/3 | -4 ^h 5/12 | 12 ^h 2/3 | -4 ^h 2/5 | 60° | 62° |
| 3 | 12 ^h 1/2 | -4 ^h 17/30 | 12 ^h 1/2 | -4 ^h 3/5 | 68° 1/2 | 70° c |
| 5 | 12 ^h 11/12 | -4 ^h 5/12 | 12 ^h 5/12 | -4 ^h 1/2c | 71° 1/2 | 72° 2/3c |

References

- Almagest*. Compiled Ptolemy c.160 AD. Eds: Manitius 1912-3; Toomer 1984.
 B&J = J.L.Berggren & A.Jones 2000. *Ptolemy's Geography*, Princeton.
 Aubrey Diller 1934. *Klio* 27:258.
GD = Geographical Directory. Ptolemy c.160 AD. B&J. Complete eds: Nobbe; S&G.
Handy Tables. Compiled Ptol c.170 AD. Eds: Halma 1822, Heiberg 1907, Tihon 1971f.
 J.Heiberg 1907, Ed. *Claudii Ptolemaei Opera Astronomica Minora*, Leipzig.
 Hipparchos. *Commentary on Aratos & Eudoxos* c.130 BC. Ed: Manitius, Leipzig 1894.
 Ernst Honigsmann 1929. *Sieben Klimata und die Πολιεις Επισημοι*, Heidelberg U.
 Karl Manitius 1912-3, Ed. *Handbuch der Astronomie [Almagest]*, Leipzig.
 C.Müller 1883&1901. *Claudii Ptolemæi Geographia*, Paris. (Bks.1-5 of *GD*, plus maps.)
 R.Nadal & J.Brunet 1984. *ArchiveHistExactSci* 29:201.
 O.Neugebauer 1975. *History of Ancient Mathematical Astronomy (HAMA)*, NYC.
 C.Nobbe 1843-5. *Claudii Ptolemæi Geographia*, Leipzig. Repr 1966, pref A.Diller.
 Pliny the Elder. *Natural History* 77 AD. Ed: H.Rackham, LCL 1938-62.
 D.Rawlins 1982C. *Publications of the Astronomical Society of the Pacific* 94:359.
 D.Rawlins 1982N. *ArchiveHistExactSci* 26:211.
 D.Rawlins 1985G. *Vistas in Astronomy* 28:255.
 D.Rawlins 1991H. *DIO* 1.1 †6.
 D.Rawlins 1994L. *DIO* 4.1 †3.
 D.Rawlins 1999. *DIO* 9.1 †3. (Accepted JHA 1981, but suppressed by livid M.Hoskin.)
 D.Rawlins 2002V. *DIO* 11.3 †6.
 D.Rawlins 2008Q. *DIO* 14 †1.
 D.Rawlins 2008R. *DIO* 14 †2.
 D.Rawlins 2008S. *DIO* 14 †3.
 Louis Renou 1925. *La Géographie de Ptolémée: l'Inde*, Paris. (Bk.7.1-4.)
 Strabo. *Geography* c.20 AD. Ed: Horace Jones, LCL 1917-1932.
 S&G = A.Stückelberger & G.Graßhoff 2006. *Ptolemaios Handbuch Geographie*, U.Bern.
 Hugh Thurston 2002S. *Isis* 93.1:58.
 Gerald Toomer 1984, Ed. *Ptolemy's Almagest*, NYC.
 Friedrich Wilberg & Carl Grashof 1838-1845. *Claudii Ptolemæi Geogr*, Essen. (Bks.1-6.)

Acknowledgements: Besides (obviously!) Aubrey Diller, DR thanks Lucille Wehner & Dave Buisseret of the Newberry Library (Univ Chicago) for 1983 assistance in obtaining for Diller a microfilm of the library's valuable photos of the Seraglio ms of the *GD* (which fortunately survived the 1204 & 1453 sackings of Constantinople). Also, Dennis Duke, for his 2006 preparing & posting of the original of the Diller 1984 typescript's first-ever establishment of the text of Book 8.

DIO

DIO: The International Journal of Scientific History [www.dioi.org] is published by

DIO, Box 19935, Baltimore, MD 21211-0935, USA.

Telephone (answering machine always on): 410-889-1414.

[Email: dioi@mail.com.]

Research & university libraries may request permanent free subscription to *DIO*.

Each issue of *DIO* will be printed on paper which is certified acid-free. The ink isn't.

Editor[2006-2012]: Dennis Duke, FSU. Publisher: Dennis Rawlins (DR), address above.

DIO is primarily a journal of scientific history & principle. However, high scholarship and-or original analytical writing (not necessarily scientific or historical), from any quarter or faction, will be gladly received and considered for publication. Each author has final editorial say over his own article. If refereeing occurs, the usual handsome-journal anonymity will not, unless in reverse. No page charges. Each author receives 50 free offprints.

The circumstance that most *DIO* articles are written by scholars of international repute need not discourage other potential authors, since one of *DIO*'s purposes is the discovery & launching of fresh scholarly talent. Except for equity&charity reply-space material, submissions will be evaluated without regard to the writer's status or identity. We welcome papers too original, intelligent, and-or blunt for certain handsome journals. (Dissent & controversy are *per se* obviously no bar to consideration for *DIO* publication; but, please: spare us the creationist-level junk. I.e., non-establishment cranks need not apply.)

Other journals may reprint excerpts (edited or no) from any issue of *DIO* to date, whether for enlightenment or criticism or both. Indeed, excepting *DIO* vols.3&5, other journals may entirely republish *DIO* articles (preferably after open, nonanonymous refereeing), so long as *DIO*'s name, address, & phone # are printed adjacent to the published material — and to all comments thereon (then *or later*), noting that said commentary may well be first replied to (if reply occurs at all) in *DIO*'s pages, not the quoting journal's.

DIO invites communication of readers' comments, analyses, attacks, and-or advice.

Written contributions are especially encouraged for the columns: Unpublished Letters, Referees Refereed, and regular Correspondence (incl. free errtime for opponents). Contributor-anonymity granted on request. Deftly or daftly crafted reports, on apt candidates for recognition in our occasional satirical *J. for Hysterical Astronomy* will of course also be considered for publication.

Free spirits will presumably be pleased (and certain archons will not be surprised) to learn that: at *DIO*, there is not the slightest fixed standard for writing style.

Contributors should send (expendable photocopies of) papers to one of the following *DIO* referees — and then inquire of him by phone in 40 days:

Dennis Duke [ancient astronomy, data analysis], Physics Dep't, Florida State University Tallahassee, FL 32306-4052; tel 850-644-0175.

Robert Headland [polar research & exploration], Scott Polar Research Institute, University of Cambridge, Lensfield Road, Cambridge CB2 1ER, UK; tel (44) 1223-336540.

Charles Kowal [celestial discovery, asteroids], Johns Hopkins University Applied Physics Laboratory, Johns Hopkins Road, Laurel, MD 20707. Retired. Tel 360-985-0492.

Keith Pickering [navigation, exploration, computers, photography, science ethics], 10085 County Road 24, Watertown, MN 55388; tel 952-955-3179; fax 952-955-2398.

E. Myles Standish [positional & dynamical astronomy], Jet Propulsion Laboratory 301-150, Cal Tech, 4800 Oak Grove Drive, Pasadena, CA 91109-8099. Ret. Tel 864-888-1301.

F. Richard Stephenson [ancient eclipses, ΔT secular behavior], Department of Physics, University of Durham, Durham DH1 3LE, UK; tel (44) 191-374-2153.

Christopher B. F. Walker [Mesopotamian astronomy], Dep't of Western Asiatic Antiquities, British Museum, Great Russell Street, London WC1B 3DG, UK; tel (44) 171-323-8382.

A Fresh Science-History Journal: Cost-Free to Major Libraries

DIO

Telephone 410-889-1414

dioi@mail.com

***DIO* — The International Journal of Scientific History.**

Deeply funded. Mail costs fully covered. No page charges. Offprints free.

- Since 1991 inception, has gone without fee to leading scholars & libraries.
- Contributors include world authorities in their respective fields, experts at, e.g., Johns Hopkins University, Cal Tech, Cambridge University, University of London.
- Publisher & journal cited (1996 May 9) in *New York Times* p.1 analysis of his discovery of data exploding Richard Byrd's 1926 North Pole fraud. [*DIO* vol.4.] Full report co-published by University of Cambridge (2000) and *DIO* [vol.10], triggering *History Channel* 2000&2001 recognition of Amundsen's double pole-priority. New photographic proof ending Mt.McKinley fake [*DIO* vol.7]: cited basis of 1998/11/26 *New York Times* p.1 announcement. *Nature* 2000/11/16 cover article pyramid-orientation theory: *DIO*-corrected-recomputed, *Nature* 2001/8/16. Vindicating DR longtime Neptune-affair charges of planet-theft and file-theft: *Scientific American* 2004 December credits *DIO* [vols.2-9]. *DIO*-opposites mentality explored: *NYTimes* Science 2009/9/8 [nytimes.com/tierneylab].
- Journal is published primarily for universities' and scientific institutions' collections; among subscribers by request are libraries at: US Naval Observatory, Cal Tech, Cornell, Johns Hopkins, Oxford & Cambridge, Royal Astronomical Society, British Museum, Royal Observatory (Scotland), the Russian State Library, the International Centre for Theoretical Physics (Trieste), and the universities of Chicago, Toronto, London, Munich, Göttingen, Copenhagen, Stockholm, Tartu, Amsterdam, Liège, Ljubljana, Bologna, Canterbury (NZ).
- New findings on ancient heliocentrists, pre-Hipparchos precession, Mayan eclipse math, Columbus' landfall, Comet Halley apparitions, Peary's fictional Crocker Land.
- Entire *DIO* vol.3 devoted to 1st critical edition of Tycho's legendary 1004-star catalog.
- Investigations of science hoaxes of the -1st, +2nd, 16th, 19th, and 20th centuries.

Paul Forman (History of Physics, Smithsonian Institution): "*DIO* is delightful!"

E. Myles Standish (prime creator of the solar, lunar, & planetary ephemerides for the pre-eminent annual *Astronomical Almanac* of the US Naval Observatory & Royal Greenwich Observatory; recent Chair of American Astronomical Society's Division on Dynamical Astronomy): "a truly intriguing forum, dealing with a variety of subjects, presented often with [its] unique brand of humor, but always with strict adherence to a rigid code of scientific ethics. . . . [and] without pre-conceived biases [an] ambitious and valuable journal."

B. L. van der Waerden (world-renowned University of Zürich mathematician), on *DIO*'s demonstration that Babylonian tablet BM 55555 (100 BC) used Greek data: "*marvellous*." (Explicitly due to this theory, BM 55555 has gone on permanent British Museum display.)

Rob't Headland (Scott Polar Research Institute, Cambridge University): Byrd's 1926 latitude-exaggeration has long been suspected, but *DIO*'s 1996 find "has clinched it."

Hugh Thurston (MA, PhD mathematics, Cambridge University; author of highly acclaimed *Early Astronomy*, Springer-Verlag 1994): "*DIO* is fascinating. With . . . mathematical competence, . . . judicious historical perspective, [&] inductive ingenuity, . . . [*DIO*] has solved . . . problems in early astronomy that have resisted attack for centuries"

Annals of Science (1996 July), reviewing *DIO* vol.3 (Tycho star catalog): "a thorough work extensive [least-squares] error analysis . . . demonstrates [Tycho star-position] accuracy . . . much better than is generally assumed excellent investigation".

British Society for the History of Mathematics (*Newsletter* 1993 Spring): "fearless [on] the operation of structures of [academic] power & influence . . . much recommended to [readers] bored with . . . the more prominent public journals, or open to the possibility of scholars being motivated by other considerations than the pursuit of objective truth."